

Table 4

*Multinomial Logistic Regression Results for Variables Predicting Friendship Trajectory in the Full Sample (n= 438)*

	Variable	<i>B</i>	SE <i>B</i>	Wald	df	<i>p</i>	OR	95% CI
	Intercept	-1.20	1.37	0.77	1	.379		
	VP/VLBW	0.30	0.96	0.10	1	.754	1.35	0.21 – 8.87
	Sex (male)	0.60	0.41	2.16	1	.142	1.81	0.82 – 4.01
Low	Lower SES	0.04	0.13	0.09	1	.769	1.04	0.80 – 1.35
friendships	Neonatal medical risk	-0.03	0.10	0.13	1	.721	0.97	0.80 – 1.17
	Good parent-infant relationship	-0.30	0.40	0.58	1	.448	0.74	0.34 – 1.62
	Good inhibitory control	0.32	0.45	0.51	1	.474	1.38	0.57 – 3.34
	Cognitive abilities	-0.02	0.01	1.85	1	.174	0.98	0.96 – 1.01
	Intercept	-3.42	1.32	6.71	1	.010		
	VP/VLBW	-0.19	0.55	0.11	1	.737	0.83	0.28 – 2.45
	Sex (male)	-0.32	0.22	2.18	1	.140	0.73	0.47 – 1.11
High	Lower SES	0.13	0.07	3.28	1	.070	1.14	0.99 – 1.32
friendships	Neonatal medical risk	0.00	0.06	0.00	1	.994	1.00	0.89 – 1.13
	Good parent-infant relationship	0.16	0.23	0.49	1	.482	1.18	0.75 – 1.86
	Good inhibitory control	-0.07	0.24	0.10	1	.754	0.92	0.58 – 1.48
	Cognitive abilities	0.03	0.01	4.70	1	.030	1.03	1.00 – 1.05
	<i>LR</i> $\chi^2$	30.28 <i>p</i> = .007						

*Note.*: The reference category is Average friendships trajectory.