



University of Warwick institutional repository: <http://go.warwick.ac.uk/wrap>

This paper is made available online in accordance with publisher policies. Please scroll down to view the document itself. Please refer to the repository record for this item and our policy information available from the repository home page for further information.

To see the final version of this paper please visit the publisher's website. Access to the published version may require a subscription.

Author(s): Naveed A Malik and Magnus JE Richardson

Article Title: Shape dependence of the neuronal response to alternating electrical fields

Year of publication: 2010

Link to published article:

<http://dx.doi.org/10.1186/1471-2202-11-S1-P156>

Publisher statement: None

POSTER PRESENTATION

Open Access

# Shape dependence of the neuronal response to alternating electrical fields

Naveed A Malik\*, Magnus JE Richardson

From Nineteenth Annual Computational Neuroscience Meeting: CNS\*2010  
San Antonio, TX, USA. 24-30 July 2010

Neuronal interactions with electric fields depend on the biophysical properties of the neuronal membrane as well as the geometry of the cell relative to the field vector. Biophysically detailed modeling of these spatial effects is central to understanding neuron-to-neuron electrical (ephaptic) interactions as well as how externally applied electrical fields, such as radio-frequency radiation from wireless devices or therapeutic Deep Brain Stimulation (DBS), interact with neurons. Here we examine in detail the shape-dependent response properties of cells in oscillating electrical fields by solving Maxwell's equations for a geometrically extended neuron of various radii-to-length ratios.

Early modeling [1] for compact (spherical) cells in alternating fields predicts a smaller effective membrane time constant for the field-cell system compared to direct current injection via whole-cell patch clamp. This result, predicting that cells should respond strongly to field oscillations in the kHz range, was verified later [2] in vitro for murine myeloma cells. However, recent experiments [3] on CA3 pyramidal cells (highly elongated neurons) in the hippocampus do not exhibit this high frequency response.

Our modeling demonstrates that the radius-length ratio and orientation of the cell to the field are key determinants of the neuronal response to oscillating fields. This explains the experimentally observed absence of the high frequency response for pyramidal neurons when the applied field direction is oriented along their dendritic axis. Additionally, we developed biophysically detailed models of neuronal membranes with quasi-active electrical properties stemming from voltage-gated currents. These are known to lead to resonances at characteristic frequencies in the case of current injection

via whole-cell patch clamp. Interestingly, in the field-cell system, the resonance was masked in compact, spherical neurons but recovered in elongated neurons.

These findings delineate the relationship between neuron shape, orientation and susceptibility to high frequency electric fields, with implications for DBS efficacy, ephaptic coupling in networks and the filtering properties of cortical tissue.

Published: 20 July 2010

## References

1. Schwan HP: Biophysics of the interaction of electromagnetic energy with cells and membranes. In: Grandolfo M, Michaelson SM, Rindi A, editors. *Biological effects and dosimetry of nonionising radiation*. Plenum Press, New York 1983, 213-231.
2. Marszalek P, Liu D, Tsong TY: Schwan equation and transmembrane potential induced by alternating electric field. *Biophys J* 1990, **58**:1053-1058.
3. Deans JK, Powell AD, Jefferys JGR: Sensitivity of coherent oscillations in rat hippocampus to AC electric fields. *J Physiol* 2007, **583**:555-565.

doi:10.1186/1471-2202-11-S1-P156

**Cite this article as:** Malik and Richardson: Shape dependence of the neuronal response to alternating electrical fields. *BMC Neuroscience* 2010 **11**(Suppl 1):P156.

**Submit your next manuscript to BioMed Central and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
www.biomedcentral.com/submit



\* Correspondence: naveed.malik@warwick.ac.uk  
Warwick Systems Biology Centre, University of Warwick, Coventry,  
CV4 7AL, UK