



Article Keep Calm and Go Out: Urban Nature Exposure, Mental Health, and Perceived Value during the COVID-19 Lockdown

Argyro Anna Kanelli ¹, Margarita Kokkinaki ¹, Marios-Dimitrios Sinvare ¹, Chrisovalantis Malesios ², Panayiotis G. Dimitrakopoulos ¹ and Olga-Ioanna Kalantzi ^{1,*}

- ¹ Department of Environment, University of the Aegean, 81100 Mytilene, Greece; akanelli@env.aegean.gr (A.A.K.)
- ² Department of Agricultural Economics and Rural Development, Agricultural University of Athens, 11855 Athens, Greece
- * Correspondence: kalantzi@aegean.gr

Abstract: The COVID-19 pandemic has highlighted the importance of incorporating nature-based solutions in urban design, in order to create sustainable and resilient cities. Inspired by these events, the present study aims at exploring the mental health benefits of nature exposure during the outbreak. Secondarily, we investigate changes in use patterns towards urban green spaces (UGS) and urban blue spaces (UBS) and whether extreme conditions, such as these of a lockdown, can lead to an increase in people's appreciation of urban nature. Through an online survey, we observed that the pandemic resulted in a decrease in the frequency of visitation to UGS/UBS (p < 0.001). Significant differences were found for exercise (p < 0.001) and socialization (p < 0.05) as main drivers for visiting urban nature pre- and post-lockdown. Accordingly, visitation rates for forests (p < 0.05), playgrounds (p < 0.001), and the sea (p < 0.001) differed significantly when comparing the two periods. In people's perception, UGS/UBS are important for the urban fabric (89%). Our structural equation model indicated that nature exposure had a beneficial effect on participants' mental health (p < 0.001). Pathways that explain the relationship between nature exposure and post-lockdown value were nature relatedness, motivation, and perceived importance of UGS/UBS. No mediation could be extracted for nature exposure and mental health. Our findings show the positive association between nature exposure and mental health improvement, especially in times of crisis, as well as a shift in the "value domain" towards urban nature.

Keywords: urban green spaces; urban blue spaces; COVID-19; perceived value; structural equation modeling

1. Introduction

In December 2019, multiple incidents of respiratory diseases were reported in Wuhan, China, which were soon attributed to SARS-CoV-2 [1]. The rapid spread of the virus around the globe resulted in a public health emergency of international concern and the declaration of the coronavirus pandemic [2]. In order to reduce contagion and mortality rates almost every country adopted measures of social distancing. With the number of infections growing, the Greek government announced two national lockdowns—the first ranging from March 2020 to May 2020 and the second one from November 2020 to May 2021. The main measures adopted apart from the use of masks, concerned restriction of movement, prohibition of gatherings, and the cessation of operation of various public and private institutions. Even though these measures proved to be an important asset against the spread of the pandemic, social distancing also had a severe mental health impact: increased levels of anxiety, depression, and sleep disorders were recorded while negative feelings such as uncertainty and fear were repeatedly reported to local mental health services [3–5].

Worldwide, this health crisis, which turned into a psychological crisis [6,7], resulted in raising awareness of the role of urban nature in mitigating the impacts of COVID-19



Citation: Kanelli, A.A.; Kokkinaki, M.; Sinvare, M.-D.; Malesios, C.; Dimitrakopoulos, P.G.; Kalantzi, O.-I. Keep Calm and Go Out: Urban Nature Exposure, Mental Health, and Perceived Value during the COVID-19 Lockdown. *Sustainability* 2023, *15*, 8831. https:// doi.org/10.3390/su15118831

Academic Editor: Lotfi Aleya

Received: 18 April 2023 Revised: 18 May 2023 Accepted: 25 May 2023 Published: 30 May 2023



Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/). on our wellbeing [8]. Natural environments within the urban fabric, mainly urban green spaces (UGS) and urban blue spaces (UBS) are well known for their beneficial effects on both general and mental health. Particularly, UGS results to lower blood pressure, levels of cholesterol, risks for cancer, respiratory diseases, obesity, mortality rates, and positive birth outcomes [9–15]. In terms of psychological wellbeing, UGS have restorative properties, improve cognitive function, self-esteem, reduce levels of anxiety and stress, mitigate psychological disorders, and generate positive feelings [16–30]. Additionally, they are found to enhance social wellbeing [31–33] and spiritual inspiration [34,35]. Fewer studies have shown the association of UBS with health promotion [36–38]. These places have therapeutic attributes as they contribute to lower levels of anxiety and depression, foster relaxation, restoration, feelings of vitality and satisfaction, and generally amplify wellbeing [39–48].

The relationship between UGS/UBS and health or wellbeing is explained through several mechanisms. Among them, physical activity, social cohesion, air pollution, noise, perceived stress, and restorative capacities are the most popular. Accessible and wellmaintained public open spaces offer opportunities for engaging in either intense or moderate physical activity which in turn fosters general health and quality of life [49–55]. Accordingly, UGS and UBS encourage social interactions which amplify the sense of community belonging and safety [56-60]. Furthermore, they are well known for providing ecosystem services: through air temperature regulation, air quality improvement, and noise reduction they lead to both health benefits and a reduction in the sense of annoyance from our surroundings [61-64]. Another important pathway based on Ulrichs' and Kaplan's theories, is stress reduction and restoration. According to Stress Reduction Theory natural environments and their elements can help us generate positive emotions, thus limiting our exposure to stress [65–68]. On the other hand, Attention Restoration Theory supports that contact with nature contributes to recovery from spiritual and psychological fatigue or ameliorates our focus and attention, hence providing evidence that UGBS have restorative capacities that improve our mental health [69–71].

Taking the above into consideration, the present study focuses on the exploration of the mental health benefits of nature exposure during the COVID-19 pandemic. According to [72] nature exposure is determined by three key elements: intensity, frequency, and duration of exposure. [73] introduces the concept of the dose of nature while pointing out the important role of UGS provision as a prerequisite for UGS exposure. Following their paradigm, [74] applied these conceptual frames in the case of UBS along with the different types (incidental, indirect, and intentional) of interaction with urban nature that [75] distinguished. Building upon these models we enrich the current literature by examining the role of UGS and UBS as buffers during times of crisis, such as that of a pandemic. Secondarily, we put emphasis on the perceived value of urban nature and highlight it as a vital domain that should be incorporated into urban planning. Particularly, in this study we seek to address whether:

- the COVID-19 pandemic has influenced urban residents' use patterns of urban green and blue spaces (UGBS)
- nature exposure helped people cope with feelings of anxiety and depression during the lockdown
- Greek citizens attach additional value to UGBS after the social restrictions they experienced and
- we can identify factors that affect the relationship between nature exposure-mental health and nature exposure-perceived value of UGS/UBS in times of crisis.

2. Materials and Methods

2.1. Study Sample

An online survey was conducted between February and April 2021 in Greece. During that time the country was under strict lockdown, so citizens were not allowed to move freely in and between municipal districts. Our total sample (N = 927) consisted of urban

citizens with permanent residency in Greece during the second nationwide lockdown. Recruitment of participants was achieved through social media (Facebook, Instagram, and LinkedIn) and the authors' personal contacts. The link to the questionnaire was also forwarded by the communication office of the University of the Aegean to other Institutes and parties. The study was carried out in accordance with the Helsinki Declaration and ethical approval was obtained by the Bioethics Committee of the University of the Aegean (3382/17 February 2021).

2.2. Online Survey

The questionnaire was divided into seven parts. The first one consisted of a brief introduction to the aims of the study. Definitions of UGS and UBS were given so a common understanding of these terms could be reached. Specifically, UGS was considered as all forms of greenery within an urban environment (e.g., parks, private or public gardens, forests, etc.) [76] and UBS as all forms of natural and artificial aquatic surfaces (e.g., sea, river, lake, fountains) [77]. Respondents were also informed about the anonymity of the survey and their right to quit at any point. Part two examined our sample's nature orientation. Derived from Wilson's 1984 [78] biophilia theory, which discusses humans' subconscious need to maintain contact with the natural environment and all forms of life due to the evolutionary process, nature relatedness describes the affective, cognitive, and experiential aspects of human-nature relationships [79]. This link is further examined in later studies which establish a causal connection between nature engagement, the feeling of belonging to the natural world, and mental health benefits [80–85]. For this reason, a short form of the Nature Relatedness Scale (NR-6) was incorporated into our survey. Each item takes values from 1 = "disagree strongly" to 5 = "agree strongly". A total score is calculated by averaging all six items, with higher scores indicating higher levels of nature-relatedness.

Section 3 focused on the accessibility to UGS/UBS. Accessibility refers to the distance to the nearest UGS or UBS, usually measured as the Euclidian distance, spatial distance, network buffers, the time needed to reach an UGS or UBS [86–92], and subjective questions [93]. Lately, other aspects are examined as well such as physical or psychological obstacles (e.g., safety, fences, roads) and qualitative elements—mostly amenities [94–96]. In this study, we assess UGBS accessibility by incorporating the term of proximity and ease of access. Participants were asked to indicate the degree of proximity of neighborhood UGS or UBS to their residence and to evaluate the ease of access to these places. Section 4 contained information about the usage patterns of UGS and UBS. Respondents were asked to give information about the frequency and motives for visiting such places pre- and post-lockdown. Similarly, they stated the types of UGS and UBS they preferred visiting. A comparative question regarding the duration of their visits was included as well ("do you spend more time in UGS/UBS than before the pandemic outbreak") measured on a 5-point Likert scale (1 = "much less time than before the pandemic outbreak", 5 = "much more time than before the pandemic outbreak").

Our samples' mental health was evaluated using the Patients Health Questionnaire—4 (PHQ-4) and the subjective question "do you believe that the quarantine negatively affected your mood and wellbeing". PHQ-4 is a widely recognized tool assessing levels of depression and anxiety. It consists of 4 items, each scored according to the same 4-scale range (0 = "not at all", 3 = "nearly every day"). The two first items are derived from the Generalized Anxiety Disorder-2 (GAD-2) examining signs of anxiety and the other two items from Patients Health Questionnaire-2 (PHQ-2) which studies the frequency of depressive mood. PHQ-4's total score is calculated by summing up each item. Part six examined the importance of UGBS for the urban fabric by employing a subjective question with a 5-point Likert scale (1 = "not important at all", 5 = "extremely important"). Participants also had to state their intention of continuing visiting urban nature even after the end of the quarantine (1 = "definitely no", 5 = "definitely yes") and whether they attribute additional value to these places after experiencing the restrictions imposed during the lockdown (1 = "none", 5 = "high"). Part seven of the survey focused on respondents' personal charac-

teristics. Information was given regarding their gender, age, educational background, and monthly income.

2.3. Data Analysis

The data process included descriptive statistics (mean \pm standard error—SE), frequencies (percentage %), and chi-square tests for comparing the pre-and post-lockdown visitation attitudes to UGBS. The relationship between nature exposure, mental health, and post-lockdown value, as well as the pathways that may explain these correlations, were investigated by performing structural equation modeling (SEM). Cronbach's value and exploratory factor analysis (EFA) were performed in order to verify whether our variables met the reliability and validity criteria. In more detail, our initial model contained an exogenous variable (nature exposure), two endogenous variables (mental health and postlockdown value), and five mediators (motivation, types of UGS, types of UBS, perceived importance, and NR-6). After testing Cronbach's value and performing an EFA, two of the aforementioned mediators were excluded (types of UGS and UBS). Furthermore, in order to increase the reliability of "motivation", the items of "walking with the per" and "going out with the family" were deleted from the construct. Similarly, "ease of access" was excluded from the construct "nature exposure". Thus, our final model with all variables meeting the reliability (Cronbach's a > 0.6 apart from variable "post-lockdown value of UGS/UBS" which comes with a Cronbach' a = 0.234 but we find it acceptable since it is a two items construct [97]) and validity requirements are presented in Table 1. Our data do not seem to suffer from common method bias, as the total percentage of variance explained by each factor exceeds or approximates 50% in all cases.

Type of Variable	Variable Name	Items	Cronbach's a	% of Explained Variance
Exogenous Variable	Nature Exposure	Proximity (NE1) Frequency (NE2) Duration (NE3)	0.534	52.7
Motivation Mediators		Exercise (M1) Walking (M2) Socialising (M3) Relaxation (M4) Contact with Nature (M5)	0.620	40.2
	NR-6 (continuous variable) Importance (continuous variable)	-	-	-
Mental Health Endogenous Variable		PHQ-4 Item 1 (MH1) PHQ-4 Item 2 (MH2) PHQ-4 Item 3 (MH3) PHQ-4 Item 4 (MH4) Self-Reported Question (MH5)	0.880	68.1
	Post-Lockdown Value of UGS/UBS	Added Value (V1) Will Keep Visiting UGS/UBS after Lockdown Ends (V2)	0.234	56.9

Table 1. Reliability and Validity Measures for Conceptual Model.

The significance of our mediation analysis was determined by the use of the bootstrap test [98]. The good fit of the model was assessed by utilizing the goodness of fit index (GFI), the adjusted goodness of fit index (AGFI), the parsimonious goodness of fit index (PGFI), and the root-mean-square error of approximation (RMSEA). The closest the first three indices are to value 1, the better the performance of our model [99,100]. On the other hand, RMSEA should take a value <0.06 [101]. A *p*-value < 0.05 was determined as statistically important. Statistical analysis was performed using IBM SPSS Statistics and AmosTM software (Version 22).

3. Results

3.1. Sociodemographic Characteristics

Table 2 shows the sociodemographic characteristics of our sample. The participation rate of females (69%) was much higher than that of males (29.6%). Their age was principally distributed between 18 and 28 years of age (49.5%). Most of the respondents had completed higher education (university degree—50.9%), while 25.5% indicated the category of "less than $550 \in$ " as their monthly income.

Table 2. Participants Characteristics, N = 927, by Frequencies.

Variable Name	Items	Frequency (N)	Percentage (%)
	Male	274	29.6
Gardan	Female	640	69.0
Gender	Non Binary	6	0.6
	DK/NA	7	0.8
	18–28	459	49.5
	29–39	195	21.0
4 ~~	40-50	160	17.3
Age	51–61	78	8.4
	>62	31	3.3
	DK/NA	4	0.4
	Primary	2	0.2
	Secondary	73	7.9
Educational Background	University	472	50.9
_	Master	290	31.3
	PhD	90	9.7
	<550€	236	25.5
	550 €-1000 €	195	21.0
Monthly Income	1000 €-1500 €	169	18.2
wonuny income	1500 €-2000 €	51	5.5
	>2000€	46	5.0
	DK/NA	230	24.8

3.2. Use Patterns of UGS and UBS

The majority of participants declared to have an UGS/UBS in less than 300 m. from their residence (47.1%) and easy access (33.4%) to an UGS or UBS (Table 3). Regarding the duration of visits, no major changes were observed, as 30.4% of respondents stated that they spend "about the same time" and 30.9% "more time" to UGBS in reference to the pre-lockdown period (Figure 1a). Chi-square tests showed substantial differences in terms of frequency (p < 0.001), motivation, and typology. Specifically, prior to the COVID-19 outbreak, 44.6% of participants visited UGBS for "three days per week" but during the quarantine, the same percentage decreased to 31.6%. In accordance, the respondents who limited their visits to "one day per week" increased from 11.9% to 22.7%. A slight increase is also seen for the category of "five days per week" (24.9% pre-lockdown and 26.9% during-lockdown) while the percentage of "seven days per week" remained at 18% (Figure 1b).

Variable Name	Items	Frequency (N)	Percentage (%)
	>1200 m	18	1.9
	900–1200 m	56	6.0
Dreasiesites	600–900 m	107	11.5
Proximity	300–600 m	307	33.1
	<300 m	437	47.1
	DK/NA	2	0.2
	Very Difficult	45	4.9
	Difficult	110	11.9
E (A	Neutral	158	17.0
Ease of Access	Easy	310	33.4
	Very Easy	298	32.1
	DK/NA	6	0.6

Table 3. Proximity and Ease of Access to UGS/UBS. N = 927. by Frequencies.

Walking was the main reason for visiting UGBS (70.8% pre-covid, 69.9% during lockdown). Other motives refer to exercise (31% pre-covid, 41.4% during lockdown), relaxation (57.9% pre-covid, 55.1% during lockdown), walking with the pet (16.8% pre-covid, 18.1% during lockdown), going out with family (30.2% pre-covid, 28.6% during lockdown), socializing (28.9% pre-covid, 24.8% during lockdown) and contact with nature (34.3% pre-covid, 38.3% during lockdown). From these, exercise and social interactions were the only motivations that showed significant swifts when comparing the pre- and post-covid periods (Figure 1c).

Parks and the sea were the most visited UGS and UBS both pre- and during the lockdown, however, we also found a decrease in visitation of each one of these types. Sea dropped about 23% (p < 0.001), playgrounds 6% (p < 0.001), forests 4% (p < 0.05), groves, parks, and rivers 2%, lakes 1%, while no changes were found for private gardens (Figure 1d,e).

3.3. NR-6 and Mental Health

With regards to NR-6, our sample scored a mean of 3.81 ± 0.02 indicating a relatively high connectedness to nature. The results for PHQ-4 show moderate signs of poor mental health (4.54 ± 0.11). If examined separately, GAD-2 and PHQ-2 do not suggest symptoms of anxiety or depression (2.29 ± 0.06 and 2.24 ± 0.06). On the other hand, when participants were asked to self-evaluate the impacts of the quarantine on their mood and wellbeing, almost 75% of the responses falls between "moderately", "much", and "very much" (Table 4).

3.4. Importance of UGS/UBS

Eighty-nine percent of respondents consider UGS and UBS as "extremely important" for the urban fabric. Furthermore, 80% of them attach either "moderate" or "more" value to these places due to the events of the pandemic. Similarly, the majority of our sample (76.6%) stated that they will keep visiting places of urban nature even after the lockdown ends (Table 5).





(c)



Figure 1. Use Patterns of UGS/UBS pre- and during the lockdown. (a) Duration of visits to UGS/UBS; (b) Frequency of visits to UGS/UBS; (c) Motivation for visiting UGS/UBS, (d) Types of UGS; (e) Types of UBS, d/week: days per week, N = 927, * p < 0.05, *** p < 0.001 by Frequencies and Chi-square tests.

Variable Name	Items	Μ	Mean		Percentage
		Statistic	Std. Error	Ν	%
PHQ-4 Total Score		4.54	0.11		
GAD-2		2.29	0.06		
PHQ-2		2.24	0.06		
NR-6 Total Score		3.81	0.02		
	Not at All A Little			43 191	4.6 19.5
Self-Reported Question	Moderately Much Very Much DK/NA			233 237 232 1	25.1 25.6 25 0.1

Table 4. Mental Health and Nature Relatedness. N = 927. By Descriptive Statistics and Frequencies.

Table 5. Importance of UGS/UBS and Attached Value. N = 927. by Frequencies.

Variable Name	Items	Frequency (N)	Percentage (%)
	Not At All	1	0.1
	A Little	1	0.1
Importance of UGS/UBS	Moderately	11	1.2
-	Much	89	9.6
	Extremely	825	89.0
	None	9	1.0
	Low	6	0.6
A.c. 1 1371	Neutral	156	16.8
Attached Value	Moderate	375	40.5
	High	364	39.3
	DK/NA	17	1.8
	Definitely No	3	0.3
	Probably No	9	1.0
	Neutral	43	4.6
will keep visiting UGS/UBS	Probably Yes	158	17.0
	Definitely Yes	710	76.6
	DK/NA	4	0.4

3.5. Nature Exposure, Mental Health, and Post-Lockdown Value

The statistics run for determining the performance of our model indicate an overall good fit: GFI = 0.923, AGFI = 0.899, PGFI = 0.703, and RMSEA = 0.062. A significant, negative direct effect was found from nature exposure to mental health (-0.169, p < 0.001). Positive, direct, and significant associations were observed between nature exposure, motivation, NR-6, and perceived importance (0.407, *p* < 0.001, 0.128, *p* < 0.001, 0.122, p < 0.01), and post-lockdown value of UGS/UBS and our mediators (motivation: 0.421, p < 0.001, NR-6: 0.497, p < 0.001, perceived importance: 0.553, p < 0.001). Regarding the relationship between nature exposure and mental health, no mediation was found. On the contrary, motivation, importance, and NR-6 fully mediate the relationship between UGBS exposure and the post-lockdown value of urban nature. The total indirect effect of the exogenous variable on the post-lockdown value was set at 0.303 (p < 0.05). Significant direct effects were also found from socio-demographic characteristics to mental health. Particularly, education and age were negatively correlated with mental health (-0.070,p < 0.05, -0.280, p < 0.001), while gender was positively associated with the same variable (0.192, p < 0.001). As a result, the lockdown had a severe impact on the wellbeing of those with a lower educational level, of a younger age, and females. The total effects of nature



exposure on mental health were determined at -0.146 (p < 0.05) while the same statistic for nature exposure on post-lockdown value was set at 0.405 (p < 0.05) (Figure 2).

Figure 2. Path diagram of structural equation model along with standardized estimates and levels of significance, * p < 0.05, ** p < 0.01, *** p < 0.001. A significant level of * p < 0.05 is indicated by the blue color, ** p < 0.01 by the green color, and *** p < 0.001 by the red color.

4. Discussion

This study investigated the effects of UGBS exposure on people's mental health during the pandemic and their perceptions regarding the value of these places. We firstly evaluated the use patterns of Greek citizens towards urban nature both pre- and during the pandemic and found that even though most respondents indicated that their residents were situated less than 300 m from an UGS or UBS and generally easy access to them, the frequency of their visits was decreased. The decline in frequency can be characterized as severe as 22.7% of participants visited neighborhood urban nature once per week, vs. a percent of 11.9% in the pre-pandemic period. This drop in demand for natural places is in line with some research [102–109] but not with others [110–118]. It is also considered an expected outcome given that the online survey was conducted during a period of strict quarantine in Greece and people avoided places where social crowding was observed in the past. Accordingly, each type of UGS and UBS showed a decrease in terms of use and visitation, a fact also verified by Google Mobility Report which shows that mobility trends for places such as parks, plazas, and public gardens dropped about 13% compared to February of 2019 [119]. In the same context, the time spent in open natural spaces was the same as the pre-covid levels or slightly increased.

Taking the above into consideration is suggested that local decision-makers in urban planning promote the role of UGS and UBS as nature-based solutions that improve residents' mental health. It is evident that emphasis should be given to the diversity of UGS/UBS depending on spatial availability. Dense urbanicity is a common obstacle for urban planners which could be overcome through the utilization of alternative solutions such as pocket parks or small scaled neighborhood gardens [120]. However, the trends for lower visitation of these places during the quarantine should not be overlooked. Urban green and blue

infrastructure should be designed in order to prevent the spread of contagious diseases. Based on the COVID-19 experience "traffic separation" measures such as lane markings or separate corridors for walking, cycling, or running are proposed as solutions for the avoidance of crowding [121]. Nonetheless, the focus should be placed on other reasons that explain them besides the fear of the virus contagion. The qualitative attributes and the types of UGS and UBS are elements that might need improvement in order to attract more citizens. For example, since exercise and socializing were highlighted as important motivations for visiting outdoor natural places (an additional 10% and 4% respectively) [102,106,114,122], UGBS should be designed in a manner that covers these needs and facilitates recreational activities. Suggestions towards that direction include the incorporation of sporting facilities or outdoor gym equipment, facilities that would enable the hosting of arts or cultural events, and food/beverage services. Furthermore, empirical research is needed to identify the existence of obstacles, inequalities, and exclusions in the access and use of urban nature here in Greece [123].

Our structural equation analysis indicated that UGBS exposure was negatively associated with mental health at a significant level, suggesting that urban nature consists an important health resource for urban residents, especially in a time of crisis such as that of a pandemic. These findings are confirmed by the previous literature that examines the beneficial effects of natural outdoor spaces on mental health during the COVID-19 [33,68,103,106,124–134] and the key role that proximity [135–144] and use patterns such as frequency and duration of visits play for achieving better wellbeing [145–148]. We also found positive and significant correlations between nature exposure, motivation, the importance of urban nature, and NR-6 which are verified by the previous literature [149–156]. The association between nature-relatedness and higher levels of mental fatigue was not unexpected as similar outcomes have been observed by [157], while [158–160] have noted that nature-connectedness is not effective in preventing mental illness through the diminishment of negative emotions, rather it improves our wellbeing through the generation of positive feelings. Furthermore, it is not surprising that people with higher nature-relatedness, who lack contact with the natural environment as a result of the cessation of free mobility during the quarantine, cope with feelings of anxiety and sadness.

Motivation, nature-relatedness, and perceived importance of UGBS could not be identified as mediators of the association between nature exposure and mental health. The past literature has highlighted the mediating role of activities performed in open environments and nature connectedness, however, the majority of these studies used either single mediation models or examined the items of motivation separately [161–176]. The perceived importance of urban nature was rarely treated as a possible pathway.

Demographic characteristics and socioeconomic status are significant predictors of the manifestation of psychological disorders. Possible reasons behind this are that our sample was dominated by females, respondents of the "18–28" age group, and the higher educational level (holding a University degree). Nevertheless, we recognize that younger populations (mainly students), faced greater difficulties in terms of mental distress during the pandemic because they are generally in a higher demand for socialization [128]. Similarly, the World Health Organization [177] has suggested since 2001 that odd ratios for the likelihood of depressive symptoms or stress-related diseases are higher in females than males.

The coronavirus has influenced peoples' perceptions concerning the value of urban nature. The former is mainly financially measured, and most studies attribute the importance of UGS and UBS based on economic assessment tools [178,179], the willingness of citizens to pay for their qualitative maintenance [180–182] or the monetary value that surrounding houses acquire when built close to them [183,184]. Other studies focus on the value of ecosystem services or cultural ecosystem services of UGS and UBS [185–195]. In our study, we used self-reported measurements and found that respondents attach more value to urban nature in comparison to the pre- covid period, same as [114,196–199]. Moreover, UGBS exposure during the quarantine has led to a higher appreciation of urban nature with nature relatedness, motivation, and subjective importance of UGS/UBS mediating this relationship. Positive links of all our mediators and dependent/independent variables were identified as well, indicating that nature experiences influence peoples values towards UGS/UBS [188,200] and that the higher the importance of nature for people's perception, the more they recognize their benefits [201,202]. This shift to the value domain, observed by [192,203–205] as well, may be reflective of the quarantine limiting our options for other destinations, therefore resulting in a spark of interest in outdoor recreation. Thus, we firmly suggest that future research further examines the appreciation of urban nature in the post-coronavirus era and that perceptions and values attached to urban nature are incorporated into urban planning and management.

5. Strengths and Limitations

This is one of the first studies in Greece to address the mental health benefits of UGS and UBS during the COVID-19 pandemic, as well as possible shifts regarding their use. The survey was conducted while participants were under strict lockdown and "stay-at-home" orders which increases the authenticity of our results. The inclusion of the perceived value of UGBS as an outcome variable and mediators generally understudied in the current literature are additional strengths of our study. Furthermore, by performing SEM we were able to assess complex associations of our variables and investigate our hypothesis using a single conceptual model. We also focused on the intentional use of urban nature, while many studies consider the indirect or incidental. Lastly, our findings highlight the interconnection of green-blue infrastructure to the Sustainable Development Goals 2030. Due to their environmental and social/psychological benefits, UGS and UBS are directly linked with SDG 11.7 which emphasizes the adequate provision of urban nature for the wellbeing or social development of urban residents, and SDG 3 whose targets focus on healthy lives and the promotion of wellbeing for all, at all ages [206]. Most importantly, the events of the COVID-19 pandemic have strengthened the connection of outdoor open spaces with SDG 3.4 (fight communicable diseases), as green-blue areas are expected to be redesigned in order to face the challenges of airborne spread diseases.

We recognize that our survey comes with some limitations as well. Firstly, this is a cross-sectional study hence our observations may not be applicable in the long- term. Therefore, follow-up research is to be conducted and investigate if these results last in the post-pandemic period. Moreover, we only measured the intensity of nature exposure based on respondents' subjective experiences-frequency, duration, and perceived distance-without using objective measurements. These self-reported measurements might offer biased estimates, however, as this study addressed participants from all over Greece it was not feasible to use geospatial data in order to verify the existing neighborhood UGS and UBS. On the other hand, perceived distance is an important measure as it reflects the level of individuals awareness of neighborhood UGS and UBS [40]. Additionally, we did not distinguish between UGS and UBS, therefore we could not assess the separate effects of these types of urban nature on mental health and the value respondents attach to them. Moreover, our sample was dominated by females, respondents with high educational levels, and the age group of "18–28". This can be attributed to the fact that females have higher environmental conscience, tend to prefer natural environments and are more likely to participate in relevant surveys [207,208], the fact that the University of the Aegean helped with the recruiting process and that older people are not familiar with the internet, thus they could not fill our online questionnaire. Similarly, people over 62 years of age are under-represented in our sample. However, the demographic items utilized in the statistical analysis as explanatory control variables in structural equation modeling, ensure a robust result, since from a statistical point of view, the demographic items utilized in the statistical analysis as explanatory variables include an adequate number of responses in all of their levels, ensuring a robust model fit and parameter(s) estimation. Defending the quality of the data from online surveys [209] argue that if a participating population is large enough, the problem of representativeness may be overstated. Finally, we

suggest that the associations of NR-6-mental health and age-mental health are interpreted with caution due to their low correlations which might negate the significance of these results.

6. Conclusions

This study has provided empirical data that UGS and UBS are key resources for urban sustainability and act as buffers for stressful experiences during the COVID-19 pandemic. We can also conclude that the personal importance that people attribute to natural spaces changes in times of social crisis [114]. These findings reinforce the current literature which supports that the pandemic provoked a shift in our relationship with public open spaces with similar demographics or other shared characteristics. As an increased need for alternative means for combating mental illness has emerged, future research should incorporate UGBS at the center of the rethinking process of urban planning [210].

Author Contributions: Conceptualization, A.A.K. and O.-I.K.; methodology, A.A.K., M.K., M.-D.S. and O.-I.K.; formal analysis, A.A.K. and C.M.; investigation, A.A.K., M.K., M.-D.S. and O.-I.K.; writing—original draft preparation, A.A.K., C.M., P.G.D. and O.-I.K.; writing—review and editing, C.M., P.G.D. and O.-I.K.; supervision, O.-I.K.; project administration, O.-I.K. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: The study was conducted in accordance with the Declaration of Helsinki, and approved by the Bioethics Committee of the University of the Aegean (protocol code 3382/17 February 2021, 19 February 2021) for studies involving humans.

Informed Consent Statement: All subjects gave their informed consent for inclusion before they participated in the study. The study was conducted in accordance with the 1964 Declaration of Helsinki and its later amendments. Ethical approval was obtained by the Bioethics of the University of the Aegean (3382/17 February 2021).

Data Availability Statement: The data are available upon request.

Acknowledgments: We would like to thank Christos Georgantas for facilitating the data screening process.

Conflicts of Interest: The authors declare no conflict of interest.

References

- WHO COVID-19—China. Available online: https://www.who.int/emergencies/disease-outbreak-news/item/2020-DON229 (accessed on 28 December 2022).
- WHO. WHO Director-General's Opening Remarks at the Media Briefing on COVID-19—11 March 2020. Available online: https://www.who.int/director-general/speeches/detail/who-director-general-s-opening-remarks-at-the-media-briefing-oncovid-19---11-march-2020 (accessed on 28 December 2022).
- Parlapani, E.; Holeva, V.; Voitsidis, P.; Blekas, A.; Gliatas, I.; Porfyri, G.N.; Golemis, A.; Papadopoulou, K.; Dimitriadou, A.; Chatzigeorgiou, A.F.; et al. Psychological and Behavioral Responses to the COVID-19 Pandemic in Greece. *Front. Psychiatry* 2020, 11, 821. [CrossRef]
- Kavvadas, D.; Kavvada, A.; Karachrysafi, S.; Papaliagkas, V.; Cheristanidis, S.; Chatzidimitriou, M.; Papamitsou, T. Stress, Anxiety and Depression Prevalence among Greek University Students during COVID-19 Pandemic: A Two-Year Survey. *J. Clin. Med.* 2022, 11, 4263. [CrossRef] [PubMed]
- 5. Peppou, L.E.; Economou, M.; Skali, T.; Papageorgiou, C. From Economic Crisis to the COVID-19 Pandemic Crisis: Evidence from a Mental Health Helpline in Greece. *Eur. Arch. Psychiatry Clin. Neurosci.* **2021**, 271, 407–409. [CrossRef] [PubMed]
- Rajkumar, R.P. COVID-19 and Mental Health: A Review of the Existing Literature. Asian J. Psychiatry 2020, 52, 102066. [CrossRef]
 [PubMed]
- 7. Zixin, L.; Wang, S. Prevalence and Predictors of General Psychiatric Disorders and Loneliness during COVID-19 in the United Kingdom Lambert. *Psychiatry Res.* 2020, 291, 113267. [CrossRef]
- Yap, K.K.L.; Soh, M.C.K.; Sia, A.; Chin, W.J.; Araib, S.; Ang, W.P.; Tan, P.Y.; Er, K.B.H. The Influence of the COVID-19 Pandemic on the Demand for Different Shades of Green. *People Nat.* 2022, 4, 505–518. [CrossRef]
- 9. Marques da Costa, E.; Kállay, T. *Impacts of Green Spaces on Physical and Mental Health*; Thematic Repor No 1; URBACT Health & Greenspace Network: Paris, France, 2020.
- James, P.; Banay, R.F.; Hart, J.E.; Laden, F. A Review of the Health Benefits of Greenness. *Curr. Epidemiol. Rep.* 2015, 2, 218. [CrossRef]

- 11. Jiang, X.; Larsen, L.; Sullivan, W. Connections–between Daily Greenness Exposure and Health Outcomes. *Int. J. Environ. Res. Public Health* **2020**, *17*, 3965. [CrossRef]
- Qin, J.; Zhou, X.; Sun, C.; Leng, H.; Lian, Z. Influence of Green Spaces on Environmental Satisfaction and Physiological Status of Urban Residents. Urban For. Urban Green. 2013, 12, 490–497. [CrossRef]
- Kondo, M.C.; Fluehr, J.M.; McKeon, T.; Branas, C.C. Urban Green Space and Its Impact on Human Health. Int. J. Environ. Res. Public Health 2018, 15, 445. [CrossRef]
- Wolf, K.L.; Lam, S.T.; McKeen, J.K.; Richardson, G.R.A.; van den Bosch, M.; Bardekjian, A.C. Urban Trees and Human Health: A Scoping Review. Int. J. Environ. Res. Public Health 2020, 17, 4371. [CrossRef] [PubMed]
- 15. Lai, H.; Flies, E.J.; Weinstein, P.; Woodward, A. The Impact of Green Space and Biodiversity on Health. *Front. Ecol. Environ.* **2019**, 17, 383–390. [CrossRef]
- 16. Wendelboe-Nelson, C.; Kelly, S.; Kennedy, M.; Cherrie, J.W. A Scoping Review of Mapping Research on Green Space and Associated Mental Health Benefits. *Int. J. Environ. Res. Public Health* **2019**, *16*, 2081. [CrossRef]
- 17. Astell-Burt, T.; Feng, X. Association of Urban Green Space with Mental Health and General Health among Adults in Australia. *JAMA Netw. Open* **2019**, 2, e198209. [CrossRef] [PubMed]
- White, M.P.; Elliott, L.R.; Grellier, J.; Economou, T.; Bell, S.; Bratman, G.N.; Cirach, M.; Gascon, M.; Lima, M.L.; Lõhmus, M.; et al. Associations between Green/Blue Spaces and Mental Health across 18 Countries. *Sci. Rep.* 2021, *11*, 8903. [CrossRef]
- 19. Kanelli, A.A.; Dimitrakopoulos, P.G.; Fyllas, N.M.; Chrousos, G.P.; Kalantzi, O.I. Engaging the Senses: The Association of Urban Green Space with General Health and Well-Being in Urban Residents. *Sustainability* **2021**, *13*, 7322. [CrossRef]
- 20. van den Berg, A.E.; Maas, J.; Verheij, R.A.; Groenewegen, P.P. Green Space as a Buffer between Stressful Life Events and Health. *Soc. Sci. Med.* **2010**, *70*, 1203–1210. [CrossRef]
- Roe, J.J.; Ward Thompson, C.; Aspinall, P.A.; Brewer, M.J.; Duff, E.I.; Miller, D.; Mitchell, R.; Clow, A. Green Space and Stress: Evidence from Cortisol Measures in Deprived Urban Communities. *Int. J. Environ. Res. Public Health* 2013, 10, 4086–4103. [CrossRef]
- 22. van den Berg, M.; Wendel-Vos, W.; van Poppel, M.; Kemper, H.; van Mechelen, W.; Maas, J. Health Benefits of Green Spaces in the Living Environment: A Systematic Review of Epidemiological Studies. *Urban For. Urban Green.* **2015**, *14*, 806–816. [CrossRef]
- 23. Roberts, H.; van Lissa, C.; Hagedoorn, P.; Kellar, I.; Helbich, M. The Effect of Short-Term Exposure to the Natural Environment on Depressive Mood: A Systematic Review and Meta-Analysis. *Environ. Res.* **2019**, *177*, 108606. [CrossRef]
- 24. Hassen, N. The Influence of Green Space & Well-Being on Mental Health a Scoping Review of Reviews; Wellesley Institute: Toronto, ON, Canada, 2016.
- 25. Reyes-Riveros, R.; Altamirano, A.; De La Barrera, F.; Rozas-Vásquez, D.; Vieli, L.; Meli, P. Linking Public Urban Green Spaces and Human Well-Being: A Systematic Review. *Urban For. Urban Green.* **2021**, *61*, 127105. [CrossRef]
- Gascon, M.; Mas, M.T.; Martínez, D.; Dadvand, P.; Forns, J.; Plasència, A.; Nieuwenhuijsen, M.J. Mental Health Benefits of Long-Term Exposure to Residential Green and Blue Spaces: A Systematic Review. *Int. J. Environ. Res. Public Health* 2015, 12, 4354–4379. [CrossRef] [PubMed]
- Roberts, M.; Colley, K.; Currie, M.; Eastwood, A.; Li, K.H.; Avery, L.M.; Beevers, L.C.; Braithwaite, I.; Dallimer, M.; Davies, Z.G.; et al. The Contribution of Environmental Science to Mental Health Research: A Scoping Review. *Int. J. Environ. Res. Public Health* 2023, 20, 5278. [CrossRef]
- Mayen Huerta, C.; Utomo, A. Evaluating the Association between Urban Green Spaces and Subjective Well-Being in Mexico City during the COVID-19 Pandemic. *Health Place* 2021, 70, 102606. [CrossRef] [PubMed]
- Wortzel, J.D.; Wiebe, D.J.; DiDomenico, G.E.; Visoki, E.; South, E.; Tam, V.; Greenberg, D.M.; Brown, L.A.; Gur, R.C.; Gur, R.E.; et al. Association Between Urban Greenspace and Mental Wellbeing During the COVID-19 Pandemic in a U.S. Cohort. *Front. Sustain. Cities* 2021, *3*, 821. [CrossRef]
- 30. Berdejo-Espinola, V.; Suárez-Castro, A.F.; Amano, T.; Fielding, K.S.; Oh, R.R.Y.; Fuller, R.A. Urban Green Space Use during a Time of Stress: A Case Study during the COVID-19 Pandemic in Brisbane, Australia. *People Nat.* **2021**, *3*, 597–609. [CrossRef]
- Jabbar, M.; Yusoff, M.M.; Shafie, A. Assessing the Role of Urban Green Spaces for Human Well-Being: A Systematic Review. *GeoJournal* 2021, 7, 4405–4423. [CrossRef] [PubMed]
- 32. Dinnie, E.; Brown, K.M.; Morris, S. Community, Cooperation and Conflict: Negotiating the Social Well-Being Benefits of Urban Greenspace Experiences. *Landsc. Urban Plan.* **2013**, *112*, 1–9. [CrossRef]
- 33. Lin, D.; Sun, Y.; Yang, Y.; Han, Y.; Xu, C. Urban Park Use and Self-Reported Physical, Mental, and Social Health during the COVID-19 Pandemic: An On-Site Survey in Beijing, China. *Urban For. Urban Green.* **2023**, *79*, 127804. [CrossRef]
- 34. Fredrickson, L.M.; Anderson, D.H. A Qualitative Exploration of the Wilderness Experience as a Source of Spiritual Inspiration. *J. Environ. Psychol.* **1999**, *19*, 21–39. [CrossRef]
- 35. Keniger, L.E.; Gaston, K.J.; Irvine, K.N.; Fuller, R.A. What Are the Benefits of Interacting with Nature? *Int. J. Environ. Res. Public Health* **2013**, *10*, 913–935. [CrossRef] [PubMed]
- Geneshka, M.; Coventry, P.; Cruz, J.; Gilbody, S. Relationship between Green and Blue Spaces with Mental and Physical Health: A Systematic Review of Longitudinal Observational Studies. *Int. J. Environ. Res. Public Health* 2021, 18, 9010. [CrossRef] [PubMed]
- Labib, S.M.; Lindley, S.; Huck, J.J. Spatial Dimensions of the Influence of Urban Green-Blue Spaces on Human Health: A Systematic Review. *Environ. Res.* 2020, 180, 108869. [CrossRef]

- Smith, N.; Georgiou, M.; King, A.C.; Tieges, Z.; Webb, S.; Chastin, S. Urban Blue Spaces and Human Health: A Systematic Review and Meta-Analysis of Quantitative Studies. *Cities* 2021, 119, 103413. [CrossRef]
- Völker, S.; Matros, J.; Claßen, T. Determining Urban Open Spaces for Health-Related Appropriations: A Qualitative Analysis on the Significance of Blue Space. *Environ. Earth Sci.* 2016, 75, 1067. [CrossRef]
- Poulsen, M.N.; Nordberg, C.M.; Fiedler, A.; DeWalle, J.; Mercer, D.; Schwartz, B.S. Factors Associated with Visiting Freshwater Blue Space: The Role of Restoration and Relations with Mental Health and Well-Being. *Landsc. Urban Plan.* 2022, 217, 104282. [CrossRef]
- 41. de Vries, S.; ten Have, M.; van Dorsselaer, S.; van Wezep, M.; Hermans, T.; de Graaf, R. Local Availability of Green and Blue Space and Prevalence of Common Mental Disorders in the Netherlands. *BJPsych Open* **2016**, *2*, 366–372. [CrossRef]
- 42. Gascon, M.; Zijlema, W.; Vert, C.; White, M.P.; Nieuwenhuijsen, M.J. Outdoor Blue Spaces, Human Health and Well-Being: A Systematic Review of Quantitative Studies. *Int. J. Hyg. Environ. Health* **2017**, 220, 1207–1221. [CrossRef]
- 43. Hermanski, A.; McClelland, J.; Pearce-Walker, J.; Ruiz, J.; Verhougstraete, M. The Effects of Blue Spaces on Mental Health and Associated Biomarkers. *Int. J. Ment. Health* **2022**, *51*, 203–217. [CrossRef]
- Liu, H.; Ren, H.; Remme, R.P.; Nong, H.; Sui, C. The Effect of Urban Nature Exposure on Mental Health—A Case Study of Guangzhou. J. Clean. Prod. 2021, 304, 127100. [CrossRef]
- 45. Völker, S.; Kistemann, T. The Impact of Blue Space on Human Health and Well-Being—Salutogenetic Health Effects of Inland Surface Waters: A Review. *Int. J. Hyg. Environ. Health* **2011**, 214, 449–460. [CrossRef]
- 46. Garrett, J.K.; White, M.P.; Huang, J.; Ng, S.; Hui, Z.; Leung, C.; Tse, L.A.; Fung, F.; Elliott, L.R.; Depledge, M.H.; et al. Urban Blue Space and Health and Wellbeing in Hong Kong: Results from a Survey of Older Adults. *Health Place* **2019**, *55*, 100–110. [CrossRef]
- 47. Britton, E.; Kindermann, G.; Domegan, C.; Carlin, C. Blue Care: A Systematic Review of Blue Space Interventions for Health and Wellbeing. *Health Promot. Int.* **2020**, *35*, 50–69. [CrossRef] [PubMed]
- Janeczko, E.; Czyżyk, K.; Korcz, N.; Woźnicka, M.; Bielinis, E. The Psychological Effects and Benefits of Using Green Spaces in the City: A Field Experiment with Young Polish Adults. *Forests* 2023, 14, 497. [CrossRef]
- 49. Sugiyama, T.; Carver, A.; Koohsari, M.J.; Veitch, J. Advantages of Public Green Spaces in Enhancing Population Health. *Landsc. Urban Plan.* 2018, 178, 12–17. [CrossRef]
- 50. Petrunoff, N.; Yao, J.; Sia, A.; Ng, A.; Ramiah, A.; Wong, M.; Han, J.; Tai, B.C.; Uijtdewilligen, L.; Müller-Riemenschneider, F. Activity in Nature Mediates a Park Prescription Intervention's Effects on Physical Activity, Park Use and Quality of Life: A Mixed-Methods Process Evaluation. *BMC Public Health* 2021, 21, 204. [CrossRef] [PubMed]
- Sugiyama, T.; Leslie, E.; Giles-Corti, B.; Owen, N. Associations of Neighbourhood Greenness with Physical and Mental Health: Do Walking, Social Coherence and Local Social Interaction Explain the Relationships? *J. Epidemiol. Community Health* 2008, 62, 6–11. [CrossRef] [PubMed]
- Dzhambov, A.M.; Browning, M.H.E.M.; Markevych, I.; Hartig, T.; Lercher, P. Analytical Approaches to Testing Pathways Linking Greenspace to Health: A Scoping Review of the Empirical Literature. *Environ. Res.* 2020, 186, 109613. [CrossRef]
- Stanhope, J.; Breed, M.F.; Weinstein, P. Exposure to Greenspaces Could Reduce the High Global Burden of Pain. *Environ. Res.* 2020, 187, 109641. [CrossRef]
- 54. Lee, A.C.K.; Maheswaran, R. The Health Benefits of Urban Green Spaces: A Review of the Evidence. J. Public Health 2011, 33, 212–222. [CrossRef]
- Lee, A.C.K.; Jordan, H.C.; Horsley, J. Value of Urban Green Spaces in Promoting Healthy Living and Wellbeing: Prospects for Planning. *Risk Manag. Healthc. Policy* 2015, *8*, 131–137. [CrossRef]
- 56. Fan, Y.; Das, K.V.; Chen, Q. Neighborhood Green, Social Support, Physical Activity, and Stress: Assessing the Cumulative Impact. *Health Place* **2011**, *17*, 1202–1211. [CrossRef] [PubMed]
- 57. Jennings, V.; Bamkole, O. The Relationship between Social Cohesion and Urban Green Space: An Avenue for Health Promotion. *Int. J. Environ. Res. Public Health* **2019**, *16*, 452. [CrossRef]
- Grellier, J.; White, M.P.; Albin, M.; Bell, S.; Elliott, L.R.; Gascón, M.; Gualdi, S.; Mancini, L.; Nieuwenhuijsen, M.J.; Sarigiannis, D.A.; et al. BlueHealth: A Study Programme Protocol for Mapping and Quantifying the Potential Benefits to Public Health and Well-Being from Europe's Blue Spaces. *BMJ Open* 2017, 7, e016188. [CrossRef] [PubMed]
- Markevych, I.; Schoierer, J.; Hartig, T.; Chudnovsky, A.; Hystad, P.; Dzhambov, A.M.; de Vries, S.; Triguero-Mas, M.; Brauer, M.; Nieuwenhuijsen, M.J.; et al. Exploring Pathways Linking Greenspace to Health: Theoretical and Methodological Guidance. *Environ. Res.* 2017, 158, 301–317. [CrossRef] [PubMed]
- 60. Silva, R.A.; Rogers, K.; Buckley, T.J. Advancing Environmental Epidemiology to Assess the Beneficial Influence of the Natural Environment on Human Health and Well-Being. *Environ. Sci. Technol.* **2018**, *52*, 9545–9555. [CrossRef]
- Gascon, M.; Sánchez-Benavides, G.; Dadvand, P.; Martínez, D.; Gramunt, N.; Gotsens, X.; Cirach, M.; Vert, C.; Molinuevo, J.L.; Crous-Bou, M.; et al. Long-Term Exposure to Residential Green and Blue Spaces and Anxiety and Depression in Adults: A Cross-Sectional Study. *Environ. Res.* 2018, 162, 231–239. [CrossRef]
- 62. Kabisch, N.; van den Bosch, M.; Lafortezza, R. The Health Benefits of Nature-Based Solutions to Urbanization Challenges for Children and the Elderly—A Systematic Review. *Environ. Res.* **2017**, *159*, 362–373. [CrossRef]
- van den Bosch, M.; Ode Sang, Å. Urban Natural Environments as Nature-Based Solutions for Improved Public Health—A Systematic Review of Reviews. *Environ. Res.* 2017, 158, 373–384. [CrossRef]

- 64. Zhou, Y.; Dai, P.; Zhao, Z.; Hao, C.; Wen, Y. The Influence of Urban Green Space Soundscape on the Changes of Citizens' Emotion: A Case Study of Beijing Urban Parks. *Forests* **2022**, *13*, 1928. [CrossRef]
- 65. Ulrich, R.S.; Simons, R.F.; Losito, B.D.; Fiorito, E.; Miles, M.A.; Zelson, M. Stress Recovery during Exposure to Natural and Urban Environments. *J. Environ. Psychol.* **1991**, *11*, 201–230. [CrossRef]
- Triguero-Mas, M.; Donaire-Gonzalez, D.; Seto, E.; Valentín, A.; Martínez, D.; Smith, G.; Hurst, G.; Carrasco-Turigas, G.; Masterson, D.; van den Berg, M.; et al. Natural Outdoor Environments and Mental Health: Stress as a Possible Mechanism. *Environ. Res.* 2017, 159, 629–638. [CrossRef]
- Nieuwenhuijsen, M.J.; Kruize, H.; Gidlow, C.; Andrusaityte, S.; Antó, J.M.; Basagaña, X.; Cirach, M.; Dadvand, P.; Danileviciute, A.; Donaire-Gonzalez, D.; et al. Positive Health Effects of the Natural Outdoor Environment in Typical Populations in Different Regions in Europe (PHENOTYPE): A Study Programme Protocol. *BMJ Open* 2014, 4, e004951. [CrossRef] [PubMed]
- 68. Mackinnon, M.; Mackinnon, R.; Zari, M.P.; Glensor, K.; Park, T. Urgent Biophilia: Green Space Visits in Wellington, New Zealand, during the COVID-19 Lockdowns. *Land* **2022**, *11*, 793. [CrossRef]
- Kaplan, R.; Kaplan, S. *The Experience of Nature: A Psychological Perspective*; Cambridge University Press: New York, NY, USA, 1989.
 Dzhambov, A.; Hartig, T.; Markevych, I.; Tilov, B.; Dimitrova, D. Urban Residential Greenspace and Mental Health in Youth:
- Different Approaches to Testing Multiple Pathways Yield Different Conclusions. *Environ. Res.* 2018, 160, 47–59. [CrossRef]
 71. Georgiou, M.; Morison, G.; Smith, N.; Tieges, Z.; Chastin, S. Mechanisms of Impact of Blue Spaces on Human Health: A Systematic Literature Review and Meta-Analysis. *Int. J. Environ. Res. Public Health* 2021, 18, 2486. [CrossRef] [PubMed]
- 72. Shanahan, D.F.; Fuller, R.A.; Bush, R.; Lin, B.B.; Gaston, K.J. The Health Benefits of Urban Nature: How Much Do We Need? *Bioscience* 2015, 65, 476–485. [CrossRef]
- 73. Zhang, L.; Tan, P.Y.; Diehl, J.A. A Conceptual Framework for Studying Urban Green Spaces Effects on Health. *J. Urban Ecol.* 2017, 3, jux015. [CrossRef]
- 74. White, M.P.; Elliott, L.R.; Gascon, M.; Roberts, B.; Fleming, L.E. Blue Space, Health and Well-Being: A Narrative Overview and Synthesis of Potential Benefits. *Environ. Res.* **2020**, *191*, 110169. [CrossRef]
- 75. Chi, P.; Gutberg, J.; Berta, W. The Conceptualization of the Natural Environment in Healthcare Facilities: A Scoping Review. *Health Environ. Res. Des. J.* **2020**, *13*, 30–47. [CrossRef] [PubMed]
- 76. Tan, P.Y.; Wang, J.; Sia, A. Perspectives on Five Decades of the Urban Greening of Singapore. Cities 2013, 32, 24–32. [CrossRef]
- 77. Völker, S.; Kistemann, T. "I'm Always Entirely Happy When I'm Here!" Urban Blue Enhancing Human Health and Well-Being in Cologne and Düsseldorf, Germany. *Soc. Sci. Med.* **2013**, *78*, 113–124. [CrossRef] [PubMed]
- 78. Wilson, E.O. Biophilia; Harvard University Press: Cambridge, MA, USA, 1984.
- Grabowska-Chenczke, O.; Wajchman-świtalska, S.; Woźniak, M. Psychological Well-Being and Nature Relatedness. *Forests* 2022, 13, 1048. [CrossRef]
- Nisbet, E.K.; Zelenski, J.M.; Murphy, S.A. Happiness Is in Our Nature: Exploring Nature Relatedness as a Contributor to Subjective Well-Being. J. Happiness Stud. 2011, 12, 303–322. [CrossRef]
- Logan, A.C.; Prescott, S.L.; Haahtela, T.; Katz, D.L. The Importance of the Exposome and Allostatic Load in the Planetary Health Paradigm. J. Physiol. Anthropol. 2018, 37, 15. [CrossRef]
- 82. Dobson, J.; Birch, J.; Brindley, P.; Henneberry, J.; McEwan, K.; Mears, M.; Richardson, M.; Jorgensen, A. The Magic of the Mundane: The Vulnerable Web of Connections between Urban Nature and Wellbeing. *Cities* **2021**, *108*, 102989. [CrossRef]
- 83. Capaldi, C.A.; Dopko, R.L.; Zelenski, J.M. The Relationship between Nature Connectedness and Happiness: A Meta-Analysis. *Front. Psychol.* **2014**, *5*, 976. [CrossRef]
- McEwan, K.; Ferguson, F.J.; Richardson, M.; Cameron, R. The Good Things in Urban Nature: A Thematic Framework for Optimising Urban Planning for Nature Connectedness. *Landsc. Urban Plan.* 2020, 194, 103687. [CrossRef]
- Wicks, C.L.; Barton, J.L.; Andrews, L.; Orbell, S.; Sandercock, G.; Wood, C.J. The Impact of the Coronavirus Pandemic on the Contribution of Local Green Space and Nature Connection to Mental Health. *Int. J. Environ. Res. Public Health* 2023, 20, 5083. [CrossRef]
- 86. Wang, D.; Brown, G.; Liu, Y. The Physical and Non-Physical Factors That Influence Perceived Access to Urban Parks. *Landsc. Urban Plan.* **2015**, *133*, 53–66. [CrossRef]
- 87. Repke, M.A.; Berry, M.S.; Conway, L.G.; Metcalf, A.; Hensen, R.M.; Phelan, C. How Does Nature Exposure Make People Healthier?: Evidence for the Role of Impulsivity and Expanded Space Perception. *PLoS ONE* **2018**, *13*, e0202246. [CrossRef]
- 88. Giles-Corti, B.; Broomhall, M.H.; Knuiman, M.; Collins, C.; Douglas, K.; Ng, K.; Lange, A.; Donovan, R.J. Increasing Walking: How Important Is Distance to, Attractiveness, and Size of Public Open Space? *Am. J. Prev. Med.* **2005**, *28*, 169–176. [CrossRef]
- 89. Oh, K.; Jeong, S. Assessing the Spatial Distribution of Urban Parks Using GIS. Landsc. Urban Plan. 2007, 82, 25–32. [CrossRef]
- 90. Higgs, G.; Fry, R.; Langford, M. Investigating the Implications of Using Alternative GIS-Based Techniques to Measure Accessibility to Green Space. *Environ. Plan. B Plan. Des.* **2012**, *39*, 326–343. [CrossRef]
- 91. Wüstemann, H.; Kalisch, D.; Kolbe, J. Access to Urban Green Space and Environmental Inequalities in Germany. *Landsc. Urban Plan.* **2017**, *164*, 124–131. [CrossRef]
- 92. Holland, I.; Deville, N.V.; Browning, M.H.E.M.; Buehler, R.M.; Hart, J.E.; Aaron Hipp, J.; Mitchell, R.; Rakow, D.A.; Schiff, J.E.; White, M.P.; et al. Measuring Nature Contact: A Narrative Review. *Int. J. Environ. Res. Public Health* **2021**, *18*, 4092. [CrossRef]
- 93. Enssle, F.; Kabisch, N. Urban Green Spaces for the Social Interaction, Health and Well-Being of Older People—An Integrated View of Urban Ecosystem Services and Socio-Environmental Justice. *Environ. Sci. Policy* **2020**, *109*, 36–44. [CrossRef]

- 94. Van Herzele, A.; Wiedemann, T. A Monitoring Tool for the Provision of Accessible and Attractive Urban Green Spaces. *Landsc. Urban Plan.* **2003**, *63*, 109–126. [CrossRef]
- 95. Biernacka, M.; Kronenberg, J. Classification of Institutional Barriers Affecting the Availability, Accessibility and Attractiveness of Urban Green Spaces. *Urban For. Urban Green.* 2018, *36*, 22–33. [CrossRef]
- 96. Biernacka, M.; Kronenberg, J.; Łaszkiewicz, E. An Integrated System of Monitoring the Availability, Accessibility and Attractiveness of Urban Parks and Green Squares. *Appl. Geogr.* 2020, *116*, 102152. [CrossRef]
- 97. Tavakol, M.; Dennick, R. Making Sense of Cronbach's Alpha. Int. J. Med. Educ. 2011, 2, 53–55. [CrossRef] [PubMed]
- Preacher, K.J.; Hayes, A.F. SPSS and SAS Procedures for Estimating Indirect Effects in Simple Mediation Models. *Behav. Res. Methods Instrum. Comput.* 2004, 36, 717–731. [CrossRef] [PubMed]
- Dey, P.K.; Malesios, C.; De, D.; Chowdhury, S.; Abdelaziz, F. Ben the Impact of Lean Management Practices and Sustainably-Oriented Innovation on Sustainability Performance of Small and Medium-Sized Enterprises: Empirical Evidence from the UK. *Br. J. Manag.* 2019, *31*, 141–161. [CrossRef]
- Dey, P.K.; Malesios, C.; De, D.; Budhwar, P.; Chowdhury, S.; Cheffi, W. Circular Economy to Enhance Sustainability of Small and Medium-Sized Enterprises. *Bus. Strateg. Environ.* 2020, 29, 2145–2169. [CrossRef]
- 101. Li, J.; Pan, Q.; Peng, Y.; Feng, T.; Liu, S.; Cai, X.; Zhong, C.; Yin, Y.; Lai, W. Perceived Quality of Urban Wetland Parks: A Second-Order Factor Structure Equation Modeling. *Sustainability* 2020, 12, 7204. [CrossRef]
- Khalilnezhad, M.R.; Ugolini, F.; Massetti, L. Attitudes and Behaviors toward the Use of Public and Private Green Space during the Covid-19 Pandemic in Iran. Land 2021, 10, 1085. [CrossRef]
- Ribeiro, A.I.; Triguero-Mas, M.; Jardim Santos, C.; Gómez-Nieto, A.; Cole, H.; Anguelovski, I.; Silva, F.M.; Baró, F. Exposure to Nature and Mental Health Outcomes during COVID-19 Lockdown. A Comparison between Portugal and Spain. *Environ. Int.* 2021, 154, 106664. [CrossRef]
- 104. Kang, N.; Bell, S.; Ward Thompson, C.; Zheng, M.; Xu, Z.; Sun, Z. Use of Urban Residential Community Parks for Stress Management During the COVID-19 Lockdown Period in China. *Front. Psychol.* **2022**, *13*, 915. [CrossRef]
- 105. Xie, J.; Luo, S.; Furuya, K.; Sun, D. Urban Parks as Green Buffers during the COVID-19 Pandemic. Sustainability 2020, 12, 6751. [CrossRef]
- 106. Talal, M.L.; Gruntman, M. What Influences Shifts in Urban Nature Site Visitation During COVID-19? A Case Study in Tel Aviv-Yafo, Israel. *Front. Environ. Sci.* 2022, 10, 477. [CrossRef]
- 107. Okech, E.A.; Nyadera, I.N. Urban Green Spaces in the Wake of Covid-19 Pandemic: Reflections from Nairobi, Kenya. *GeoJournal* **2021**, *87*, 4931–4945. [CrossRef]
- Heo, S.; Lim, C.C.; Michelle, B.L. Relationships between Local Green Space and Human Mobility Patterns during COVID-19 for Maryland and California, USA. Sustainability 2020, 12, 9401. [CrossRef]
- Latinopoulos, D. Evaluating the Importance of Urban Green Spaces: A Spatial Analysis of Citizens' Perceptions in Thessaloniki. Euro-Mediterr. J. Environ. Integr. 2022, 7, 299–308. [CrossRef]
- Chen, L.; Liu, L.; Wu, H.; Peng, Z.; Sun, Z. Change of Residents' Attitudes and Behaviors toward Urban Green Space Pre- and Post- COVID-19 Pandemic. *Land* 2022, 11, 1051. [CrossRef]
- 111. Lu, Y.; Zhao, J.; Wu, X.; Lo, S.M. Escaping to Nature during a Pandemic: A Natural Experiment in Asian Cities during the COVID-19 Pandemic with Big Social Media Data. *Sci. Total Environ.* **2021**, 777, 146092. [CrossRef]
- Geng, D.; Innes, J.; Wu, W.; Wang, G. Impacts of COVID-19 Pandemic on Urban Park Visitation: A Global Analysis. J. For. Res. 2020, 32, 553–567. [CrossRef]
- 113. Fagerholm, N.; Eilola, S.; Arki, V. Outdoor Recreation and Nature's Contribution to Well-Being in a Pandemic Situation—Case Turku, Finland. *Urban For. Urban Green.* **2021**, *64*, 127257. [CrossRef] [PubMed]
- 114. Grima, N.; Corcoran, W.; Hill-James, C.; Langton, B.; Sommer, H.; Fisher, B. The Importance of Urban Natural Areas and Urban Ecosystem Services during the COVID-19 Pandemic. *PLoS ONE* **2020**, *15*, e0243344. [CrossRef]
- 115. Venter, Z.S.; Barton, D.N.; Gundersen, V.; Figari, H.; Nowell, M. Urban Nature in a Time of Crisis: Recreational Use of Green Space Increases during the COVID-19 Outbreak in Oslo, Norway. *Environ. Res. Lett.* **2020**, *15*, 104075. [CrossRef]
- 116. Venter, Z.S.; Barton, D.N.; Gundersen, V.; Figari, H.; Nowell, M.S. Back to Nature: Norwegians Sustain Increased Recreational Use of Urban Green Space Months after the COVID-19 Outbreak. *Landsc. Urban Plan.* **2021**, 214, 104175. [CrossRef]
- 117. Burnett, H.; Olsen, J.R.; Mitchell, R. Green Space Visits and Barriers to Visiting during the COVID-19 Pandemic: A Three-Wave Nationally Representative Cross-Sectional Study of UK Adults. *Land* **2022**, *11*, 503. [CrossRef]
- 118. Logan, M.J.; Metzger, M.J.; Hollingdale, J. Contributions of Scottish Community Woodlands to Local Wellbeing before and during the COVID-19 Pandemic. *Scottish Geogr. J.* 2021, 137, 113–130. [CrossRef]
- 119. Google COVID-19 Community Mobility Report. Available online: https://www.google.com/covid19/mobility/ (accessed on 20 March 2021).
- Sikorska, D.; Wojnowska-Heciak, M.; Heciak, J.; Bukowska, J.; Łaszkiewicz, E.; Hopkins, R.J.; Sikorski, P. Rethinking Urban Green Spaces for Urban Resilience. Do Green Spaces Need Adaptation to Meet Public Post-Covid Expectations? *Urban For. Urban Green.* 2023, *80*, 127838. [CrossRef]
- 121. Spennemann, D.H.R. Exercising under COVID-2x: Conceptualizing Future Green Spaces in Australia's Neighborhoods. *Urban Sci.* 2021, *5*, 93. [CrossRef]

- 122. Litleskare, S.; Calogiuri, G. Nature Visits during the COVID-19 Pandemic in Norway: Facilitators, Motives, and Associations with Sociodemographic Characteristics. *Front. Public Health* **2023**, *11*, 1138915. [CrossRef]
- 123. Uchiyama, Y.; Kohsaka, R. Access and Use of Green Areas during the Covid-19 Pandemic: Green Infrastructure Management in the "New Normal". *Sustainability* 2020, *12*, 9842. [CrossRef]
- 124. Labib, S.M.; Browning, M.H.E.M.; Rigolon, A.; Helbich, M.; James, P. Nature's Contributions in Coping with a Pandemic in the 21st Century: A Narrative Review of Evidence during COVID-19. *Sci. Total Environ.* 2022, 833, 155095. [CrossRef]
- 125. Lin, B.B.; Chang, C.C.; Andersson, E.; Astell-Burt, T.; Gardner, J.; Feng, X. Visiting Urban Green Space and Orientation to Nature Is Associated with Better Wellbeing during COVID-19. *Int. J. Environ. Res. Public Health* **2023**, *20*, 3559. [CrossRef]
- 126. Nigg, C.; Petersen, E.; MacIntyre, T. Natural Environments, Psychosocial Health, and Health Behaviors in a Crisis—A Scoping Review of the Literature in the COVID-19 Context. *J. Environ. Psychol.* **2021**, *88*, 102009. [CrossRef]
- 127. Soga, M.; Evans, M.J.; Tsuchiya, K.; Fukano, Y. A Room with a Green View: The Importance of Nearby Nature for Mental Health during the COVID-19 Pandemic. *Ecol. Appl.* **2021**, *31*, e2248. [CrossRef]
- 128. Pouso, S.; Borja, Á.; Fleming, L.E.; Gómez-Baggethun, E.; White, M.P.; Uyarra, M.C. Contact with Blue-Green Spaces during the COVID-19 Pandemic Lockdown Beneficial for Mental Health. *Sci. Total Environ.* **2021**, *756*, 143984. [CrossRef]
- 129. Dzhambov, A.M.; Lercher, P.; Browning, M.H.E.M.; Stoyanov, D.; Petrova, N.; Novakov, S.; Dimitrova, D.D. Does Greenery Experienced Indoors and Outdoors Provide an Escape and Support Mental Health during the COVID-19 Quarantine? *Environ. Res.* 2020, 196, 110420. [CrossRef] [PubMed]
- Puhakka, R. University Students' Participation in Outdoor Recreation and the Perceived Well-Being Effects of Nature. J. Outdoor Recreat. Tour. 2021, 36, 100425. [CrossRef]
- Maury-Mora, M.; Gómez-Villarino, M.T.; Varela-Martínez, C. Urban Green Spaces and Stress during COVID-19 Lockdown: A Case Study for the City of Madrid. Urban For. Urban Green. 2022, 69, 127492. [CrossRef]
- Lopez, B.; Kennedy, C.; Field, C.; McPhearson, T. Who Benefits from Urban Green Spaces during Times of Crisis? Perception and Use of Urban Green Spaces in New York City during the COVID-19 Pandemic. *Urban For. Urban Green.* 2021, 65, 127354. [CrossRef]
- Li, H.; Luo, W.; Hou, Y.; Xia, Y.; Yao, J.; Kang, N.; Deng, C.; Sun, H.; Chen, C. Factors Affecting Perceived Health Benefits and Use Behaviors in Urban Green Spaces During the COVID-19 Pandemic in Southern China Megacities. *Front. Public Health* 2021, 9, 1613. [CrossRef] [PubMed]
- 134. Lehberger, M.; Kleih, A.K.; Sparke, K. Self-Reported Well-Being and the Importance of Green Spaces—A Comparison of Garden Owners and Non-Garden Owners in Times of COVID-19. *Landsc. Urban Plan.* **2021**, 212, 104108. [CrossRef]
- 135. Sturm, R.; Cohen, D. Proximity to Urban Parks and Mental Health. J. Ment. Health Policy Econ. 2014, 17, 19–24. [PubMed]
- 136. Stigsdotter, U.K.; Randrup, T.B.; Ekholm, O.; Schipperijn, J.; Toftager, M.; Kamper-Jørgensen, F. Health Promoting Outdoor Environments—Associations between Green Space, and Health, Health-Related Quality of Life and Stress Based on a Danish National Representative Survey. *Scand. J. Public Health* 2010, *38*, 411–417. [CrossRef] [PubMed]
- 137. Bratman, G.N.; Hamilton, J.P.; Daily, G.C. The Impacts of Nature Experience on Human Cognitive Function and Mental Health. *Ann. N. Y. Acad. Sci.* **2012**, 1249, 118–136. [CrossRef]
- 138. Nutsford, D.; Pearson, A.L.; Kingham, S. An Ecological Study Investigating the Association between Access to Urban Green Space and Mental Health. *Public Health* **2013**, *127*, 1005–1011. [CrossRef]
- Pearson, A.L.; Shortridge, A.; Delamater, P.L.; Horton, T.H.; Dahlin, K.; Rzotkiewicz, A.; Marchiori, M.J. Effects of Freshwater Blue Spaces May Be Beneficial for Mental Health: A First, Ecological Study in the North American Great Lakes Region. *PLoS* ONE 2019, 14, e0221977. [CrossRef]
- 140. Garrett, J.K.; Clitherow, T.J.; White, M.P.; Wheeler, B.W.; Fleming, L.E. Coastal Proximity and Mental Health among Urban Adults in England: The Moderating Effect of Household Income. *Health Place* **2019**, *59*, 102200. [CrossRef]
- 141. Wheeler, B.W.; White, M.; Stahl-Timmins, W.; Depledge, M.H. Does Living by the Coast Improve Health and Wellbeing. *Health Place* **2012**, *18*, 1198–1201. [CrossRef]
- 142. Hooyberg, A.; Roose, H.; Grellier, J.; Elliott, L.R.; Lonneville, B.; White, M.P.; Michels, N.; De Henauw, S.; Vandegehuchte, M.; Everaert, G. General Health and Residential Proximity to the Coast in Belgium: Results from a Cross-Sectional Health Survey. *Environ. Res.* 2020, 184, 109225. [CrossRef]
- Kolokotsa, D.; Lilli, A.; Lilli, M.A.; Nikolaidis, N.P. On the Impact of Nature-Based Solutions on Citizens' Health & Well Being. Energy Build. 2020, 229, 110527. [CrossRef]
- 144. Poortinga, W.; Bird, N.; Hallingberg, B.; Phillips, R.; Williams, D. The Role of Perceived Public and Private Green Space in Subjective Health and Wellbeing during and after the First Peak of the COVID-19 Outbreak. *Landsc. Urban Plan.* 2021, 211, 104092. [CrossRef]
- Coldwell, D.F.; Evans, K.L. Visits to Urban Green-Space and the Countryside Associate with Different Components of Mental Well-Being and Are Better Predictors than Perceived or Actual Local Urbanisation Intensity. *Landsc. Urban Plan.* 2018, 175, 114–122. [CrossRef]
- 146. Van den Berg, M.; Van Poppel, M.; Van Kamp, I.; Andrusaityte, S.; Balseviciene, B.; Cirach, M.; Danileviciute, A.; Ellis, N.; Hurst, G.; Masterson, D.; et al. Visiting Green Space Is Associated with Mental Health and Vitality: A Cross-Sectional Study in Four European Cities. *Health Place* 2016, 38, 8–15. [CrossRef]

- 147. Houlden, V.; Weich, S.; de Albuquerque, J.P.; Jarvis, S.; Rees, K. The Relationship between Greenspace and the Mental Wellbeing of Adults: A Systematic Review. *PLoS ONE* **2018**, *13*, e0203000. [CrossRef]
- 148. Völker, S.; Heiler, A.; Pollmann, T.; Claßen, T.; Hornberg, C.; Kistemann, T. Do Perceived Walking Distance to and Use of Urban Blue Spaces Affect Self-Reported Physical and Mental Health? *Urban For. Urban Green.* **2018**, *29*, 68–76. [CrossRef]
- 149. Wang, P.; Zhou, B.; Han, L.; Mei, R. The Motivation and Factors Influencing Visits to Small Urban Parks in Shanghai, China. *Urban For. Urban Green.* **2021**, *60*, 127086. [CrossRef]
- Irvine, K.N.; Warber, S.L.; Devine-Wright, P.; Gaston, K.J. Understanding Urban Green Space as a Health Resource: A Qualitative Comparison of Visit Motivation and Derived Effects among Park Users in Sheffield, UK. Int. J. Environ. Res. Public Health 2013, 10, 417–442. [CrossRef]
- Home, R.; Hunziker, M.; Bauer, N. Psychosocial Outcomes as Motivations for Visiting Nearby Urban Green Spaces. *Leis. Sci.* 2012, 34, 350–365. [CrossRef]
- 152. Refshauge, A.D.; Stigsdotter, U.K.; Cosco, N.G. Adults' Motivation for Bringing Their Children to Park Playgrounds. *Urban For. Urban Green.* **2012**, *11*, 396–405. [CrossRef]
- 153. Shanahan, D.F.; Cox, D.T.C.; Fuller, R.A.; Hancock, S.; Lin, B.B.; Anderson, K.; Bush, R.; Gaston, K.J. Variation in Experiences of Nature across Gradients of Tree Cover in Compact and Sprawling Cities. *Landsc. Urban Plan.* **2017**, *157*, 231–238. [CrossRef]
- Lin, B.B.; Gaston, K.J.; Fuller, R.A.; Wu, D.; Bush, R.; Shanahan, D.F. How Green Is Your Garden?: Urban Form and Socio-Demographic Factors Influence Yard Vegetation, Visitation, and Ecosystem Service Benefits. *Landsc. Urban Plan.* 2017, 157, 239–246. [CrossRef]
- 155. Cox, D.T.C.; Shanahan, D.F.; Hudson, H.L.; Fuller, R.A.; Anderson, K.; Hancock, S.; Gaston, K.J. Doses of Nearby Nature Simultaneously Associated with Multiple Health Benefits. *Int. J. Environ. Res. Public Health* 2017, 14, 172. [CrossRef]
- 156. Hong, S.K.; Lee, S.W.; Jo, H.K.; Yoo, M. Impact of Frequency of Visits and Time Spent in Urban Green Space on Subjective Well-Being. *Sustainability* **2019**, *11*, 4189. [CrossRef]
- 157. Dean, J.H.; Shanahan, D.F.; Bush, R.; Gaston, K.J.; Lin, B.B.; Barber, E.; Franco, L.; Fuller, R.A. Is Nature Relatedness Associated with Better Mental and Physical Health? *Int. J. Environ. Res. Public Health* **2018**, *15*, 9–11. [CrossRef]
- Zelenski, J.M.; Nisbet, E.K. Happiness and Feeling Connected: The Distinct Role of Nature Relatedness. *Environ. Behav.* 2014, 46, 3–23. [CrossRef]
- 159. McMahan, E.A.; Estes, D. The Effect of Contact with Natural Environments on Positive and Negative Affect: A Meta-Analysis. *J. Posit. Psychol.* **2015**, *10*, 507–519. [CrossRef]
- 160. Samus, A.; Freeman, C.; Dickinson, K.J.M.; van Heezik, Y. Relationships between Nature Connectedness, Biodiversity of Private Gardens, and Mental Well-Being during the Covid-19 Lockdown. *Urban For. Urban Green.* **2022**, *69*, 127519. [CrossRef]
- 161. Maas, J.; van Dillen, S.M.E.; Verheij, R.A.; Groenewegen, P.P. Social Contacts as a Possible Mechanism behind the Relation between Green Space and Health. *Health Place* **2009**, *15*, 586–595. [CrossRef]
- Liu, Y.; Wang, R.; Xiao, Y.; Huang, B.; Chen, H.; Li, Z. Exploring the Linkage between Greenness Exposure and Depression among Chinese People: Mediating Roles of Physical Activity, Stress and Social Cohesion and Moderating Role of Urbanicity. *Health Place* 2019, 58, 102168. [CrossRef]
- 163. Yang, M.; Dijst, M.; Faber, J.; Helbich, M. Using Structural Equation Modeling to Examine Pathways between Perceived Residential Green Space and Mental Health among Internal Migrants in China. *Environ. Res.* **2020**, *183*, 109121. [CrossRef]
- Li, H.; Browning, M.H.E.M.; Dzhambov, A.M.; Zhang, G.; Cao, Y. Green Space for Mental Health in the COVID-19 Era: A Pathway Analysis in Residential Green Space Users. *Land* 2022, *11*, 1128. [CrossRef]
- 165. van den Bogerd, N.; Elliott, L.R.; White, M.P.; Mishra, H.S.; Bell, S.; Porter, M.; Sydenham, Z.; Garrett, J.K.; Fleming, L.E. Urban Blue Space Renovation and Local Resident and Visitor Well-Being: A Case Study from Plymouth, UK. *Landsc. Urban Plan.* 2021, 215, 104232. [CrossRef]
- 166. Martin, L.; White, M.P.; Hunt, A.; Richardson, M.; Pahl, S.; Burt, J. Nature Contact, Nature Connectedness and Associations with Health, Wellbeing and pro-Environmental Behaviours. *J. Environ. Psychol.* **2020**, *68*, 101389. [CrossRef]
- Liu, H.; Nong, H.; Ren, H.; Liu, K. The Effect of Nature Exposure, Nature Connectedness on Mental Well-Being and Ill-Being in a General Chinese Population. *Landsc. Urban Plan.* 2022, 222, 104397. [CrossRef]
- 168. Wang, R.; Browning, M.H.E.M.; Kee, F.; Hunter, R.F. Exploring Mechanistic Pathways Linking Urban Green and Blue Space to Mental Wellbeing before and after Urban Regeneration of a Greenway: Evidence from the Connswater Community Greenway, Belfast, UK. Landsc. Urban Plan. 2023, 235, 104739. [CrossRef]
- 169. Rugel, E.J.; Carpiano, R.M.; Henderson, S.B.; Brauer, M. Exposure to Natural Space, Sense of Community Belonging, and Adverse Mental Health Outcomes across an Urban Region. *Environ. Res.* **2019**, *171*, 365–377. [CrossRef]
- 170. Nieuwenhuijsen, M.J.; Khreis, H.; Triguero-Mas, M.; Gascon, M.; Dadvand, P. Fifty Shades of Green: Pathway to Healthy Urban Living. *Epidemiology* 2017, 28, 63–71. [CrossRef]
- 171. Chen, K.; Zhang, T.; Liu, F.; Zhang, Y.; Song, Y. How Does Urban Green Space Impact Residents' Mental Health: A Literature Review of Mediators. *Int. J. Environ. Res. Public Health* **2021**, *18*, 11746. [CrossRef]
- 172. Dzhambov, A.M.; Markevych, I.; Hartig, T.; Tilov, B.; Arabadzhiev, Z.; Stoyanov, D.; Gatseva, P.; Dimitrova, D.D. Multiple Pathways Link Urban Green- and Bluespace to Mental Health in Young Adults. *Environ. Res.* **2018**, *166*, 223–233. [CrossRef]
- 173. Zhang, L.; Kwan, M.P.; Chen, F.; Lin, R.; Zhou, S. Impacts of Individual Daily Greenspace Exposure on Health Based on Individual Activity Space and Structural Equation Modeling. *Int. J. Environ. Res. Public Health* **2018**, *15*, 2323. [CrossRef]

- 174. Pasanen, T.P.; White, M.P.; Wheeler, B.W.; Garrett, J.K.; Elliott, L.R. Neighbourhood Blue Space, Health and Wellbeing: The Mediating Role of Different Types of Physical Activity. *Environ. Int.* **2019**, *131*, 105016. [CrossRef]
- 175. de Vries, S.; van Dillen, S.M.E.; Groenewegen, P.P.; Spreeuwenberg, P. Streetscape Greenery and Health: Stress, Social Cohesion and Physical Activity as Mediators. *Soc. Sci. Med.* **2013**, *94*, 26–33. [CrossRef]
- 176. Zhang, R.; Zhang, C.Q.; Rhodes, R.E. The Pathways Linking Objectively-Measured Greenspace Exposure and Mental Health: A Systematic Review of Observational Studies. *Environ. Res.* 2021, 198, 111233. [CrossRef]
- 177. World Health Organization. Mental Health: A Call for Action by World Health Ministers; World Health Organization: Geneva, Switzerland, 2001.
- 178. Day, B.H. The Value of Greenspace Under Pandemic Lockdown. Environ. Resour. Econ. 2020, 76, 1161–1185. [CrossRef]
- 179. Hamann, F.; Blecken, G.-T.; Ashley, R.M.; Viklander, M. Valuing the Multiple Benefits of Blue-Green Infrastructure for a Swedish Case Study: Contrasting the Economic Assessment Tools BEST and TEEB. J. Sustain. Water Built Environ. 2020, 6, 05020003. [CrossRef]
- 180. Jim, C.Y.; Chen, W.Y. Recreation-Amenity Use and Contingent Valuation of Urban Greenspaces in Guangzhou, China. *Landsc. Urban Plan.* **2006**, *75*, 81–96. [CrossRef]
- 181. Xiao, Y.; Lu, Y.; Guo, Y.; Yuan, Y. Estimating the Willingness to Pay for Green Space Services in Shanghai: Implications for Social Equity in Urban China. *Urban For. Urban Green.* **2017**, *26*, 95–103. [CrossRef]
- Diluiso, F.; Guastella, G.; Pareglio, S. Changes in Urban Green Spaces' Value Perception: A Meta-Analytic Benefit Transfer Function for European Cities. *Land Use Policy* 2021, 101, 105116. [CrossRef]
- Mccluskey, W.J.; Daud, D.Z.; Kamarudin, N.; Lorenz, D. Effect of Public Green Space on Residential Property Values in Belfast Metropolitan Area. J. Financ. Manag. Prop. Constr. 2008, 13, 37613. [CrossRef]
- Luttik, J. The Value of Trees, Water and Open Space as Reflected by House Prices in the Netherlands. Landsc. Urban Plan. 2000, 48, 161–167. [CrossRef]
- 185. Palliwoda, J.; Priess, J.A. What Do People Value in Urban Green? Linking Characteristics of Urban Green Spaces to Users' Perceptions of Nature Benefits, Disturbances, and Disservices. *Ecol. Soc.* **2021**, *26*, 28. [CrossRef]
- 186. Phillips, A.; Khan, A.Z.; Canters, F. Use-Related and Socio-Demographic Variations in Urban Green Space Preferences. *Sustainability* **2021**, *13*, 3461. [CrossRef]
- 187. Langemeyer, J.; Camps-Calvet, M.; Calvet-Mir, L.; Barthel, S.; Gómez-Baggethun, E. Stewardship of Urban Ecosystem Services: Understanding the Value(s) of Urban Gardens in Barcelona. *Landsc. Urban Plan.* **2018**, *170*, 79–89. [CrossRef]
- Julian, J.P.; Daly, G.S.; Weaver, R.C. University Students' Social Demand of a Blue Space and the Influence of Life Experiences. Sustainability 2018, 10, 3178. [CrossRef]
- 189. Syrbe, R.U.; Neumann, I.; Grunewald, K.; Brzoska, P.; Louda, J.; Kochan, B.; Macháč, J.; Dubová, L.; Meyer, P.; Brabec, J.; et al. The Value of Urban Nature in Terms of Providing Ecosystem Services Related to Health and Well-Being: An Empirical Comparative Pilot Study of Cities in Germany and the Czech Republic. *Land* 2021, 10, 341. [CrossRef]
- Elwell, T.L.; López-Carr, D.; Gelcich, S.; Gaines, S.D. The Importance of Cultural Ecosystem Services in Natural Resource-Dependent Communities: Implications for Management. *Ecosyst. Serv.* 2020, 44, 101123. [CrossRef]
- Ives, C.D.; Oke, C.; Hehir, A.; Gordon, A.; Wang, Y.; Bekessy, S.A. Capturing Residents' Values for Urban Green Space: Mapping, Analysis and Guidance for Practice. *Landsc. Urban Plan.* 2017, 161, 32–43. [CrossRef]
- Dushkova, D.; Ignatieva, M.; Konstantinova, A.; Yang, F. Cultural Ecosystem Services of Urban Green Spaces. How and What People Value in Urban Nature? In Advanced Technologies for Sustainable Development of Urban Green Infrastructure; Springer Geography; Springer: Cham, Switzerland, 2021; pp. 292–318. [CrossRef]
- 193. Chen, Y.; Ke, X.; Min, M.; Cheng, P. Disparity in Perceptions of Social Values for Ecosystem Services of Urban Green Space: A Case Study in the East Lake Scenic Area, Wuhan. *Front. Public Health* **2020**, *8*, 370. [CrossRef]
- Egerer, M.; Ordóñez, C.; Lin, B.B.; Kendal, D. Multicultural Gardeners and Park Users Benefit from and Attach Diverse Values to Urban Nature Spaces. Urban For. Urban Green. 2019, 46, 126445. [CrossRef]
- 195. Misiune, I.; Julian, J.P.; Veteikis, D. Pull and Push Factors for Use of Urban Green Spaces and Priorities for Their Ecosystem Services: Case Study of Vilnius, Lithuania. *Urban For. Urban Green.* **2021**, *58*, 126899. [CrossRef]
- 196. Collins, C.; Haase, D.; Heiland, S.; Kabisch, N. Urban Green Space Interaction and Wellbeing—Investigating the Experience of International Students in Berlin during the First COVID-19 Lockdown. Urban For. Urban Green. 2022, 70, 127543. [CrossRef] [PubMed]
- 197. Larcher, F.; Pomatto, E.; Battisti, L.; Gullino, P.; Devecchi, M. Perceptions of Urban Green Areas during the Social Distancing Period for Covid-19 Containment in Italy. *Horticulturae* 2021, 7, 55. [CrossRef]
- Marin, A.M.; Kičić, M.; Vuletić, D.; Ostoić, S.K. Perception and Attitudes of Residents Towards Green Spaces in Croatia—An Exploratory Study. South-East Eur. For. 2021, 12, 123–134. [CrossRef]
- Bherwani, H.; Indorkar, T.; Sangamnere, R.; Gupta, A.; Anshul, A.; Nair, M.M.; Singh, A.; Kumar, R. Investigation of Adoption and Cognizance of Urban Green Spaces in India: Post COVID-19 Scenarios. *Curr. Res. Environ. Sustain.* 2021, 3, 100088. [CrossRef]
- Vasiljević, Đ.A.; Vujičić, M.D.; Stankov, U.; Dragović, N. Visitor Motivation and Perceived Value of Periurban Parks—Case Study of Kamenica Park, Serbia. J. Outdoor Recreat. Tour. 2023, 42, 100625. [CrossRef]
- de Bell, S.; Graham, H.; Jarvis, S.; White, P. The Importance of Nature in Mediating Social and Psychological Benefits Associated with Visits to Freshwater Blue Space. *Landsc. Urban Plan.* 2017, 167, 118–127. [CrossRef]

- Ives, C.D.; Gordon, A.; Oke, C.; Raymond, C.M.; Hehir, A.; Bekessy, S.A. Spatial Scale Influences How People Value and Perceive Green Open Space. J. Environ. Plan. Manag. 2018, 61, 2133–2150. [CrossRef]
- Dushkova, D.; Ignatieva, M.; Konstantinova, A.; Vasenev, V.; Dovletyarova, E.; Dvornikov, Y. Human-Nature Interactions during and after the COVID-19 Pandemic in Moscow, Russia: Exploring the Role of Contact with Nature and Main Lessons from the City Responses. *Land* 2022, 11, 822. [CrossRef]
- Howlett, K.; Turner, E.C. Effects of COVID-19 Lockdown Restrictions on Parents' Attitudes towards Green Space and Time Spent Outside by Children in Cambridgeshire and North London, United Kingdom. *People Nat.* 2022, 4, 400–414. [CrossRef]
- Liu, J.; Peng, Z.; Cai, X.; Peng, Y.; Li, J.; Feng, T. Students' Intention of Visiting Urban Green Spaces after the COVID-19 Lockdown in China. Int. J. Environ. Res. Public Health 2021, 18, 8601. [CrossRef]
- Hyder, M.B.; Haque, T.Z. Understanding the Linkages and Importance of Urban Greenspaces for Achieving Sustainable Development Goals 2030. J. Sustain. Dev. 2022, 15, 144. [CrossRef]
- Mak, B.K.L.; Jim, C.Y. Linking Park Users' Socio-Demographic Characteristics and Visit-Related Preferences to Improve Urban Parks. Cities 2019, 92, 97–111. [CrossRef]
- Porter, S.R.; Whitcomb, M.E. Non-Response in Student Surveys: The Role of Demographics, Engagement and Personality. *Res. High. Educ.* 2005, 46, 127–152. [CrossRef]
- Heiervang, E.; Goodman, R. Advantages and Limitations of Web-Based Surveys: Evidence from a Child Mental Health Survey. Soc. Psychiatry Psychiatr. Epidemiol. 2011, 46, 69–76. [CrossRef]
- 210. Dobson, J. Wellbeing and Blue-Green Space in Post-Pandemic Cities: Drivers, Debates and Departures. *Geogr. Compass* **2021**, *15*, e12593. [CrossRef]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.