



Original citation:

ATLAS Collaboration (Including: Farrington, Sinead and Jones, G. (Graham)). (2013) Search for pair production of heavy top-like quarks decaying to a high-pT W boson and a b quark in the lepton plus jets final state at $\sqrt{s}=7$ TeV with the ATLAS detector. Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, Volume 718 (Issue 4-5). pp. 1284-1302. ISSN 0370-2693

Permanent WRAP url:

<http://wrap.warwick.ac.uk/55395>

Copyright and reuse:

The Warwick Research Archive Portal (WRAP) makes this work of researchers of the University of Warwick available open access under the following conditions.

This article is made available under the Creative Commons Attribution 3.0 Unported (CC BY 3.0) license and may be reused according to the conditions of the license. For more details see: <http://creativecommons.org/licenses/by/3.0/>

A note on versions:

The version presented in WRAP is the published version, or, version of record, and may be cited as it appears here.

For more information, please contact the WRAP Team at: wrap@warwick.ac.uk



<http://go.warwick.ac.uk/lib-publications>



Search for pair production of heavy top-like quarks decaying to a high- p_T W boson and a b quark in the lepton plus jets final state at $\sqrt{s} = 7$ TeV with the ATLAS detector[☆]

ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 19 October 2012

Received in revised form 30 November 2012

Accepted 30 November 2012

Available online 5 December 2012

Editor: H. Weerts

ABSTRACT

A search is presented for production of a heavy up-type quark (t') together with its antiparticle, assuming a significant branching ratio for subsequent decay into a W boson and a b quark. The search is based on 4.7 fb^{-1} of pp collisions at $\sqrt{s} = 7$ TeV recorded in 2011 with the ATLAS detector at the CERN Large Hadron Collider. Data are analyzed in the lepton + jets final state, characterized by a high-transverse-momentum isolated electron or muon, large missing transverse momentum and at least three jets. The analysis strategy relies on the substantial boost of the W bosons in the $t'\bar{t}'$ signal when $m_{t'} \gtrsim 400$ GeV. No significant excess of events above the Standard Model expectation is observed and the result of the search is interpreted in the context of fourth-generation and vector-like quark models. Under the assumption of a branching ratio $BR(t' \rightarrow Wb) = 1$, a fourth-generation t' quark with mass lower than 656 GeV is excluded at 95% confidence level. In addition, in light of the recent discovery of a new boson of mass ~ 126 GeV at the LHC, upper limits are derived in the two-dimensional plane of $BR(t' \rightarrow Wb)$ versus $BR(t' \rightarrow Ht)$, where H is the Standard Model Higgs boson, for vector-like quarks of various masses.

© 2012 CERN. Published by Elsevier B.V. All rights reserved.

1. Introduction

Since the discovery of the top quark [1,2], which completed the third generation of fundamental fermions in the quark sector of the Standard Model (SM) of particle physics, searches for heavier quarks have been of particular interest in high-energy physics research. These quarks are often present in new physics models aimed at solving some of the limitations of the SM.

One possibility is the addition of a fourth generation of heavy chiral fermions [3,4], which can provide new sources of CP violation that could explain the matter-antimatter asymmetry in the universe. The new weak-isospin doublet contains heavy up-type (t') and down-type (b') quarks that mix with the lighter quarks via an extended CKM matrix. In order to be consistent with precision electroweak data, a relatively small mass splitting between the new quarks is required [5]. Assuming that $m_{t'} - m_{b'} < m_W$, where m_W is the W boson mass, the t' quark decays predominantly to a W boson and a down-type quark q ($q = d, s, b$). Based on the mixing pattern of the known quarks, it is natural to expect that this quark would be dominantly a b quark, which has motivated the assumption of $BR(t' \rightarrow Wb) = 1$ in most experimental searches.

Another possibility is the addition of weak-isospin singlets, doublets or triplets of vector-like quarks [6], defined as quarks for which both chiralities have the same transformation properties under the electroweak group $SU(2) \times U(1)$. Vector-like quarks appear in many extensions of the SM such as little Higgs or extra-dimensional models. In these models, a top-partner quark, for simplicity referred to here as t' , often plays a key role in canceling the quadratic divergences in the Higgs boson mass induced by radiative corrections involving the top quark. Vector-like quarks can mix preferentially with third-generation quarks, as the mixing is proportional to the mass of the SM quark [7], and they present a richer phenomenology than chiral quarks in fourth-generation models. In particular, a vector-like t' quark has *a priori* three possible decay modes, $t' \rightarrow Wb$, $t' \rightarrow Zt$, and $t' \rightarrow Ht$, with branching ratios that vary as a function of $m_{t'}$ and depend on the weak-isospin quantum number of the t' quark. While all three decay modes can be sizable for a weak-isospin singlet, decays to only Zt and Ht are most natural for a doublet. In the case of a triplet, the t' quark can decay either as a singlet or a doublet depending on its hypercharge.

The large centre-of-mass energy (\sqrt{s}) and integrated luminosity in proton-proton (pp) collisions produced at the CERN Large Hadron Collider (LHC) offer a unique opportunity to probe these models. At the LHC, these new heavy quarks would be produced predominantly in pairs via the strong interaction for masses below $O(1$ TeV) [6], with sizable cross sections and clean experimental signatures. For higher masses, single production mediated by

* © CERN for the benefit of the ATLAS Collaboration.

* E-mail address: atlas.publications@cern.ch.

the electroweak interaction can potentially dominate, depending on the strength of the interaction between the t' quark and the weak gauge bosons.

Recent results of SM Higgs boson searches at the LHC have significantly impacted the prospects and focus of heavy-quark searches. In particular, the observation of a new boson by the ATLAS [8] and CMS [9] Collaborations with a mass of ~ 126 GeV and couplings close to those expected for the SM Higgs boson disfavors [5,10] fourth-generation models. These models predict a large increase in the production rate for $gg \rightarrow H$, which is in tension with searches in the $H \rightarrow WW^{(*)}$ and $H \rightarrow ZZ^{(*)}$ decay channels [11,12]. These results severely constrain perturbative fourth-generation models, although they may not completely exclude them yet. For example, it has been pointed out that a fourth family of fermions can substantially modify the Higgs boson partial decay widths [13] and various scenarios may still remain viable [5, 14]. At the same time, the observation of this new boson raises the level of interest for vector-like quark searches, as $t' \rightarrow Ht$ and $b' \rightarrow Hb$ decays now have completely specified final states which offer an exciting opportunity for discovery of new heavy quarks.

In this Letter a search is presented for $t'\bar{t}'$ production using pp collision data at $\sqrt{s} = 7$ TeV collected with the ATLAS detector. The search is optimized for t' quark decays with large branching ratio to Wb . The lepton + jets final state signature, where one of the W bosons decays leptonically and the other hadronically, is considered. The most recent search by the ATLAS Collaboration in this final state [15] was based on 1.04 fb^{-1} of pp collisions at $\sqrt{s} = 7$ TeV and, under the assumption of $BR(t' \rightarrow Wb) = 1$, excluded the existence of a t' quark with a mass below 404 GeV at 95% confidence level (CL). A more stringent lower 95% CL limit of $m_{t'} > 570$ GeV [16] was obtained by the CMS Collaboration using 5.0 fb^{-1} of data at $\sqrt{s} = 7$ TeV. Searches have also been performed exploiting the dilepton signature resulting from the leptonic decay of both W bosons. A search by the ATLAS Collaboration in the dilepton final state using 1.04 fb^{-1} of data at $\sqrt{s} = 7$ TeV obtained a lower 95% CL limit of $m_{t'} > 350$ GeV [17]. This search did not attempt to identify the flavor of the jets, making a more relaxed assumption of $BR(t' \rightarrow Wq) = 1$, where q could be any down-type SM quark. A 95% CL limit of $m_{t'} > 557$ GeV [18], assuming $BR(t' \rightarrow Wb) = 1$, was obtained by the CMS Collaboration using 5.0 fb^{-1} of data at $\sqrt{s} = 7$ TeV.

In comparison with the previous result by the ATLAS Collaboration in the lepton + jets final state [15], the search presented in this Letter uses almost a factor of five more data and has revisited the overall strategy, as advocated in Refs. [19–21], to take advantage of the kinematic differences that exist between top quark and t' quark decays when $m_{t'} \gtrsim 400$ GeV. In particular, the hadronically-decaying W boson can be reconstructed as a single isolated jet when it is sufficiently boosted, leading to a significantly improved sensitivity in comparison to previous searches. In addition, the result of this search is interpreted more generically in the context of vector-like quark models where $BR(t' \rightarrow Wb)$ can be substantially smaller than unity. In this case the additional signals, other than $t'\bar{t}' \rightarrow WbWb$, contribute to the signal acceptance and are accounted for in the analysis.

2. ATLAS detector

The ATLAS detector [22] consists of an inner tracking system surrounded by a superconducting solenoid, electromagnetic and hadronic calorimeters, and a muon spectrometer. The inner tracking system is immersed in a 2 T axial magnetic field and consists of a silicon pixel detector, a silicon microstrip detector, and a transition radiation tracker, providing charged particle identifica-

tion in the region $|\eta| < 2.5$.¹ The electromagnetic (EM) sampling calorimeter uses lead and liquid argon. The hadron calorimetry is based on two different detector technologies with either scintillator tiles or liquid argon as the active medium. The barrel hadronic calorimeter consists of scintillating tiles with steel plates as the absorber material. The endcap and forward hadronic calorimeters both use liquid argon, and copper or tungsten as the absorber, respectively. The calorimeters provide coverage up to $|\eta| = 4.9$. The muon spectrometer consists of superconducting air-core toroids, a system of trigger chambers covering the range $|\eta| < 2.4$, and high-precision tracking chambers allowing muon momentum measurements in the range $|\eta| < 2.7$.

3. Data sample and event preselection

The data used in this analysis correspond to the full dataset recorded in 2011, and were acquired using single-electron and single-muon triggers. The corresponding integrated luminosity is 4.7 fb^{-1} .

The event preselection criteria closely follow those used in recent ATLAS top quark studies [23] and require exactly one isolated electron or muon with large transverse momentum (p_T), at least three jets among which at least one is identified as originating from a b quark, and large missing transverse momentum (E_T^{miss}).

Electron candidates are required to have transverse momentum $p_T > 25$ GeV and $|\eta| < 2.47$, excluding the transition region ($1.37 < |\eta| < 1.52$) between the barrel and endcap EM calorimeters. Muon candidates are required to satisfy $p_T > 20$ GeV and $|\eta| < 2.5$. For leptons satisfying these p_T requirements the efficiencies of the relevant single-lepton triggers have reached their plateau values. To reduce background from non-prompt leptons produced in semileptonic b - or c -hadron decays, or in π^\pm/K^\pm decays, the selected leptons are required to be isolated, i.e. to have little calorimetric energy or track transverse momentum around them [24]. In this analysis τ leptons are not explicitly reconstructed. Because of the high- p_T threshold requirements, only a small fraction of τ leptons decaying leptonically are reconstructed as electrons or muons, while the majority of τ leptons decaying hadronically are reconstructed as jets.

Jets are reconstructed with the anti- k_t algorithm [25] with radius parameter $R = 0.4$, from topological clusters [26] of energy deposits in the calorimeters, calibrated at the EM scale. These jets are then calibrated to the particle (truth) level [27] using p_T - and η -dependent correction factors derived from a combination of data and simulation. Jets are required to have $p_T > 25$ GeV and $|\eta| < 2.5$. To avoid selecting jets from other pp interactions in the same bunch crossing, at least 75% of the sum of the p_T of tracks associated with a jet is required to come from tracks compatible with originating from the identified hard-scatter primary vertex. This primary vertex is chosen among the reconstructed candidates as the one with the highest $\sum p_T^2$ of associated tracks and is required to have at least three tracks with $p_T > 0.4$ GeV.

To identify jets as originating from the hadronization of a b quark (b tagging), a continuous discriminant is produced by an algorithm [28] using multivariate techniques to combine information from the impact parameter of displaced tracks, as well as topological properties of secondary and tertiary decay vertices reconstructed within the jet. In the preselection, at least one jet is

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse (x, y) plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

required to have a discriminant value larger than the point corresponding to an average efficiency in simulated $t\bar{t}$ events of $\sim 70\%$ for b -quark jets, of $\sim 20\%$ for c -quark jets and of $\sim 0.7\%$ for jets originating from light quarks (u, d, s) or gluons.

The E_T^{miss} is constructed [29] from the vector sum of all calorimeter energy deposits² contained in topological clusters, calibrated at the energy scale of the associated high- p_T object (e.g. jet or electron), and including contributions from selected muons. Background from multi-jet production is suppressed by the requirement $E_T^{\text{miss}} > 35$ (20) GeV in the electron (muon) channel, and $E_T^{\text{miss}} + m_T > 60$ GeV, where m_T is the transverse mass³ of the lepton and E_T^{miss} .

4. Background and signal modeling

After event preselection the main background is $t\bar{t}$ production, with lesser contributions from the production of a W boson in association with jets ($W + \text{jets}$) and multi-jet events. Small contributions arise from single top-quark, $Z + \text{jets}$ and diboson production. Multi-jet events contribute to the selected sample mostly via the misidentification of a jet or a photon as an electron, or via the presence of a non-prompt lepton, e.g. from a semileptonic b - or c -hadron decay. The corresponding yield is estimated via a data-driven method [30], which compares the number of events obtained with either standard or relaxed criteria for the selection of leptons. For the $W + \text{jets}$ background, the shape of the distributions of kinematic variables is estimated from simulation but the normalization is estimated from data using the predicted asymmetry between $W^+ + \text{jets}$ and $W^- + \text{jets}$ production in pp collisions [31]. All other backgrounds, including the dominant $t\bar{t}$ background, and the signal, are estimated from simulation and normalized to their theoretical cross sections.

Simulated samples of $t\bar{t}$ and single top-quark backgrounds (in the s -channel and for the associated production with a W boson) are generated with MC@NLO v4.01 [32–34] using the CT10 set of parton distribution functions (PDFs) [35]. In the case of t -channel single top-quark production, the ACERMC v3.8 leading-order (LO) generator [36] with the MRST LO** PDF set [37] is used. These samples are generated assuming a top quark mass of 172.5 GeV and are normalized to approximate next-to-next-to-LO (NNLO) theoretical cross sections [38–40] using the MSTW2008 NNLO PDF set [41]. Samples of $W/Z + \text{jets}$ events are generated with up to five additional partons using the ALPGEN v2.13 [42] LO generator and the CTEQ6L1 PDF set [43]. The parton-shower and fragmentation steps are performed by HERWIG v6.520 [44] in the case of MC@NLO and ALPGEN, and by PYTHIA 6.421 [45] in the case of ACERMC. To avoid double-counting of partonic configurations in $W/Z + \text{jets}$ events generated by both the matrix-element calculation and the parton shower, a matching scheme [46] is employed. The $W + \text{jets}$ samples are generated separately for $W + \text{light jets}$, $Wb\bar{b} + \text{jets}$, $Wc\bar{c} + \text{jets}$, and $Wc + \text{jets}$, and their relative contributions are normalized using the fraction of b -tagged jets in $W + 1\text{-jet}$ and $W + 2\text{-jets}$ data control samples [47]. The $Z + \text{jets}$ background is normalized to the inclusive NNLO theoretical cross section [48]. The diboson backgrounds are modeled using HERWIG with the MRST LO** PDF set, and are normalized to their NLO the-

oretical cross sections [49]. In all cases where HERWIG is used, the underlying event is simulated with JIMMY v4.31 [50].

For fourth-generation t' quark signals, samples are generated with PYTHIA using the CTEQ6.6 PDF set [43] for a range of masses, $m_{t'}$, from 400 GeV to 750 GeV in steps of 50 GeV. For vector-like t' signals, samples corresponding to a singlet t' quark decaying to Wb , Zt and Ht are generated with the PROTOS v2.2 LO generator [6,51] using the CTEQ6L1 PDF set, and interfaced to PYTHIA for the parton shower and fragmentation. The $m_{t'}$ values considered range from 400 GeV to 600 GeV in steps of 50 GeV, and the Higgs boson mass is assumed to be 125 GeV. All Higgs boson decay modes are considered, with branching ratios as predicted by HDECAY [52]. For both types of signal, the samples are normalized to the approximate NNLO theoretical cross sections [38] using the MSTW2008 NNLO PDF set.

All simulated samples include multiple pp interactions and simulated events are weighted such that the distribution of the average number of interactions per bunch crossing agrees with data. The simulated samples are processed through a simulation [53] of the detector geometry and response using GEANT4 [54], and the same reconstruction software as the data. Simulated events are corrected so that the physics object identification efficiencies, energy scales and energy resolutions match those determined in data control samples, enriched in the physics objects of interest.

5. Final selection

After preselection, further background suppression is achieved by applying requirements aimed at exploiting the distinct kinematic features of the signal. The large t' quark mass results in energetic W bosons and b quarks in the final state with large angular separation between them, while the decay products from the boosted W bosons have small angular separation. The combination of these properties is very effective in suppressing the dominant $t\bar{t}$ background since $t\bar{t}$ events with boosted W boson configurations are rare, and are typically characterized by a small angular separation between the W boson and b quark from the top quark decay.

To take advantage of these properties, it is necessary to identify the hadronically-decaying W boson (W_{had}) as well as the b jets in the event. The candidate b jets are defined as the two jets with the highest b -tag discriminant (although only one of them is explicitly required to be b tagged in the event selection). Two types of W_{had} candidates are defined, $W_{\text{had}}^{\text{typeI}}$ and $W_{\text{had}}^{\text{typeII}}$, depending on the angular separation between their decay products. $W_{\text{had}}^{\text{typeI}}$ is defined as a single jet with $p_T > 250$ GeV and mass in the range of 60–110 GeV. The mass distribution for $W_{\text{had}}^{\text{typeI}}$ candidates, prior to the jet mass requirement itself, is shown in Fig. 1(a). $W_{\text{had}}^{\text{typeII}}$ is defined as a dijet system with $p_T > 150$ GeV, angular separation⁴ $\Delta R(j, j) < 0.8$ and mass within the range of 60–110 GeV. If multiple pairs satisfy the above requirements, the one with mass closest to the nominal W boson mass is chosen. The mass distribution for $W_{\text{had}}^{\text{typeII}}$ candidates, prior to the dijet mass requirement, is shown in Fig. 1(b). In the construction of both types of W_{had} candidates, all selected jets except for the two candidate b jets are considered. Small discrepancies observed between the data and the background prediction, e.g. at low $W_{\text{had}}^{\text{typeII}}$ candidate invariant mass, are not significant and are covered by the systematic uncertainties.

The leptonically-decaying W boson is reconstructed using the lepton and E_T^{miss} , identified as the neutrino p_T . Requiring that the

² Each calorimeter cluster/cell is considered a massless object and is assigned the four-momentum $(E_{\text{cell}}, \vec{p}_{\text{cell}})$, where E_{cell} is the measured energy and \vec{p}_{cell} is a vector of magnitude E_{cell} directed from $(x, y, z) = (0, 0, 0)$ to the center of the cell.

³ The transverse mass is defined by the formula $m_T = \sqrt{2p_T^\ell E_T^{\text{miss}}(1 - \cos \Delta\phi)}$, where p_T^ℓ is the p_T of the lepton and $\Delta\phi$ is the azimuthal angle separation between the lepton and E_T^{miss} directions.

⁴ The angular separation is defined as $\Delta R = \sqrt{(\Delta\phi)^2 + (\Delta\eta)^2}$ where ϕ is the azimuthal angle and η the pseudorapidity.




Fig. 1. Distribution of the reconstructed mass for (a) $W_{\text{had}}^{\text{type I}}$ and (b) $W_{\text{had}}^{\text{type II}}$ candidates for the combined $e + \text{jets}$ and $\mu + \text{jets}$ channels after preselection. Figure (a) corresponds to events with ≥ 3 jets and ≥ 1 $W_{\text{had}}^{\text{type I}}$ candidates, while (b) corresponds to events with ≥ 4 jets and ≥ 1 $W_{\text{had}}^{\text{type II}}$ candidates (see text for details). The data (solid black points) are compared to the SM prediction (stacked histograms). The total uncertainty on the background estimation (see Section 7 for details) is shown as a black hatched band. The expected contribution from a fourth-generation t' quark with mass $m_{t'} = 500$ GeV is also shown (red shaded histogram), stacked on top of the SM background. The last bin of each figure contains overflow events. The lower panel shows the ratio of data to SM prediction. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this Letter.)

invariant mass of the lepton–neutrino system equals the nominal W boson mass allows reconstruction of the neutrino longitudinal momentum up to a two-fold ambiguity. In case no real solution exists, the neutrino pseudorapidity is set equal to that of the lepton, since in the kinematic regime of interest for this analysis the decay products of the W boson tend to be collinear.

Two final selections, *loose* and *tight*, are defined. The *loose* selection considers events with either ≥ 3 jets, at least one of which is a $W_{\text{had}}^{\text{type I}}$ candidate, or ≥ 4 jets, two of which combine to make at least one $W_{\text{had}}^{\text{type II}}$ candidate, and no $W_{\text{had}}^{\text{type I}}$ candidate. The events must satisfy $H_{\text{T}} > 750$ GeV, where H_{T} is the scalar sum of the lepton p_{T} , $E_{\text{T}}^{\text{miss}}$ and the p_{T} of the four (or three if there are only three) highest- p_{T} jets. The H_{T} distribution peaks at $\sim 2m_{t'}$ for signal events, which makes the $H_{\text{T}} > 750$ GeV requirement particularly efficient for signal with $m_{t'} \gtrsim 400$ GeV, while rejecting a large fraction of the background. In addition, the highest- p_{T} b -jet candidate (b_1) and the next-to-highest- p_{T} b -jet candidate (b_2) are required to have $p_{\text{T}} > 160$ GeV and $p_{\text{T}} > 60$ GeV, respectively. Finally, the angular separation between the lepton and the reconstructed neutrino is required to satisfy $\Delta R(\ell, \nu) < 1.4$. The *tight* selection adds the following isolation requirements to the *loose* selection: $\min(\Delta R(W_{\text{had}}, b_{1,2})) > 1.4$ and $\min(\Delta R(\ell, b_{1,2})) > 1.4$, which are particularly effective at suppressing $t\bar{t}$ background. Table 1 presents a summary of the background estimates for the *loose* and *tight* selections, as well as a comparison of the total predicted and observed yields. The quoted uncertainties include both statistical and systematic contributions. The latter are discussed in Section 7. The predicted and observed yields are in agreement within these uncertainties.

6. Heavy-quark mass reconstruction

The main discriminant variable used in this search is the reconstructed heavy-quark mass (m_{reco}), built from the W_{had} candidate and one of the two b -jet candidates. The reconstruction of the leptonically-decaying W boson usually yields two solutions, and

Table 1

Number of observed events, integrated over the whole mass spectrum, compared to the SM expectation for the combined $e + \text{jets}$ and $\mu + \text{jets}$ channels after the *loose* and *tight* selections. The expected signal yields assuming $m_{t'} = 500$ GeV for different values of $BR(t' \rightarrow Wb)$, $BR(t' \rightarrow Zt)$ and $BR(t' \rightarrow Ht)$ are also shown. The case of $BR(t' \rightarrow Wb) = 1$ corresponds to a fourth-generation t' quark. The quoted uncertainties include both statistical and systematic contributions.

	Loose selection	Tight selection
$t\bar{t}$	94 ± 26	4.2 ± 2.9
$W + \text{jets}$	5.4 ± 4.2	2.0 ± 1.4
$Z + \text{jets}$	0.5 ± 0.4	0.2 ± 0.2
Single top	7.2 ± 1.7	1.1 ± 0.5
Dibosons	0.1 ± 0.1	0.04 ± 0.04
Multi-jet	5.9 ± 8.4	3.8 ± 3.2
Total background	113 ± 30	11.3 ± 4.8
Data	122	11
$t'\bar{t}'$ (500 GeV)		
$Wb : Zt : Ht = 1.0 : 0.0 : 0.0$	47.4 ± 6.3	28.2 ± 3.6
$Wb : Zt : Ht = 0.5 : 0.0 : 0.5$	25.4 ± 3.6	11.2 ± 1.5

there are two possible ways to pair the b -jet candidates with the W boson candidates to form the heavy quarks. Among the four possible combinations, the one yielding the smallest absolute difference between the two reconstructed heavy quark masses is chosen. The resulting m_{reco} distributions in Fig. 2 show that the SM background has been effectively suppressed, and that, as is most visible for the *loose* selection, good discrimination between signal and background is achieved. The small contributions from $W + \text{jets}$, $Z + \text{jets}$, diboson, single-top and multi-jet events are combined into a single background source referred to as non- $t\bar{t}$. It was verified *a priori* that the *tight* selection has the better sensitivity, and it is therefore chosen to derive the final result for the search. The *loose* selection, displaying a significant $t\bar{t}$ background at low m_{reco} which is in good agreement with the expectation, provides further confidence in the background modeling prior to the application of b -jet isolation requirements in the *tight* selection.




Fig. 2. Distribution of m_{reco} for the combined $e + \text{jets}$ and $\mu + \text{jets}$ channels after the (a) *loose* and (b) *tight* selection. The data (solid black points) are compared to the SM prediction. The total uncertainty on the background estimation (see Section 7 for details) is shown as a black hashed band. Also shown, stacked on top of the SM background, are the expected contributions from a signal with mass $m_{t'} = 500$ GeV for the case of $BR(t' \rightarrow Wb) = 1$ (red shaded histogram), corresponding to a fourth-generation t' quark, as well as the case of $BR(t' \rightarrow Wb) = BR(t' \rightarrow Ht) = 0.5$ (dashed black histogram). The overflow has been added to the last bin. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this Letter.)

7. Systematic uncertainties

Systematic uncertainties affecting the normalization and shape of the m_{reco} distribution are estimated taking into account correlations.

Uncertainties affecting only the normalization include the integrated luminosity (3.9%), lepton identification and trigger efficiencies (2%), jet identification efficiency (2%), and cross sections for the various background processes. The uncertainties on the theoretical cross sections for $t\bar{t}$, single-top and diboson production are $(+9.9/-10.7)\%$ [38], $(+4.7/-3.7)\%$ [39,40], and $\pm 5\%$ [49] respectively. A total uncertainty on the $W + \text{jets}$ normalization of 58% is assumed, including contributions from uncertainties on the $W + 4\text{-jets}$ cross section (48%) [55], the heavy-flavor content measured in $W + 1, 2\text{-jets}$ data samples (23%) [47], as well as its extrapolation to higher jet multiplicities (19%). The latter is estimated from the simulation where the $W + \text{heavy-flavor}$ fractions are studied as a function of variations in the ALPGEN generator parameters. Similarly, the $Z + \text{jets}$ normalization is assigned an uncertainty of 48% due to the dominant $Z + 4\text{-jets}$ contribution after final selection, which is evaluated at LO by ALPGEN. The multi-jet normalization is assigned an uncertainty of 80% including contributions from the limited size of the data sample (64%) as well as the uncertainty on the jet misidentification rate (50%) in the data-driven prediction.

The rest of the systematic uncertainties modify both the normalization and shape of the m_{reco} distribution. To indicate their magnitudes, their impact on the normalization for the *tight* selection is discussed in the following. Among the largest uncertainties affecting the $t\bar{t}$ background are those related to modeling, such as (1) the choice of NLO event generator (evaluated by comparing MC@NLO and POWHEG [56]), (2) the modeling of initial- and final-state QCD radiation (evaluated by varying the relevant parameters in PYTHIA in a range given by current experimental data [57]), and (3) the choice of parton-shower and fragmentation models (based on the comparison of HERWIG and PYTHIA). These result in $t\bar{t}$ normalization uncertainties of 55%, 1% and 26%, respectively. The uncertainty on the jet energy scale [27] affects the normalization of the $t't'$ signal, $t\bar{t}$ background and non- $t\bar{t}$ backgrounds by $\pm 6\%$, $(+22/-25)\%$, and $(+19/-10)\%$, respectively. The uncertainties due to the jet energy resolution are 2%, 3% and 3%, respectively. Uncertainties associated with the jet mass scale and resolution, affecting the selection of $W_{\text{had}}^{\text{typeI}}$ candidates, are smaller in magnitude




Fig. 3. Observed (solid line) and expected (dashed line) 95% CL upper limits on the $t't'$ cross section as a function of the t' quark mass. The surrounding shaded bands correspond to the ± 1 and ± 2 standard deviations around the expected limit. The thin red line and band show the theoretical prediction and its ± 1 standard deviation uncertainty. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this Letter.)

but are also taken into account. Uncertainties on the modeling of the b -tagging algorithms affect the identification of b , c and light jets [28,58,59], and collectively result in uncertainties for the $t't'$ signal, as well as the $t\bar{t}$ and non- $t\bar{t}$ backgrounds, of (5–6%). Other systematic uncertainties such as those on jet reconstruction efficiency or the effect of multiple pp interactions on the modeling of E_T^{miss} have been verified to be negligible.

In summary, taking into account all systematic uncertainties discussed above, the total uncertainty on the normalization affecting the *tight* selection for a $t't'$ signal with $m_{t'} = 500$ GeV, $t\bar{t}$ and non- $t\bar{t}$ backgrounds is 11%, 67% and 50%, respectively.

8. Statistical analysis

In the absence of any significant data excess, the m_{reco} spectrum shown in Fig. 2(b) is used to derive 95% CL upper limits on the $t't'$ production cross section using the CL_s method [60,61].




Fig. 4. Observed (red filled area) and expected (red dashed line) 95% CL exclusion in the plane of $BR(t' \rightarrow Wb)$ versus $BR(t' \rightarrow Ht)$, for different values of the vector-like t' quark mass. The grey (dark shaded) area corresponds to the unphysical region where the sum of branching ratios exceeds unity. The default branching ratio values from the PROTOS event generator for the weak-isospin singlet and doublet cases are shown as plain circle and star symbols, respectively. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this Letter.)

This method employs a log-likelihood ratio $LLR = -2\log(L_{s+b}/L_b)$ as test-statistic, where L_{s+b} (L_b) is a binned likelihood function (product of Poisson probabilities) to observe the data under the signal-plus-background (background-only) hypothesis. Pseudo-experiments are generated for both hypotheses, taking into account per-bin statistical fluctuations of the total predictions according to Poisson statistics, as well as Gaussian fluctuations describing the effect of systematic uncertainties. The fraction of pseudo-experiments for the signal-plus-background (background-only) hypothesis with LLR larger than a given threshold defines CL_{s+b} (CL_b). Such threshold is set to the observed (median) LLR for the observed (expected) limit. Signal cross sections for which $CL_s = CL_{s+b}/CL_b < 0.05$ are deemed to be excluded at 95% CL. Dividing by CL_b minimizes the possibility of mistakenly excluding a small signal due to a downward fluctuation of the background.

9. Results

The resulting observed and expected upper limits on the $t'\bar{t}'$ production cross section are shown in Fig. 3 as a function of $m_{t'}$, and compared to the theoretical prediction, assuming $BR(t' \rightarrow Wb) = 1$. The total uncertainty on the theoretical cross section [38] includes the contributions from scale variations and PDF uncertainties. An observed (expected) 95% CL limit $m_{t'} > 656$ (638) GeV is obtained for the central value of the theoretical cross section. This represents the most stringent limit to date on the mass of a fourth-generation t' quark decaying exclusively into a W boson and a b quark. This limit is also applicable to a down-type vector-like quark with electric charge of $-4/3$ and decaying into a W boson and a b quark [6].

The same analysis is used to derive exclusion limits on vector-like t' quark production, for different values of $m_{t'}$ and as a function of the two branching ratios $BR(t' \rightarrow Wb)$ and $BR(t' \rightarrow$

Ht). The branching ratio $BR(t' \rightarrow Zt)$ is fixed by $BR(t' \rightarrow Zt) = 1 - BR(t' \rightarrow Wb) - BR(t' \rightarrow Ht)$. To probe this two-dimensional branching-ratio plane, the signal samples with the original branching ratios as generated by PROTOS are weighted. The resulting 95% CL exclusion limits are shown in Fig. 4 for different values of $m_{t'}$. For instance, a t' quark with a mass of 550 GeV and $BR(t' \rightarrow Wb) > 0.63$ is excluded at $\geq 95\%$ CL, regardless of the value of its branching ratios to Ht and Zt . All the decay modes contribute to the final sensitivity when setting limits. For example, assuming $m_{t'} = 550$ GeV, the efficiency of the *tight* selection with at least four jets is 2.67%, 0.64%, 0.81%, 0.27%, 0.24% and 0.25%, for decays to $WbWb$, $WbHt$, $WbZt$, $ZtHt$, $ZtZt$ and $HtHt$, respectively. The default predictions from PROTOS for the weak-isospin singlet and doublet cases are also shown. A weak-isospin singlet t' quark with $400 \leq m_{t'} \leq 500$ GeV is excluded at $\geq 95\%$ CL. It should be noted that since this analysis is optimized for $m_{t'} \gtrsim 400$ GeV (recall the $H_T > 750$ GeV requirement), it is not sensitive for vector-like quark scenarios where $m_{t'} < 400$ GeV. The doublet scenarios are shown in Fig. 4 to illustrate the fact that this analysis has no sensitivity in these cases.

10. Conclusion

The strategy followed in this search, directly exploiting the distinct boosted signature expected in the decay of a heavy t' quark, has resulted in the most stringent limits to date on a fourth-generation t' quark. This approach shows great promise for improved sensitivity in future LHC searches at higher centre-of-mass energy and integrated luminosity. This search is also interpreted more generically in the context of vector-like quark models, resulting in the first quasi-model-independent exclusions in the two-dimensional plane of $BR(t' \rightarrow Wb)$ versus $BR(t' \rightarrow Ht)$, for different values of the t' quark mass.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET and ERC, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

Open access

This article is published Open Access at sciedirect.com. It is distributed under the terms of the Creative Commons Attribution License 3.0, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are credited.

References

- [1] F. Abe, et al., CDF Collaboration, Phys. Rev. Lett. 74 (1995) 2626.
- [2] S. Abachi, et al., D0 Collaboration, Phys. Rev. Lett. 74 (1995) 2632.
- [3] B. Holdom, et al., PMC Physics A 3 (2009) 4.
- [4] S.A. Çetin, et al., Status of the fourth generation, arXiv:1112.2907 [hep-ex], 2011.
- [5] M. Buchkremer, J.-M. Gérard, F. Maltoni, Closing in on a perturbative fourth generation, arXiv:1204.5403 [hep-ex], 2012.
- [6] J.A. Aguilar-Saavedra, JHEP 0911 (2009) 030.
- [7] F. del Aguila, M.J. Bowick, Nucl. Phys. B 224 (1983) 107.
- [8] ATLAS Collaboration, Phys. Lett. B 716 (2012) 1.
- [9] CMS Collaboration, Phys. Lett. B 716 (2012) 30.
- [10] A. Djouadi, A. Lenz, Sealing the fate of a fourth generation of fermions, arXiv: 1204.1252v2 [hep-ex], 2012.
- [11] ATLAS Collaboration, Update of the combination of Higgs boson searches in 1.0 to 2.3 fb⁻¹ of *pp* collisions data taken at $\sqrt{s} = 7$ TeV with the ATLAS experiment at the LHC, ATLAS-CONF-2011-135, 2011.
- [12] CMS Collaboration, Combined results of searches for a Higgs boson in the context of the standard model and beyond-standard models, CMS PAS HIG-12-008, 2012.
- [13] A. Denner, et al., Higgs production and decay with a fourth Standard-Model-like fermion generation, arXiv:1111.6395 [hep-ex], 2012.
- [14] A. Rozanov, M. Vysotsky, Phys. Lett. B 700 (2011) 313.
- [15] ATLAS Collaboration, Phys. Rev. Lett. 108 (2012) 261802.
- [16] CMS Collaboration, Search for pair produced fourth-generation up-type quarks in *pp* collisions at $\sqrt{s} = 7$ TeV with a lepton in the final state, arXiv:1209.0471 [hep-ex], 2012.
- [17] ATLAS Collaboration, Phys. Rev. D 86 (2012) 012007.
- [18] CMS Collaboration, Phys. Lett. B 716 (2012) 103.
- [19] B. Holdom, JHEP 0703 (2007) 063.
- [20] B. Holdom, JHEP 0708 (2007) 069.
- [21] B. Holdom, Phys. Lett. B 686 (2010) 146.
- [22] ATLAS Collaboration, JINST 3 (2008) S08003.
- [23] ATLAS Collaboration, Phys. Lett. B 711 (2012) 244.
- [24] ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1909.
- [25] M. Cacciari, G.P. Salam, G. Soyez, JHEP 0804 (2008) 063.
- [26] W. Lampl, et al., Calorimeter clustering algorithms: Description and performance, ATL-LARG-PUB-2008-002, 2012.
- [27] ATLAS Collaboration, Jet energy measurement with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV, arXiv:1112.6426 [hep-ex], 2011.
- [28] ATLAS Collaboration, Measurement of the *b*-tagging efficiency in a sample of jets containing muons with 5 fb⁻¹ of data from the ATLAS detector, ATLAS-CONF-2012-043, 2012.
- [29] ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1844.
- [30] ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1577.
- [31] ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2039.
- [32] S. Frixione, B.R. Webber, JHEP 0206 (2002) 029.
- [33] S. Frixione, E. Laenen, P. Motylinski, B.R. Webber, JHEP 0603 (2006) 092.
- [34] S. Frixione, E. Laenen, P. Motylinski, C. White, B.R. Webber, JHEP 0807 (2008) 029.
- [35] H.-L. Lai, et al., Phys. Rev. D 82 (2010) 074024.
- [36] B.P. Kersevan, E. Richter-Was, The Monte Carlo event generator AcerMC 2.0 with interfaces to PYTHIA 6.2 and HERWIG 6.5, arXiv:hep-ex/0405247, 2004.
- [37] A. Sherstnev, R. Thorne, Eur. Phys. J. C 55 (2008) 553.
- [38] M. Aliev, et al., Comput. Phys. Commun. 182 (2011) 1034.
- [39] N. Kidonakis, Phys. Rev. D 83 (2011) 091503.
- [40] N. Kidonakis, Phys. Rev. D 81 (2010) 054028.
- [41] A.D. Martin, et al., Eur. Phys. J. C 63 (2009) 189.
- [42] M.L. Mangano, et al., JHEP 0307 (2003) 001.
- [43] P.M. Nadolsky, et al., Phys. Rev. D 78 (2008) 013004.
- [44] G. Corcella, et al., JHEP 0101 (2001) 010.
- [45] T. Sjostrand, et al., Comput. Phys. Commun. 135 (2001) 238.
- [46] M.L. Mangano, et al., Nucl. Phys. B 632 (2002) 343.
- [47] ATLAS Collaboration, Phys. Lett. B 717 (2012) 330.
- [48] K. Melnikov, F. Petriello, Phys. Rev. D 74 (2006) 114017.
- [49] J. Campbell, R. Ellis, Phys. Rev. D 60 (1999) 113006.
- [50] J. Butterworth, J. Forshaw, M. Seymour, Z. Phys. C 72 (1996) 637.
- [51] J.A. Aguilar-Saavedra, PROTOS, a program for top simulations, <http://jaguilar.web.cern.ch/jaguilar/protos/>, 2009.
- [52] A. Djouadi, J. Kalinowski, M. Spira, Comput. Phys. Commun. 108 (1998) 56.
- [53] ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 823.
- [54] S. Agostinelli, et al., Nucl. Instr. Meth. A 506 (2003) 250.
- [55] J. Alwall, et al., Eur. Phys. J. C 53 (2008) 473.
- [56] P. Nason, JHEP 0411 (2004) 040.
- [57] ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 2043.
- [58] ATLAS Collaboration, *b*-Jet tagging calibration on *c*-jets containing D^{*+} mesons, ATLAS-CONF-2012-039, 2012.
- [59] ATLAS Collaboration, Measurement of the mistag rate of *b*-tagging algorithms with 5 fb⁻¹ of data collected by the ATLAS detector, ATLAS-CONF-2012-040, 2012.
- [60] T. Junk, Nucl. Instr. Meth. A 434 (1999) 435.
- [61] A.L. Read, J. Phys. G 28 (2002) 2693.

ATLAS Collaboration

G. Aad ⁴⁸, T. Abajyan ²¹, B. Abbott ¹¹¹, J. Abdallah ¹², S. Abdel Khalek ¹¹⁵, A.A. Abdelalim ⁴⁹, O. Abdinov ¹¹, R. Aben ¹⁰⁵, B. Abi ¹¹², M. Abolins ⁸⁸, O.S. AbouZeid ¹⁵⁸, H. Abramowicz ¹⁵³, H. Abreu ¹³⁶, B.S. Acharya ^{164a,164b}, L. Adamczyk ³⁸, D.L. Adams ²⁵, T.N. Addy ⁵⁶, J. Adelman ¹⁷⁶, S. Adomeit ⁹⁸, P. Adragna ⁷⁵, T. Adye ¹²⁹, S. Aefsky ²³, J.A. Aguilar-Saavedra ^{124b,a}, M. Agustoni ¹⁷, M. Aharrouche ⁸¹, S.P. Ahlen ²², F. Ahles ⁴⁸, A. Ahmad ¹⁴⁸, M. Ahsan ⁴¹, G. Aielli ^{133a,133b}, T.P.A. Åkesson ⁷⁹, G. Akimoto ¹⁵⁵,

- A.V. Akimov ⁹⁴, M.S. Alam ², M.A. Alam ⁷⁶, J. Albert ¹⁶⁹, S. Albrand ⁵⁵, M. Aleksa ³⁰, I.N. Aleksandrov ⁶⁴, F. Alessandria ^{89a}, C. Alexa ^{26a}, G. Alexander ¹⁵³, G. Alexandre ⁴⁹, T. Alexopoulos ¹⁰, M. Alhroob ^{164a,164c}, M. Aliev ¹⁶, G. Alimonti ^{89a}, J. Alison ¹²⁰, B.M.M. Allbrooke ¹⁸, P.P. Allport ⁷³, S.E. Allwood-Spiers ⁵³, J. Almond ⁸², A. Aloisio ^{102a,102b}, R. Alon ¹⁷², A. Alonso ⁷⁹, F. Alonso ⁷⁰, A. Altheimer ³⁵, B. Alvarez Gonzalez ⁸⁸, M.G. Alviggi ^{102a,102b}, K. Amako ⁶⁵, C. Amelung ²³, V.V. Ammosov ^{128,*}, S.P. Amor Dos Santos ^{124a}, A. Amorim ^{124a,b}, N. Amram ¹⁵³, C. Anastopoulos ³⁰, L.S. Ancu ¹⁷, N. Andari ¹¹⁵, T. Andeen ³⁵, C.F. Anders ^{58b}, G. Anders ^{58a}, K.J. Anderson ³¹, A. Andreazza ^{89a,89b}, V. Andrei ^{58a}, M.-L. Andrieux ⁵⁵, X.S. Anduaga ⁷⁰, S. Angelidakis ⁹, P. Anger ⁴⁴, A. Angerami ³⁵, F. Anghinolfi ³⁰, A. Anisenkov ¹⁰⁷, N. Anjos ^{124a}, A. Annovi ⁴⁷, A. Antonaki ⁹, M. Antonelli ⁴⁷, A. Antonov ⁹⁶, J. Antos ^{144b}, F. Anulli ^{132a}, M. Aoki ¹⁰¹, S. Aoun ⁸³, L. Aperio Bella ⁵, R. Apolle ^{118,c}, G. Arabidze ⁸⁸, I. Aracena ¹⁴³, Y. Arai ⁶⁵, A.T.H. Arce ⁴⁵, S. Arfaoui ¹⁴⁸, J.-F. Arguin ⁹³, S. Argyropoulos ⁴², E. Arik ^{19a,*}, M. Arik ^{19a}, A.J. Armbruster ⁸⁷, O. Arnaez ⁸¹, V. Arnal ⁸⁰, C. Arnault ¹¹⁵, A. Artamonov ⁹⁵, G. Artoni ^{132a,132b}, D. Arutinov ²¹, S. Asai ¹⁵⁵, S. Ask ²⁸, B. Åsman ^{146a,146b}, L. Asquith ⁶, K. Assamagan ²⁵, A. Astbury ¹⁶⁹, M. Atkinson ¹⁶⁵, B. Aubert ⁵, E. Auge ¹¹⁵, K. Augsten ¹²⁷, M. Aurousseau ^{145a}, G. Avolio ³⁰, R. Avramidou ¹⁰, D. Axen ¹⁶⁸, G. Azuelos ^{93,d}, Y. Azuma ¹⁵⁵, M.A. Baak ³⁰, G. Baccaglioni ^{89a}, C. Bacci ^{134a,134b}, A.M. Bach ¹⁵, H. Bachacou ¹³⁶, K. Bachas ³⁰, M. Backes ⁴⁹, M. Backhaus ²¹, J. Backus Mayes ¹⁴³, E. Badescu ^{26a}, P. Bagnaia ^{132a,132b}, S. Bahinipati ³, Y. Bai ^{33a}, D.C. Bailey ¹⁵⁸, T. Bain ¹⁵⁸, J.T. Baines ¹²⁹, O.K. Baker ¹⁷⁶, M.D. Baker ²⁵, S. Baker ⁷⁷, P. Balek ¹²⁶, E. Banas ³⁹, P. Banerjee ⁹³, Sw. Banerjee ¹⁷³, D. Banfi ³⁰, A. Bangert ¹⁵⁰, V. Bansal ¹⁶⁹, H.S. Bansil ¹⁸, L. Barak ¹⁷², S.P. Baranov ⁹⁴, A. Barbaro Galtieri ¹⁵, T. Barber ⁴⁸, E.L. Barberio ⁸⁶, D. Barberis ^{50a,50b}, M. Barbero ²¹, D.Y. Bardin ⁶⁴, T. Barillari ⁹⁹, M. Barisonzi ¹⁷⁵, T. Barklow ¹⁴³, N. Barlow ²⁸, B.M. Barnett ¹²⁹, R.M. Barnett ¹⁵, A. Baroncelli ^{134a}, G. Barone ⁴⁹, A.J. Barr ¹¹⁸, F. Barreiro ⁸⁰, J. Barreiro Guimarães da Costa ⁵⁷, P. Barrillon ¹¹⁵, R. Bartoldus ¹⁴³, A.E. Barton ⁷¹, V. Bartsch ¹⁴⁹, A. Basye ¹⁶⁵, R.L. Bates ⁵³, L. Batkova ^{144a}, J.R. Batley ²⁸, A. Battaglia ¹⁷, M. Battistin ³⁰, F. Bauer ¹³⁶, H.S. Bawa ^{143,e}, S. Beale ⁹⁸, T. Beau ⁷⁸, P.H. Beauchemin ¹⁶¹, R. Becccherle ^{50a}, P. Bechtle ²¹, H.P. Beck ¹⁷, A.K. Becker ¹⁷⁵, S. Becker ⁹⁸, M. Beckingham ¹³⁸, K.H. Becks ¹⁷⁵, A.J. Beddall ^{19c}, A. Beddall ^{19c}, S. Bedikian ¹⁷⁶, V.A. Bednyakov ⁶⁴, C.P. Bee ⁸³, L.J. Beemster ¹⁰⁵, M. Begel ²⁵, S. Behar Harpaz ¹⁵², P.K. Behera ⁶², M. Beimforde ⁹⁹, C. Belanger-Champagne ⁸⁵, P.J. Bell ⁴⁹, W.H. Bell ⁴⁹, G. Bella ¹⁵³, L. Bellagamba ^{20a}, M. Bellomo ³⁰, A. Belloni ⁵⁷, O. Beloborodova ^{107,f}, K. Belotskiy ⁹⁶, O. Beltramello ³⁰, O. Benary ¹⁵³, D. Benchekroun ^{135a}, K. Bendtz ^{146a,146b}, N. Benekos ¹⁶⁵, Y. Benhammou ¹⁵³, E. Benhar Noccioli ⁴⁹, J.A. Benitez Garcia ^{159b}, D.P. Benjamin ⁴⁵, M. Benoit ¹¹⁵, J.R. Bensinger ²³, K. Benslama ¹³⁰, S. Bentvelsen ¹⁰⁵, D. Berge ³⁰, E. Bergeaas Kuutmann ⁴², N. Berger ⁵, F. Berghaus ¹⁶⁹, E. Berglund ¹⁰⁵, J. Beringer ¹⁵, P. Bernat ⁷⁷, R. Bernhard ⁴⁸, C. Bernius ²⁵, T. Berry ⁷⁶, C. Bertella ⁸³, A. Bertin ^{20a,20b}, F. Bertolucci ^{122a,122b}, M.I. Besana ^{89a,89b}, G.J. Besjes ¹⁰⁴, N. Besson ¹³⁶, S. Bethke ⁹⁹, W. Bhimji ⁴⁶, R.M. Bianchi ³⁰, L. Bianchini ²³, M. Bianco ^{72a,72b}, O. Biebel ⁹⁸, S.P. Bieniek ⁷⁷, K. Bierwagen ⁵⁴, J. Biesiada ¹⁵, M. Biglietti ^{134a}, H. Bilokon ⁴⁷, M. Bindi ^{20a,20b}, S. Binet ¹¹⁵, A. Bingul ^{19c}, C. Bini ^{132a,132b}, C. Biscarat ¹⁷⁸, B. Bittner ⁹⁹, C.W. Black ¹⁵⁰, K.M. Black ²², R.E. Blair ⁶, J.-B. Blanchard ¹³⁶, G. Blanchot ³⁰, T. Blazek ^{144a}, I. Bloch ⁴², C. Blocker ²³, J. Blocki ³⁹, A. Blondel ⁴⁹, W. Blum ⁸¹, U. Blumenschein ⁵⁴, G.J. Bobbink ¹⁰⁵, V.B. Bobrovnikov ¹⁰⁷, S.S. Bocchetta ⁷⁹, A. Bocci ⁴⁵, C.R. Boddy ¹¹⁸, M. Boehler ⁴⁸, J. Boek ¹⁷⁵, N. Boelaert ³⁶, J.A. Bogaerts ³⁰, A. Bogdanchikov ¹⁰⁷, A. Bogouch ^{90,*}, C. Bohm ^{146a}, J. Bohm ¹²⁵, V. Boisvert ⁷⁶, T. Bold ³⁸, V. Boldea ^{26a}, N.M. Bolnet ¹³⁶, M. Bomben ⁷⁸, M. Bona ⁷⁵, M. Boonekamp ¹³⁶, S. Bordoni ⁷⁸, C. Borer ¹⁷, A. Borisov ¹²⁸, G. Borissov ⁷¹, I. Borjanovic ^{13a}, M. Borri ⁸², S. Borroni ⁸⁷, J. Bortfeldt ⁹⁸, V. Bortolotto ^{134a,134b}, K. Bos ¹⁰⁵, D. Boscherini ^{20a}, M. Bosman ¹², H. Boterenbrood ¹⁰⁵, J. Bouchami ⁹³, J. Boudreau ¹²³, E.V. Bouhova-Thacker ⁷¹, D. Boumediene ³⁴, C. Bourdarios ¹¹⁵, N. Bousson ⁸³, A. Boveia ³¹, J. Boyd ³⁰, I.R. Boyko ⁶⁴, I. Bozovic-Jelisavcic ^{13b}, J. Bracinik ¹⁸, P. Branchini ^{134a}, A. Brandt ⁸, G. Brandt ¹¹⁸, O. Brandt ⁵⁴, U. Bratzler ¹⁵⁶, B. Brau ⁸⁴, J.E. Brau ¹¹⁴, H.M. Braun ^{175,*}, S.F. Brazzale ^{164a,164c}, B. Brelier ¹⁵⁸, J. Bremer ³⁰, K. Brendlinger ¹²⁰, R. Brenner ¹⁶⁶, S. Bressler ¹⁷², D. Britton ⁵³, F.M. Brochu ²⁸, I. Brock ²¹, R. Brock ⁸⁸, F. Broggi ^{89a}, C. Bromberg ⁸⁸, J. Bronner ⁹⁹, G. Brooijmans ³⁵, T. Brooks ⁷⁶, W.K. Brooks ^{32b}, G. Brown ⁸², H. Brown ⁸, P.A. Bruckman de Renstrom ³⁹, D. Bruncko ^{144b}, R. Bruneliere ⁴⁸, S. Brunet ⁶⁰, A. Bruni ^{20a}, G. Bruni ^{20a}, M. Bruschi ^{20a}, T. Buanes ¹⁴, Q. Buat ⁵⁵, F. Bucci ⁴⁹, J. Buchanan ¹¹⁸, P. Buchholz ¹⁴¹, R.M. Buckingham ¹¹⁸, A.G. Buckley ⁴⁶, S.I. Buda ^{26a}, I.A. Budagov ⁶⁴, B. Budick ¹⁰⁸, V. Büscher ⁸¹, L. Bugge ¹¹⁷, O. Bulekov ⁹⁶, A.C. Bundock ⁷³, M. Bunse ⁴³, T. Buran ¹¹⁷, H. Burckhart ³⁰, S. Burdin ⁷³, T. Burgess ¹⁴, S. Burke ¹²⁹,

- E. Busato ³⁴, P. Bussey ⁵³, C.P. Buszello ¹⁶⁶, B. Butler ¹⁴³, J.M. Butler ²², C.M. Buttar ⁵³, J.M. Butterworth ⁷⁷, W. Buttinger ²⁸, M. Bylszewski ³⁰, S. Cabrera Urbán ¹⁶⁷, D. Caforio ^{20a,20b}, O. Cakir ^{4a}, P. Calafiura ¹⁵, G. Calderini ⁷⁸, P. Calfayan ⁹⁸, R. Calkins ¹⁰⁶, L.P. Caloba ^{24a}, R. Caloi ^{132a,132b}, D. Calvet ³⁴, S. Calvet ³⁴, R. Camacho Toro ³⁴, P. Camarri ^{133a,133b}, D. Cameron ¹¹⁷, L.M. Caminada ¹⁵, R. Caminal Armadans ¹², S. Campana ³⁰, M. Campanelli ⁷⁷, V. Canale ^{102a,102b}, F. Canelli ³¹, A. Canepa ^{159a}, J. Cantero ⁸⁰, R. Cantrill ⁷⁶, L. Capasso ^{102a,102b}, M.D.M. Capeans Garrido ³⁰, I. Caprini ^{26a}, M. Caprini ^{26a}, D. Capriotti ⁹⁹, M. Capua ^{37a,37b}, R. Caputo ⁸¹, R. Cardarelli ^{133a}, T. Carli ³⁰, G. Carlino ^{102a}, L. Carminati ^{89a,89b}, B. Caron ⁸⁵, S. Caron ¹⁰⁴, E. Carquin ^{32b}, G.D. Carrillo-Montoya ^{145b}, A.A. Carter ⁷⁵, J.R. Carter ²⁸, J. Carvalho ^{124a,g}, D. Casadei ¹⁰⁸, M.P. Casado ¹², M. Casella ^{122a,122b}, C. Caso ^{50a,50b,*}, A.M. Castaneda Hernandez ^{173,h}, E. Castaneda-Miranda ¹⁷³, V. Castillo Gimenez ¹⁶⁷, N.F. Castro ^{124a}, G. Cataldi ^{72a}, P. Catastini ⁵⁷, A. Catinaccio ³⁰, J.R. Catmore ³⁰, A. Cattai ³⁰, G. Cattani ^{133a,133b}, S. Caughron ⁸⁸, V. Cavalieri ¹⁶⁵, P. Cavalleri ⁷⁸, D. Cavalli ^{89a}, M. Cavalli-Sforza ¹², V. Cavasinni ^{122a,122b}, F. Ceradini ^{134a,134b}, A.S. Cerqueira ^{24b}, A. Cerri ³⁰, L. Cerrito ⁷⁵, F. Cerutti ⁴⁷, S.A. Cetin ^{19b}, A. Chafaq ^{135a}, D. Chakraborty ¹⁰⁶, I. Chalupkova ¹²⁶, K. Chan ³, P. Chang ¹⁶⁵, B. Chapleau ⁸⁵, J.D. Chapman ²⁸, J.W. Chapman ⁸⁷, E. Chareyre ⁷⁸, D.G. Charlton ¹⁸, V. Chavda ⁸², C.A. Chavez Barajas ³⁰, S. Cheatham ⁸⁵, S. Chekanov ⁶, S.V. Chekulaev ^{159a}, G.A. Chelkov ⁶⁴, M.A. Chelstowska ¹⁰⁴, C. Chen ⁶³, H. Chen ²⁵, S. Chen ^{33c}, X. Chen ¹⁷³, Y. Chen ³⁵, Y. Cheng ³¹, A. Cheplakov ⁶⁴, R. Cherkaoui El Moursli ^{135e}, V. Chernyatin ²⁵, E. Cheu ⁷, S.L. Cheung ¹⁵⁸, L. Chevalier ¹³⁶, G. Chiefari ^{102a,102b}, L. Chikovani ^{51a,*}, J.T. Childers ³⁰, A. Chilingarov ⁷¹, G. Chiodini ^{72a}, A.S. Chisholm ¹⁸, R.T. Chislett ⁷⁷, A. Chitan ^{26a}, M.V. Chizhov ⁶⁴, G. Choudalakis ³¹, S. Chouridou ¹³⁷, I.A. Christidi ⁷⁷, A. Christov ⁴⁸, D. Chromek-Burckhart ³⁰, M.L. Chu ¹⁵¹, J. Chudoba ¹²⁵, G. Ciapetti ^{132a,132b}, A.K. Ciftci ^{4a}, R. Ciftci ^{4a}, D. Cinca ³⁴, V. Cindro ⁷⁴, C. Ciocca ^{20a,20b}, A. Ciocio ¹⁵, M. Cirilli ⁸⁷, P. Cirkovic ^{13b}, Z.H. Citron ¹⁷², M. Citterio ^{89a}, M. Ciubancan ^{26a}, A. Clark ⁴⁹, P.J. Clark ⁴⁶, R.N. Clarke ¹⁵, W. Cleland ¹²³, J.C. Clemens ⁸³, B. Clement ⁵⁵, C. Clement ^{146a,146b}, Y. Coadou ⁸³, M. Cobal ^{164a,164c}, A. Coccaro ¹³⁸, J. Cochran ⁶³, L. Coffey ²³, J.G. Cogan ¹⁴³, J. Coggeshall ¹⁶⁵, E. Cogneras ¹⁷⁸, J. Colas ⁵, S. Cole ¹⁰⁶, A.P. Colijn ¹⁰⁵, N.J. Collins ¹⁸, C. Collins-Tooth ⁵³, J. Collot ⁵⁵, T. Colombo ^{119a,119b}, G. Colon ⁸⁴, G. Compostella ⁹⁹, P. Conde Muiño ^{124a}, E. Coniavitis ¹⁶⁶, M.C. Conidi ¹², S.M. Consonni ^{89a,89b}, V. Consorti ⁴⁸, S. Constantinescu ^{26a}, C. Conta ^{119a,119b}, G. Conti ⁵⁷, F. Conventi ^{102a,i}, M. Cooke ¹⁵, B.D. Cooper ⁷⁷, A.M. Cooper-Sarkar ¹¹⁸, K. Copic ¹⁵, T. Cornelissen ¹⁷⁵, M. Corradi ^{20a}, F. Corriveau ^{85,j}, A. Cortes-Gonzalez ¹⁶⁵, G. Cortiana ⁹⁹, G. Costa ^{89a}, M.J. Costa ¹⁶⁷, D. Costanzo ¹³⁹, D. Côté ³⁰, L. Courneyea ¹⁶⁹, G. Cowan ⁷⁶, C. Cowden ²⁸, B.E. Cox ⁸², K. Cranmer ¹⁰⁸, F. Crescioli ^{122a,122b}, M. Cristinziani ²¹, G. Crosetti ^{37a,37b}, S. Crépé-Renaudin ⁵⁵, C.-M. Cuciuc ^{26a}, C. Cuenca Almenar ¹⁷⁶, T. Cuhadar Donszelmann ¹³⁹, J. Cummings ¹⁷⁶, M. Curatolo ⁴⁷, C.J. Curtis ¹⁸, C. Cuthbert ¹⁵⁰, P. Cwetanski ⁶⁰, H. Czirr ¹⁴¹, P. Czodrowski ⁴⁴, Z. Czyczula ¹⁷⁶, S. D'Auria ⁵³, M. D'Onofrio ⁷³, A. D'Orazio ^{132a,132b}, M.J. Da Cunha Sargedas De Sousa ^{124a}, C. Da Via ⁸², W. Dabrowski ³⁸, A. Dafinca ¹¹⁸, T. Dai ⁸⁷, C. Dallapiccola ⁸⁴, M. Dam ³⁶, M. Dameri ^{50a,50b}, D.S. Damiani ¹³⁷, H.O. Danielsson ³⁰, V. Dao ⁴⁹, G. Darbo ^{50a}, G.L. Darlea ^{26b}, J.A. Dassoulas ⁴², W. Davey ²¹, T. Davidek ¹²⁶, N. Davidson ⁸⁶, R. Davidson ⁷¹, E. Davies ^{118,c}, M. Davies ⁹³, O. Davignon ⁷⁸, A.R. Davison ⁷⁷, Y. Davygora ^{58a}, E. Dawe ¹⁴², I. Dawson ¹³⁹, R.K. Daya-Ishmukhametova ²³, K. De ⁸, R. de Asmundis ^{102a}, S. De Castro ^{20a,20b}, S. De Cecco ⁷⁸, J. de Graat ⁹⁸, N. De Groot ¹⁰⁴, P. de Jong ¹⁰⁵, C. De La Taille ¹¹⁵, H. De la Torre ⁸⁰, F. De Lorenzi ⁶³, L. de Mora ⁷¹, L. De Nooij ¹⁰⁵, D. De Pedis ^{132a}, A. De Salvo ^{132a}, U. De Sanctis ^{164a,164c}, A. De Santo ¹⁴⁹, J.B. De Vivie De Regie ¹¹⁵, G. De Zorzi ^{132a,132b}, W.J. Dearnaley ⁷¹, R. Debbe ²⁵, C. Debenedetti ⁴⁶, B. Dechenaux ⁵⁵, D.V. Dedovich ⁶⁴, J. Degenhardt ¹²⁰, J. Del Peso ⁸⁰, T. Del Prete ^{122a,122b}, T. Delemontex ⁵⁵, M. Deliyergiyev ⁷⁴, A. Dell'Acqua ³⁰, L. Dell'Asta ²², M. Della Pietra ^{102a,i}, D. della Volpe ^{102a,102b}, M. Delmastro ⁵, P.A. Delsart ⁵⁵, C. Deluca ¹⁰⁵, S. Demers ¹⁷⁶, M. Demichev ⁶⁴, B. Demirkoz ^{12,k}, S.P. Denisov ¹²⁸, D. Derendarz ³⁹, J.E. Derkaoui ^{135d}, F. Derue ⁷⁸, P. Dervan ⁷³, K. Desch ²¹, E. Devetak ¹⁴⁸, P.O. Deviveiros ¹⁰⁵, A. Dewhurst ¹²⁹, B. DeWilde ¹⁴⁸, S. Dhaliwal ¹⁵⁸, R. Dhullipudi ^{25,l}, A. Di Ciaccio ^{133a,133b}, L. Di Ciaccio ⁵, C. Di Donato ^{102a,102b}, A. Di Girolamo ³⁰, B. Di Girolamo ³⁰, S. Di Luise ^{134a,134b}, A. Di Mattia ¹⁷³, B. Di Micco ³⁰, R. Di Nardo ⁴⁷, A. Di Simone ^{133a,133b}, R. Di Sipio ^{20a,20b}, M.A. Diaz ^{32a}, E.B. Diehl ⁸⁷, J. Dietrich ⁴², T.A. Dietzsch ^{58a}, S. Diglio ⁸⁶, K. Dindar Yagci ⁴⁰, J. Dingfelder ²¹, F. Dinut ^{26a}, C. Dionisi ^{132a,132b}, P. Dita ^{26a}, S. Dita ^{26a}, F. Dittus ³⁰, F. Djama ⁸³, T. Djobava ^{51b}, M.A.B. do Vale ^{24c}, A. Do Valle Wemans ^{124a,m}, T.K.O. Doan ⁵, M. Dobbs ⁸⁵, D. Dobos ³⁰, E. Dobson ^{30,n}, J. Dodd ³⁵, C. Doglioni ⁴⁹, T. Doherty ⁵³, Y. Doi ^{65,*}, J. Dolejsi ¹²⁶, I. Dolenc ⁷⁴,

- Z. Dolezal ¹²⁶, B.A. Dolgoshein ^{96,*}, T. Dohmae ¹⁵⁵, M. Donadelli ^{24d}, J. Donini ³⁴, J. Dopke ³⁰, A. Doria ^{102a}, A. Dos Anjos ¹⁷³, A. Dotti ^{122a,122b}, M.T. Dova ⁷⁰, A.D. Doxiadis ¹⁰⁵, A.T. Doyle ⁵³, N. Dressnandt ¹²⁰, M. Dris ¹⁰, J. Dubbert ⁹⁹, S. Dube ¹⁵, E. Duchovni ¹⁷², G. Duckeck ⁹⁸, D. Duda ¹⁷⁵, A. Dudarev ³⁰, F. Dudziak ⁶³, M. Dührssen ³⁰, I.P. Duerdorff ⁸², L. Duflot ¹¹⁵, M.-A. Dufour ⁸⁵, L. Duguid ⁷⁶, M. Dunford ^{58a}, H. Duran Yildiz ^{4a}, R. Duxfield ¹³⁹, M. Dwuznik ³⁸, M. Düren ⁵², W.L. Ebenstein ⁴⁵, J. Ebke ⁹⁸, S. Eckweiler ⁸¹, K. Edmonds ⁸¹, W. Edson ², C.A. Edwards ⁷⁶, N.C. Edwards ⁵³, W. Ehrenfeld ⁴², T. Eifert ¹⁴³, G. Eigen ¹⁴, K. Einsweiler ¹⁵, E. Eisenhandler ⁷⁵, T. Ekelof ¹⁶⁶, M. El Kacimi ^{135c}, M. Ellert ¹⁶⁶, S. Elles ⁵, F. Ellinghaus ⁸¹, K. Ellis ⁷⁵, N. Ellis ³⁰, J. Elmsheuser ⁹⁸, M. Elsing ³⁰, D. Emeliyanov ¹²⁹, R. Engelmann ¹⁴⁸, A. Engl ⁹⁸, B. Epp ⁶¹, J. Erdmann ⁵⁴, A. Ereditato ¹⁷, D. Eriksson ^{146a}, J. Ernst ², M. Ernst ²⁵, J. Ernwein ¹³⁶, D. Errede ¹⁶⁵, S. Errede ¹⁶⁵, E. Ertel ⁸¹, M. Escalier ¹¹⁵, H. Esch ⁴³, C. Escobar ¹²³, X. Espinal Curull ¹², B. Esposito ⁴⁷, F. Etienne ⁸³, A.I. Etienvre ¹³⁶, E. Etzion ¹⁵³, D. Evangelakou ⁵⁴, H. Evans ⁶⁰, L. Fabbri ^{20a,20b}, C. Fabre ³⁰, R.M. Fakhrutdinov ¹²⁸, S. Falciano ^{132a}, Y. Fang ¹⁷³, M. Fanti ^{89a,89b}, A. Farbin ⁸, A. Farilla ^{134a}, J. Farley ¹⁴⁸, T. Farooque ¹⁵⁸, S. Farrell ¹⁶³, S.M. Farrington ¹⁷⁰, P. Farthouat ³⁰, F. Fassi ¹⁶⁷, P. Fassnacht ³⁰, D. Fassouliotis ⁹, B. Fatholahzadeh ¹⁵⁸, A. Favareto ^{89a,89b}, L. Fayard ¹¹⁵, S. Fazio ^{37a,37b}, R. Febbraro ³⁴, P. Federic ^{144a}, O.L. Fedin ¹²¹, W. Fedorko ⁸⁸, M. Fehling-Kaschek ⁴⁸, L. Feligioni ⁸³, C. Feng ^{33d}, E.J. Feng ⁶, A.B. Fenyuk ¹²⁸, J. Ferencei ^{144b}, W. Fernando ⁶, S. Ferrag ⁵³, J. Ferrando ⁵³, V. Ferrara ⁴², A. Ferrari ¹⁶⁶, P. Ferrari ¹⁰⁵, R. Ferrari ^{119a}, D.E. Ferreira de Lima ⁵³, A. Ferrer ¹⁶⁷, D. Ferrere ⁴⁹, C. Ferretti ⁸⁷, A. Ferretto Parodi ^{50a,50b}, M. Fiascaris ³¹, F. Fiedler ⁸¹, A. Filipčič ⁷⁴, F. Filthaut ¹⁰⁴, M. Fincke-Keeler ¹⁶⁹, M.C.N. Fiolhais ^{124a,g}, L. Fiorini ¹⁶⁷, A. Firat ⁴⁰, G. Fischer ⁴², M.J. Fisher ¹⁰⁹, M. Flechl ⁴⁸, I. Fleck ¹⁴¹, J. Fleckner ⁸¹, P. Fleischmann ¹⁷⁴, S. Fleischmann ¹⁷⁵, T. Flick ¹⁷⁵, A. Floderus ⁷⁹, L.R. Flores Castillo ¹⁷³, M.J. Flowerdew ⁹⁹, T. Fonseca Martin ¹⁷, A. Formica ¹³⁶, A. Forti ⁸², D. Fortin ^{159a}, D. Fournier ¹¹⁵, A.J. Fowler ⁴⁵, H. Fox ⁷¹, P. Francavilla ¹², M. Franchini ^{20a,20b}, S. Franchino ^{119a,119b}, D. Francis ³⁰, T. Frank ¹⁷², M. Franklin ⁵⁷, S. Franz ³⁰, M. Fraternali ^{119a,119b}, S. Fratina ¹²⁰, S.T. French ²⁸, C. Friedrich ⁴², F. Friedrich ⁴⁴, R. Froeschl ³⁰, D. Froidevaux ³⁰, J.A. Frost ²⁸, C. Fukunaga ¹⁵⁶, E. Fullana Torregrosa ³⁰, B.G. Fulsom ¹⁴³, J. Fuster ¹⁶⁷, C. Gabaldon ³⁰, O. Gabizon ¹⁷², T. Gadfort ²⁵, S. Gadomski ⁴⁹, G. Gagliardi ^{50a,50b}, P. Gagnon ⁶⁰, C. Galea ⁹⁸, B. Galhardo ^{124a}, E.J. Gallas ¹¹⁸, V. Gallo ¹⁷, B.J. Gallop ¹²⁹, P. Gallus ¹²⁵, K.K. Gan ¹⁰⁹, Y.S. Gao ^{143,e}, A. Gaponenko ¹⁵, F. Garberson ¹⁷⁶, M. Garcia-Sciveres ¹⁵, C. García ¹⁶⁷, J.E. García Navarro ¹⁶⁷, R.W. Gardner ³¹, N. Garelli ³⁰, H. Garitaonandia ¹⁰⁵, V. Garonne ³⁰, C. Gatti ⁴⁷, G. Gaudio ^{119a}, B. Gaur ¹⁴¹, L. Gauthier ¹³⁶, P. Gauzzi ^{132a,132b}, I.L. Gavrilenco ⁹⁴, C. Gay ¹⁶⁸, G. Gaycken ²¹, E.N. Gazis ¹⁰, P. Ge ^{33d}, Z. Gecse ¹⁶⁸, C.N.P. Gee ¹²⁹, D.A.A. Geerts ¹⁰⁵, Ch. Geich-Gimbel ²¹, K. Gellerstedt ^{146a,146b}, C. Gemme ^{50a}, A. Gemmell ⁵³, M.H. Genest ⁵⁵, S. Gentile ^{132a,132b}, M. George ⁵⁴, S. George ⁷⁶, P. Gerlach ¹⁷⁵, A. Gershon ¹⁵³, C. Geweniger ^{58a}, H. Ghazlane ^{135b}, N. Ghodbane ³⁴, B. Giacobbe ^{20a}, S. Giagu ^{132a,132b}, V. Giakoumopoulou ⁹, V. Giangiobbe ¹², F. Gianotti ³⁰, B. Gibbard ²⁵, A. Gibson ¹⁵⁸, S.M. Gibson ³⁰, M. Gilchriese ¹⁵, D. Gillberg ²⁹, A.R. Gillman ¹²⁹, D.M. Gingrich ^{3,d}, J. Ginzburg ¹⁵³, N. Giokaris ⁹, M.P. Giordani ^{164c}, R. Giordano ^{102a,102b}, F.M. Giorgi ¹⁶, P. Giovannini ⁹⁹, P.F. Giraud ¹³⁶, D. Giugni ^{89a}, M. Giunta ⁹³, B.K. Gjelsten ¹¹⁷, L.K. Gladilin ⁹⁷, C. Glasman ⁸⁰, J. Glatzer ²¹, A. Glazov ⁴², K.W. Glitza ¹⁷⁵, G.L. Glonti ⁶⁴, J.R. Goddard ⁷⁵, J. Godfrey ¹⁴², J. Godlewski ³⁰, M. Goebel ⁴², T. Göpfert ⁴⁴, C. Goeringer ⁸¹, C. Gössling ⁴³, S. Goldfarb ⁸⁷, T. Golling ¹⁷⁶, A. Gomes ^{124a,b}, L.S. Gomez Fajardo ⁴², R. Gonçalo ⁷⁶, J. Goncalves Pinto Firmino Da Costa ⁴², L. Gonella ²¹, S. González de la Hoz ¹⁶⁷, G. Gonzalez Parra ¹², M.L. Gonzalez Silva ²⁷, S. Gonzalez-Sevilla ⁴⁹, J.J. Goodson ¹⁴⁸, L. Goossens ³⁰, P.A. Gorbounov ⁹⁵, H.A. Gordon ²⁵, I. Gorelov ¹⁰³, G. Gorfine ¹⁷⁵, B. Gorini ³⁰, E. Gorini ^{72a,72b}, A. Gorišek ⁷⁴, E. Gornicki ³⁹, A.T. Goshaw ⁶, M. Gosselink ¹⁰⁵, M.I. Gostkin ⁶⁴, I. Gough Eschrich ¹⁶³, M. Gouighri ^{135a}, D. Goujdami ^{135c}, M.P. Goulette ⁴⁹, A.G. Goussiou ¹³⁸, C. Goy ⁵, S. Gozpinar ²³, I. Grabowska-Bold ³⁸, P. Grafström ^{20a,20b}, K.-J. Grahn ⁴², E. Gramstad ¹¹⁷, F. Grancagnolo ^{72a}, S. Grancagnolo ¹⁶, V. Grassi ¹⁴⁸, V. Gratchev ¹²¹, N. Grau ³⁵, H.M. Gray ³⁰, J.A. Gray ¹⁴⁸, E. Graziani ^{134a}, O.G. Grebenyuk ¹²¹, T. Greenshaw ⁷³, Z.D. Greenwood ^{25,l}, K. Gregersen ³⁶, I.M. Gregor ⁴², P. Grenier ¹⁴³, J. Griffiths ⁸, N. Grigalashvili ⁶⁴, A.A. Grillo ¹³⁷, S. Grinstein ¹², Ph. Gris ³⁴, Y.V. Grishkevich ⁹⁷, J.-F. Grivaz ¹¹⁵, E. Gross ¹⁷², J. Grosse-Knetter ⁵⁴, J. Groth-Jensen ¹⁷², K. Grybel ¹⁴¹, D. Guest ¹⁷⁶, C. Guicheney ³⁴, E. Guido ^{50a,50b}, S. Guindon ⁵⁴, U. Gul ⁵³, J. Gunther ¹²⁵, B. Guo ¹⁵⁸, J. Guo ³⁵, P. Gutierrez ¹¹¹, N. Guttman ¹⁵³, O. Gutzwiller ¹⁷³, C. Guyot ¹³⁶, C. Gwenlan ¹¹⁸, C.B. Gwilliam ⁷³, A. Haas ¹⁰⁸, S. Haas ³⁰, C. Haber ¹⁵, H.K. Hadavand ⁸, D.R. Hadley ¹⁸, P. Haefner ²¹, F. Hahn ³⁰, Z. Hajduk ³⁹, H. Hakobyan ¹⁷⁷, D. Hall ¹¹⁸, K. Hamacher ¹⁷⁵, P. Hamal ¹¹³, K. Hamano ⁸⁶, M. Hamer ⁵⁴,

- A. Hamilton ^{145b,o}, S. Hamilton ¹⁶¹, L. Han ^{33b}, K. Hanagaki ¹¹⁶, K. Hanawa ¹⁶⁰, M. Hance ¹⁵, C. Handel ⁸¹,
 P. Hanke ^{58a}, J.R. Hansen ³⁶, J.B. Hansen ³⁶, J.D. Hansen ³⁶, P.H. Hansen ³⁶, P. Hansson ¹⁴³, K. Hara ¹⁶⁰,
 T. Harenberg ¹⁷⁵, S. Harkusha ⁹⁰, D. Harper ⁸⁷, R.D. Harrington ⁴⁶, O.M. Harris ¹³⁸, J. Hartert ⁴⁸,
 F. Hartjes ¹⁰⁵, T. Haruyama ⁶⁵, A. Harvey ⁵⁶, S. Hasegawa ¹⁰¹, Y. Hasegawa ¹⁴⁰, S. Hassani ¹³⁶, S. Haug ¹⁷,
 M. Hauschild ³⁰, R. Hauser ⁸⁸, M. Havranek ²¹, C.M. Hawkes ¹⁸, R.J. Hawkings ³⁰, A.D. Hawkins ⁷⁹,
 T. Hayakawa ⁶⁶, T. Hayashi ¹⁶⁰, D. Hayden ⁷⁶, C.P. Hays ¹¹⁸, H.S. Hayward ⁷³, S.J. Haywood ¹²⁹, S.J. Head ¹⁸,
 V. Hedberg ⁷⁹, L. Heelan ⁸, S. Heim ¹²⁰, B. Heinemann ¹⁵, S. Heisterkamp ³⁶, L. Helary ²², C. Heller ⁹⁸,
 M. Heller ³⁰, S. Hellman ^{146a,146b}, D. Hellmich ²¹, C. Helsens ¹², R.C.W. Henderson ⁷¹, M. Henke ^{58a},
 A. Henrichs ¹⁷⁶, A.M. Henriques Correia ³⁰, S. Henrot-Versille ¹¹⁵, C. Hensel ⁵⁴, T. Henß ¹⁷⁵,
 C.M. Hernandez ⁸, Y. Hernández Jiménez ¹⁶⁷, R. Herrberg ¹⁶, G. Herten ⁴⁸, R. Hertenberger ⁹⁸, L. Hervas ³⁰,
 G.G. Hesketh ⁷⁷, N.P. Hessey ¹⁰⁵, E. Higón-Rodriguez ¹⁶⁷, J.C. Hill ²⁸, K.H. Hiller ⁴², S. Hillert ²¹,
 S.J. Hillier ¹⁸, I. Hinchliffe ¹⁵, E. Hines ¹²⁰, M. Hirose ¹¹⁶, F. Hirsch ⁴³, D. Hirschbuehl ¹⁷⁵, J. Hobbs ¹⁴⁸,
 N. Hod ¹⁵³, M.C. Hodgkinson ¹³⁹, P. Hodgson ¹³⁹, A. Hoecker ³⁰, M.R. Hoeferkamp ¹⁰³, J. Hoffman ⁴⁰,
 D. Hoffmann ⁸³, M. Hohlfeld ⁸¹, M. Holder ¹⁴¹, S.O. Holmgren ^{146a}, T. Holy ¹²⁷, J.L. Holzbauer ⁸⁸,
 T.M. Hong ¹²⁰, L. Hooft van Huysduynen ¹⁰⁸, S. Horner ⁴⁸, J.-Y. Hostachy ⁵⁵, S. Hou ¹⁵¹, A. Hoummada ^{135a},
 J. Howard ¹¹⁸, J. Howarth ⁸², I. Hristova ¹⁶, J. Hrvnac ¹¹⁵, T. Hrynn'ova ⁵, P.J. Hsu ⁸¹, S.-C. Hsu ¹⁵, D. Hu ³⁵,
 Z. Hubacek ¹²⁷, F. Hubaut ⁸³, F. Huegging ²¹, A. Huettmann ⁴², T.B. Huffman ¹¹⁸, E.W. Hughes ³⁵,
 G. Hughes ⁷¹, M. Huhtinen ³⁰, M. Hurwitz ¹⁵, N. Huseynov ^{64,p}, J. Huston ⁸⁸, J. Huth ⁵⁷, G. Iacobucci ⁴⁹,
 G. Iakovidis ¹⁰, M. Ibbotson ⁸², I. Ibragimov ¹⁴¹, L. Iconomidou-Fayard ¹¹⁵, J. Idarraga ¹¹⁵, P. Iengo ^{102a},
 O. Igolkina ¹⁰⁵, Y. Ikegami ⁶⁵, M. Ikeno ⁶⁵, D. Iliadis ¹⁵⁴, N. Ilic ¹⁵⁸, T. Ince ⁹⁹, P. Ioannou ⁹, M. Iodice ^{134a},
 K. Iordanidou ⁹, V. Ippolito ^{132a,132b}, A. Irles Quiles ¹⁶⁷, C. Isaksson ¹⁶⁶, M. Ishino ⁶⁷, M. Ishitsuka ¹⁵⁷,
 R. Ishmukhametov ¹⁰⁹, C. Issever ¹¹⁸, S. Istin ^{19a}, A.V. Ivashin ¹²⁸, W. Iwanski ³⁹, H. Iwasaki ⁶⁵, J.M. Izen ⁴¹,
 V. Izzo ^{102a}, B. Jackson ¹²⁰, J.N. Jackson ⁷³, P. Jackson ¹, M.R. Jaekel ³⁰, V. Jain ⁶⁰, K. Jakobs ⁴⁸,
 S. Jakobsen ³⁶, T. Jakoubek ¹²⁵, J. Jakubek ¹²⁷, D.O. Jamin ¹⁵¹, D.K. Jana ¹¹¹, E. Jansen ⁷⁷, H. Jansen ³⁰,
 J. Janssen ²¹, A. Jantsch ⁹⁹, M. Janus ⁴⁸, R.C. Jared ¹⁷³, G. Jarlskog ⁷⁹, L. Jeanty ⁵⁷, I. Jen-La Plante ³¹,
 D. Jennens ⁸⁶, P. Jenni ³⁰, A.E. Loevschall-Jensen ³⁶, P. Jež ³⁶, S. Jézéquel ⁵, M.K. Jha ^{20a}, H. Ji ¹⁷³, W. Ji ⁸¹,
 J. Jia ¹⁴⁸, Y. Jiang ^{33b}, M. Jimenez Belenguer ⁴², S. Jin ^{33a}, O. Jinnouchi ¹⁵⁷, M.D. Joergensen ³⁶, D. Joffe ⁴⁰,
 M. Johansen ^{146a,146b}, K.E. Johansson ^{146a}, P. Johansson ¹³⁹, S. Johnert ⁴², K.A. Johns ⁷, K. Jon-And ^{146a,146b},
 G. Jones ¹⁷⁰, R.W.L. Jones ⁷¹, T.J. Jones ⁷³, C. Joram ³⁰, P.M. Jorge ^{124a}, K.D. Joshi ⁸², J. Jovicevic ¹⁴⁷,
 T. Jovin ^{13b}, X. Ju ¹⁷³, C.A. Jung ⁴³, R.M. Jungst ³⁰, V. Juraneck ¹²⁵, P. Jussel ⁶¹, A. Juste Rozas ¹², S. Kabana ¹⁷,
 M. Kaci ¹⁶⁷, A. Kaczmarśka ³⁹, P. Kadlecik ³⁶, M. Kado ¹¹⁵, H. Kagan ¹⁰⁹, M. Kagan ⁵⁷, E. Kajomovitz ¹⁵²,
 S. Kalinin ¹⁷⁵, L.V. Kalinovskaya ⁶⁴, S. Kama ⁴⁰, N. Kanaya ¹⁵⁵, M. Kaneda ³⁰, S. Kaneti ²⁸, T. Kanno ¹⁵⁷,
 V.A. Kantserov ⁹⁶, J. Kanzaki ⁶⁵, B. Kaplan ¹⁰⁸, A. Kapliy ³¹, J. Kaplon ³⁰, D. Kar ⁵³, M. Karagounis ²¹,
 K. Karakostas ¹⁰, M. Karnevskiy ⁴², V. Kartvelishvili ⁷¹, A.N. Karyukhin ¹²⁸, L. Kashif ¹⁷³, G. Kasieczka ^{58b},
 R.D. Kass ¹⁰⁹, A. Kastanas ¹⁴, M. Kataoka ⁵, Y. Kataoka ¹⁵⁵, E. Katsoufis ¹⁰, J. Katzy ⁴², V. Kaushik ⁷,
 K. Kawagoe ⁶⁹, T. Kawamoto ¹⁵⁵, G. Kawamura ⁸¹, M.S. Kayl ¹⁰⁵, S. Kazama ¹⁵⁵, V.A. Kazanin ¹⁰⁷,
 M.Y. Kazarinov ⁶⁴, R. Keeler ¹⁶⁹, P.T. Keener ¹²⁰, R. Kehoe ⁴⁰, M. Keil ⁵⁴, G.D. Kekelidze ⁶⁴, J.S. Keller ¹³⁸,
 M. Kenyon ⁵³, O. Kepka ¹²⁵, N. Kerschen ³⁰, B.P. Kerševan ⁷⁴, S. Kersten ¹⁷⁵, K. Kessoku ¹⁵⁵, J. Keung ¹⁵⁸,
 F. Khalil-zada ¹¹, H. Khandanyan ^{146a,146b}, A. Khanov ¹¹², D. Kharchenko ⁶⁴, A. Khodinov ⁹⁶,
 A. Khomich ^{58a}, T.J. Khoo ²⁸, G. Khoriauli ²¹, A. Khoroshilov ¹⁷⁵, V. Khovanskiy ⁹⁵, E. Khramov ⁶⁴,
 J. Khubua ^{51b}, H. Kim ^{146a,146b}, S.H. Kim ¹⁶⁰, N. Kimura ¹⁷¹, O. Kind ¹⁶, B.T. King ⁷³, M. King ⁶⁶,
 R.S.B. King ¹¹⁸, J. Kirk ¹²⁹, A.E. Kiryunin ⁹⁹, T. Kishimoto ⁶⁶, D. Kisielewska ³⁸, T. Kitamura ⁶⁶,
 T. Kittelmann ¹²³, K. Kiuchi ¹⁶⁰, E. Kladiva ^{144b}, M. Klein ⁷³, U. Klein ⁷³, K. Kleinknecht ⁸¹, M. Klemetti ⁸⁵,
 A. Klier ¹⁷², P. Klimek ^{146a,146b}, A. Klimentov ²⁵, R. Klingenberg ⁴³, J.A. Klinger ⁸², E.B. Klinkby ³⁶,
 T. Klioutchnikova ³⁰, P.F. Klok ¹⁰⁴, S. Klous ¹⁰⁵, E.-E. Kluge ^{58a}, T. Kluge ⁷³, P. Kluit ¹⁰⁵, S. Kluth ⁹⁹,
 E. Kneringer ⁶¹, E.B.F.G. Knoops ⁸³, A. Knue ⁵⁴, B.R. Ko ⁴⁵, T. Kobayashi ¹⁵⁵, M. Kobel ⁴⁴, M. Kocian ¹⁴³,
 P. Kodys ¹²⁶, K. Köneke ³⁰, A.C. König ¹⁰⁴, S. Koenig ⁸¹, L. Köpke ⁸¹, F. Koetsveld ¹⁰⁴, P. Koevesarki ²¹,
 T. Koffas ²⁹, E. Koffeman ¹⁰⁵, L.A. Kogan ¹¹⁸, S. Kohlmann ¹⁷⁵, F. Kohn ⁵⁴, Z. Kohout ¹²⁷, T. Kohriki ⁶⁵,
 T. Koi ¹⁴³, G.M. Kolachev ^{107,*}, H. Kolanoski ¹⁶, V. Kolesnikov ⁶⁴, I. Koletsou ^{89a}, J. Koll ⁸⁸, A.A. Komar ⁹⁴,
 Y. Komori ¹⁵⁵, T. Kondo ⁶⁵, T. Kono ^{42,q}, A.I. Kononov ⁴⁸, R. Konoplich ^{108,r}, N. Konstantinidis ⁷⁷,
 R. Kopeliansky ¹⁵², S. Koperny ³⁸, K. Korcyl ³⁹, K. Kordas ¹⁵⁴, A. Korn ¹¹⁸, A. Korol ¹⁰⁷, I. Korolkov ¹²,
 E.V. Korolkova ¹³⁹, V.A. Korotkov ¹²⁸, O. Kortner ⁹⁹, S. Kortner ⁹⁹, V.V. Kostyukhin ²¹, S. Kotov ⁹⁹,

- V.M. Kotov ⁶⁴, A. Kotwal ⁴⁵, C. Kourkoumelis ⁹, V. Kouskoura ¹⁵⁴, A. Koutsman ^{159a}, R. Kowalewski ¹⁶⁹, T.Z. Kowalski ³⁸, W. Kozanecki ¹³⁶, A.S. Kozhin ¹²⁸, V. Kral ¹²⁷, V.A. Kramarenko ⁹⁷, G. Kramberger ⁷⁴, M.W. Krasny ⁷⁸, A. Krasznahorkay ¹⁰⁸, J.K. Kraus ²¹, S. Kreiss ¹⁰⁸, F. Krejci ¹²⁷, J. Kretzschmar ⁷³, N. Krieger ⁵⁴, P. Krieger ¹⁵⁸, K. Kroeninger ⁵⁴, H. Kroha ⁹⁹, J. Kroll ¹²⁰, J. Kroseberg ²¹, J. Krstic ^{13a}, U. Kruchonak ⁶⁴, H. Krüger ²¹, T. Kruker ¹⁷, N. Krumnack ⁶³, Z.V. Krumshteyn ⁶⁴, M.K. Kruse ⁴⁵, T. Kubota ⁸⁶, S. Kuday ^{4a}, S. Kuehn ⁴⁸, A. Kugel ^{58c}, T. Kuhl ⁴², D. Kuhn ⁶¹, V. Kukhtin ⁶⁴, Y. Kulchitsky ⁹⁰, S. Kuleshov ^{32b}, C. Kummer ⁹⁸, M. Kuna ⁷⁸, J. Kunkle ¹²⁰, A. Kupco ¹²⁵, H. Kurashige ⁶⁶, M. Kurata ¹⁶⁰, Y.A. Kurochkin ⁹⁰, V. Kus ¹²⁵, E.S. Kuwertz ¹⁴⁷, M. Kuze ¹⁵⁷, J. Kvita ¹⁴², R. Kwee ¹⁶, A. La Rosa ⁴⁹, L. La Rotonda ^{37a,37b}, L. Labarga ⁸⁰, J. Labbe ⁵, S. Lablak ^{135a}, C. Lacasta ¹⁶⁷, F. Lacava ^{132a,132b}, J. Lacey ²⁹, H. Lacker ¹⁶, D. Lacour ⁷⁸, V.R. Lacuesta ¹⁶⁷, E. Ladygin ⁶⁴, R. Lafaye ⁵, B. Laforge ⁷⁸, T. Lagouri ¹⁷⁶, S. Lai ⁴⁸, E. Laisne ⁵⁵, L. Lambourne ⁷⁷, C.L. Lampen ⁷, W. Lampl ⁷, E. Lancon ¹³⁶, U. Landgraf ⁴⁸, M.P.J. Landon ⁷⁵, V.S. Lang ^{58a}, C. Lange ⁴², A.J. Lankford ¹⁶³, F. Lanni ²⁵, K. Lantzsch ¹⁷⁵, S. Laplace ⁷⁸, C. Lapoire ²¹, J.F. Laporte ¹³⁶, T. Lari ^{89a}, A. Larner ¹¹⁸, M. Lassnig ³⁰, P. Laurelli ⁴⁷, V. Lavorini ^{37a,37b}, W. Lavrijzen ¹⁵, P. Laycock ⁷³, O. Le Dortz ⁷⁸, E. Le Guirriec ⁸³, E. Le Menedeu ¹², T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁵, H. Lee ¹⁰⁵, J.S.H. Lee ¹¹⁶, S.C. Lee ¹⁵¹, L. Lee ¹⁷⁶, M. Lefebvre ¹⁶⁹, M. Legendre ¹³⁶, F. Legger ⁹⁸, C. Leggett ¹⁵, M. Lehmacher ²¹, G. Lehmann Miotto ³⁰, M.A.L. Leite ^{24d}, R. Leitner ¹²⁶, D. Lelloouch ¹⁷², B. Lemmer ⁵⁴, V. Lendermann ^{58a}, K.J.C. Leney ^{145b}, T. Lenz ¹⁰⁵, G. Lenzen ¹⁷⁵, B. Lenzi ³⁰, K. Leonhardt ⁴⁴, S. Leontsinis ¹⁰, F. Lepold ^{58a}, C. Leroy ⁹³, J.-R. Lessard ¹⁶⁹, C.G. Lester ²⁸, C.M. Lester ¹²⁰, J. Levêque ⁵, D. Levin ⁸⁷, L.J. Levinson ¹⁷², A. Lewis ¹¹⁸, G.H. Lewis ¹⁰⁸, A.M. Leyko ²¹, M. Leyton ¹⁶, B. Li ^{33b}, B. Li ⁸³, H. Li ¹⁴⁸, H.L. Li ³¹, S. Li ^{33b,s}, X. Li ⁸⁷, Z. Liang ^{118,t}, H. Liao ³⁴, B. Liberti ^{133a}, P. Lichard ³⁰, M. Lichtnecker ⁹⁸, K. Lie ¹⁶⁵, W. Liebig ¹⁴, C. Limbach ²¹, A. Limosani ⁸⁶, M. Limper ⁶², S.C. Lin ^{151,u}, F. Linde ¹⁰⁵, J.T. Linnemann ⁸⁸, E. Lipeles ¹²⁰, A. Lipniacka ¹⁴, T.M. Liss ¹⁶⁵, D. Lissauer ²⁵, A. Lister ⁴⁹, A.M. Litke ¹³⁷, C. Liu ²⁹, D. Liu ¹⁵¹, H. Liu ⁸⁷, J.B. Liu ⁸⁷, L. Liu ⁸⁷, M. Liu ^{33b}, Y. Liu ^{33b}, M. Livan ^{119a,119b}, S.S.A. Livermore ¹¹⁸, A. Lleres ⁵⁵, J. Llorente Merino ⁸⁰, S.L. Lloyd ⁷⁵, E. Lobodzinska ⁴², P. Loch ⁷, W.S. Lockman ¹³⁷, T. Loddenkoetter ²¹, F.K. Loebinger ⁸², A. Loginov ¹⁷⁶, C.W. Loh ¹⁶⁸, T. Lohse ¹⁶, K. Lohwasser ⁴⁸, M. Lokajicek ¹²⁵, V.P. Lombardo ⁵, R.E. Long ⁷¹, L. Lopes ^{124a}, D. Lopez Mateos ⁵⁷, J. Lorenz ⁹⁸, N. Lorenzo Martinez ¹¹⁵, M. Losada ¹⁶², P. Loscutoff ¹⁵, F. Lo Sterzo ^{132a,132b}, M.J. Losty ^{159a,*}, X. Lou ⁴¹, A. Lounis ¹¹⁵, K.F. Loureiro ¹⁶², J. Love ⁶, P.A. Love ⁷¹, A.J. Lowe ^{143,e}, F. Lu ^{33a}, H.J. Lubatti ¹³⁸, C. Luci ^{132a,132b}, A. Lucotte ⁵⁵, A. Ludwig ⁴⁴, D. Ludwig ⁴², I. Ludwig ⁴⁸, J. Ludwig ⁴⁸, F. Luehring ⁶⁰, G. Luijckx ¹⁰⁵, W. Lukas ⁶¹, L. Luminari ^{132a}, E. Lund ¹¹⁷, B. Lund-Jensen ¹⁴⁷, B. Lundberg ⁷⁹, J. Lundberg ^{146a,146b}, O. Lundberg ^{146a,146b}, J. Lundquist ³⁶, M. Lungwitz ⁸¹, D. Lynn ²⁵, E. Lytken ⁷⁹, H. Ma ²⁵, L.L. Ma ¹⁷³, G. Maccarrone ⁴⁷, A. Macchiolo ⁹⁹, B. Maček ⁷⁴, J. Machado Miguens ^{124a}, D. Macina ³⁰, R. Mackeprang ³⁶, R.J. Madaras ¹⁵, H.J. Maddocks ⁷¹, W.F. Mader ⁴⁴, R. Maenner ^{58c}, T. Maeno ²⁵, P. Mättig ¹⁷⁵, S. Mättig ⁴², L. Magnoni ¹⁶³, E. Magradze ⁵⁴, K. Mahboubi ⁴⁸, J. Mahlstedt ¹⁰⁵, S. Mahmoud ⁷³, G. Mahout ¹⁸, C. Maiani ¹³⁶, C. Maidantchik ^{24a}, A. Maio ^{124a,b}, S. Majewski ²⁵, Y. Makida ⁶⁵, N. Makovec ¹¹⁵, P. Mal ¹³⁶, B. Malaescu ³⁰, Pa. Malecki ³⁹, P. Malecki ³⁹, V.P. Maleev ¹²¹, F. Malek ⁵⁵, U. Mallik ⁶², D. Malon ⁶, C. Malone ¹⁴³, S. Maltezos ¹⁰, V. Malyshev ¹⁰⁷, S. Malyukov ³⁰, R. Mameghani ⁹⁸, J. Mamuzic ^{13b}, A. Manabe ⁶⁵, L. Mandelli ^{89a}, I. Mandić ⁷⁴, R. Mandrysch ¹⁶, J. Maneira ^{124a}, A. Manfredini ⁹⁹, L. Manhaes de Andrade Filho ^{24b}, J.A. Manjarres Ramos ¹³⁶, A. Mann ⁵⁴, P.M. Manning ¹³⁷, A. Manousakis-Katsikakis ⁹, B. Mansoulie ¹³⁶, A. Mapelli ³⁰, L. Mapelli ³⁰, L. March ¹⁶⁷, J.F. Marchand ²⁹, F. Marchese ^{133a,133b}, G. Marchiori ⁷⁸, M. Marcisovsky ¹²⁵, C.P. Marino ¹⁶⁹, F. Marroquim ^{24a}, Z. Marshall ³⁰, L.F. Marti ¹⁷, S. Marti-Garcia ¹⁶⁷, B. Martin ³⁰, B. Martin ⁸⁸, J.P. Martin ⁹³, T.A. Martin ¹⁸, V.J. Martin ⁴⁶, B. Martin dit Latour ⁴⁹, S. Martin-Haugh ¹⁴⁹, M. Martinez ¹², V. Martinez Outschorn ⁵⁷, A.C. Martyniuk ¹⁶⁹, M. Marx ⁸², F. Marzano ^{132a}, A. Marzin ¹¹¹, L. Masetti ⁸¹, T. Mashimo ¹⁵⁵, R. Mashinistov ⁹⁴, J. Masik ⁸², A.L. Maslennikov ¹⁰⁷, I. Massa ^{20a,20b}, G. Massaro ¹⁰⁵, N. Massol ⁵, P. Mastrandrea ¹⁴⁸, A. Mastroberardino ^{37a,37b}, T. Masubuchi ¹⁵⁵, P. Matricon ¹¹⁵, H. Matsunaga ¹⁵⁵, T. Matsushita ⁶⁶, C. Mattravers ^{118,c}, J. Maurer ⁸³, S.J. Maxfield ⁷³, D.A. Maximov ^{107,f}, A. Mayne ¹³⁹, R. Mazini ¹⁵¹, M. Mazur ²¹, L. Mazzaferro ^{133a,133b}, M. Mazzanti ^{89a}, J. Mc Donald ⁸⁵, S.P. Mc Kee ⁸⁷, A. McCarn ¹⁶⁵, R.L. McCarthy ¹⁴⁸, T.G. McCarthy ²⁹, N.A. McCubbin ¹²⁹, K.W. McFarlane ^{56,*}, J.A. Mcfayden ¹³⁹, G. Mcchedlidze ^{51b}, T. McLaughlan ¹⁸, S.J. McMahon ¹²⁹, R.A. McPherson ^{169,j}, A. Meade ⁸⁴, J. Mechnich ¹⁰⁵, M. Mechtel ¹⁷⁵, M. Medinnis ⁴², S. Meehan ³¹, R. Meera-Lebbai ¹¹¹, T. Meguro ¹¹⁶, S. Mehlhase ³⁶, A. Mehta ⁷³, K. Meier ^{58a}, B. Meirose ⁷⁹, C. Melachrinos ³¹,

- B.R. Mellado Garcia ¹⁷³, F. Meloni ^{89a,89b}, L. Mendoza Navas ¹⁶², Z. Meng ^{151,v}, A. Mengarelli ^{20a,20b},
 S. Menke ⁹⁹, E. Meoni ¹⁶¹, K.M. Mercurio ⁵⁷, P. Mermod ⁴⁹, L. Merola ^{102a,102b}, C. Meroni ^{89a}, F.S. Merritt ³¹,
 H. Merritt ¹⁰⁹, A. Messina ^{30,w}, J. Metcalfe ²⁵, A.S. Mete ¹⁶³, C. Meyer ⁸¹, C. Meyer ³¹, J.-P. Meyer ¹³⁶,
 J. Meyer ¹⁷⁴, J. Meyer ⁵⁴, S. Michal ³⁰, L. Micu ^{26a}, R.P. Middleton ¹²⁹, S. Migas ⁷³, L. Mijović ¹³⁶,
 G. Mikenberg ¹⁷², M. Mikestikova ¹²⁵, M. Mikuž ⁷⁴, D.W. Miller ³¹, R.J. Miller ⁸⁸, W.J. Mills ¹⁶⁸, C. Mills ⁵⁷,
 A. Milov ¹⁷², D.A. Milstead ^{146a,146b}, D. Milstein ¹⁷², A.A. Minaenko ¹²⁸, M. Miñano Moya ¹⁶⁷,
 I.A. Minashvili ⁶⁴, A.I. Mincer ¹⁰⁸, B. Mindur ³⁸, M. Mineev ⁶⁴, Y. Ming ¹⁷³, L.M. Mir ¹², G. Mirabelli ^{132a},
 J. Mitrevski ¹³⁷, V.A. Mitsou ¹⁶⁷, S. Mitsui ⁶⁵, P.S. Miyagawa ¹³⁹, J.U. Mjörnmark ⁷⁹, T. Moa ^{146a,146b},
 V. Moeller ²⁸, K. Mönig ⁴², N. Möser ²¹, S. Mohapatra ¹⁴⁸, W. Mohr ⁴⁸, R. Moles-Valls ¹⁶⁷, A. Molfetas ³⁰,
 J. Monk ⁷⁷, E. Monnier ⁸³, J. Montejo Berlingen ¹², F. Monticelli ⁷⁰, S. Monzani ^{20a,20b}, R.W. Moore ³,
 G.F. Moorhead ⁸⁶, C. Mora Herrera ⁴⁹, A. Moraes ⁵³, N. Morange ¹³⁶, J. Morel ⁵⁴, G. Morello ^{37a,37b},
 D. Moreno ⁸¹, M. Moreno Llácer ¹⁶⁷, P. Morettini ^{50a}, M. Morgenstern ⁴⁴, M. Morii ⁵⁷, A.K. Morley ³⁰,
 G. Mornacchi ³⁰, J.D. Morris ⁷⁵, L. Morvaj ¹⁰¹, H.G. Moser ⁹⁹, M. Mosidze ^{51b}, J. Moss ¹⁰⁹, R. Mount ¹⁴³,
 E. Mountricha ^{10,x}, S.V. Mouraviev ^{94,*}, E.J.W. Moyse ⁸⁴, F. Mueller ^{58a}, J. Mueller ¹²³, K. Mueller ²¹,
 T.A. Müller ⁹⁸, T. Mueller ⁸¹, D. Muenstermann ³⁰, Y. Munwes ¹⁵³, W.J. Murray ¹²⁹, I. Mussche ¹⁰⁵,
 E. Musto ¹⁵², A.G. Myagkov ¹²⁸, M. Myska ¹²⁵, O. Nackenhorst ⁵⁴, J. Nadal ¹², K. Nagai ¹⁶⁰, R. Nagai ¹⁵⁷,
 K. Nagano ⁶⁵, A. Nagarkar ¹⁰⁹, Y. Nagasaka ⁵⁹, M. Nagel ⁹⁹, A.M. Nairz ³⁰, Y. Nakahama ³⁰, K. Nakamura ¹⁵⁵,
 T. Nakamura ¹⁵⁵, I. Nakano ¹¹⁰, G. Nanava ²¹, A. Napier ¹⁶¹, R. Narayan ^{58b}, M. Nash ^{77,c}, T. Nattermann ²¹,
 T. Naumann ⁴², G. Navarro ¹⁶², H.A. Neal ⁸⁷, P.Yu. Nechaeva ⁹⁴, T.J. Neep ⁸², A. Negri ^{119a,119b}, G. Negri ³⁰,
 M. Negrini ^{20a}, S. Nektarijevic ⁴⁹, A. Nelson ¹⁶³, T.K. Nelson ¹⁴³, S. Nemecek ¹²⁵, P. Nemethy ¹⁰⁸,
 A.A. Nepomuceno ^{24a}, M. Nessi ^{30,y}, M.S. Neubauer ¹⁶⁵, M. Neumann ¹⁷⁵, A. Neusiedl ⁸¹, R.M. Neves ¹⁰⁸,
 P. Nevski ²⁵, F.M. Newcomer ¹²⁰, P.R. Newman ¹⁸, V. Nguyen Thi Hong ¹³⁶, R.B. Nickerson ¹¹⁸,
 R. Nicolaïdou ¹³⁶, B. Nicquevert ³⁰, F. Niedercorn ¹¹⁵, J. Nielsen ¹³⁷, N. Nikiforou ³⁵, A. Nikiforov ¹⁶,
 V. Nikolaenko ¹²⁸, I. Nikolic-Audit ⁷⁸, K. Nikolics ⁴⁹, K. Nikolopoulos ¹⁸, H. Nilsen ⁴⁸, P. Nilsson ⁸,
 Y. Ninomiya ¹⁵⁵, A. Nisati ^{132a}, R. Nisius ⁹⁹, T. Nobe ¹⁵⁷, L. Nodulman ⁶, M. Nomachi ¹¹⁶, I. Nomidis ¹⁵⁴,
 S. Norberg ¹¹¹, M. Nordberg ³⁰, P.R. Norton ¹²⁹, J. Novakova ¹²⁶, M. Nozaki ⁶⁵, L. Nozka ¹¹³,
 I.M. Nugent ^{159a}, A.-E. Nuncio-Quiroz ²¹, G. Nunes Hanninger ⁸⁶, T. Nunnemann ⁹⁸, E. Nurse ⁷⁷,
 B.J. O'Brien ⁴⁶, D.C. O'Neil ¹⁴², V. O'Shea ⁵³, L.B. Oakes ⁹⁸, F.G. Oakham ^{29,d}, H. Oberlack ⁹⁹, J. Ocariz ⁷⁸,
 A. Ochi ⁶⁶, S. Oda ⁶⁹, S. Odaka ⁶⁵, J. Odier ⁸³, H. Ogren ⁶⁰, A. Oh ⁸², S.H. Oh ⁴⁵, C.C. Ohm ³⁰, T. Ohshima ¹⁰¹,
 W. Okamura ¹¹⁶, H. Okawa ²⁵, Y. Okumura ³¹, T. Okuyama ¹⁵⁵, A. Olariu ^{26a}, A.G. Olchevski ⁶⁴,
 S.A. Olivares Pino ^{32a}, M. Oliveira ^{124a,g}, D. Oliveira Damazio ²⁵, E. Oliver Garcia ¹⁶⁷, D. Olivito ¹²⁰,
 A. Olszewski ³⁹, J. Olszowska ³⁹, A. Onofre ^{124a,z}, P.U.E. Onyisi ³¹, C.J. Oram ^{159a}, M.J. Oreglia ³¹, Y. Oren ¹⁵³,
 D. Orestano ^{134a,134b}, N. Orlando ^{72a,72b}, I. Orlov ¹⁰⁷, C. Oropeza Barrera ⁵³, R.S. Orr ¹⁵⁸, B. Osculati ^{50a,50b},
 R. Ospanov ¹²⁰, C. Osuna ¹², G. Otero y Garzon ²⁷, J.P. Ottersbach ¹⁰⁵, M. Ouchrif ^{135d}, E.A. Ouellette ¹⁶⁹,
 F. Ould-Saada ¹¹⁷, A. Ouraou ¹³⁶, Q. Ouyang ^{33a}, A. Ovcharova ¹⁵, M. Owen ⁸², S. Owen ¹³⁹, V.E. Ozcan ^{19a},
 N. Ozturk ⁸, A. Pacheco Pages ¹², C. Padilla Aranda ¹², S. Pagan Griso ¹⁵, E. Paganis ¹³⁹, C. Pahl ⁹⁹,
 F. Paige ²⁵, P. Pais ⁸⁴, K. Pajchel ¹¹⁷, G. Palacino ^{159b}, C.P. Paleari ⁷, S. Palestini ³⁰, D. Pallin ³⁴, A. Palma ^{124a},
 J.D. Palmer ¹⁸, Y.B. Pan ¹⁷³, E. Panagiotopoulou ¹⁰, J.G. Panduro Vazquez ⁷⁶, P. Pani ¹⁰⁵, N. Panikashvili ⁸⁷,
 S. Panitkin ²⁵, D. Pantea ^{26a}, A. Papadelis ^{146a}, Th.D. Papadopoulou ¹⁰, A. Paramonov ⁶,
 D. Paredes Hernandez ³⁴, W. Park ^{25,aa}, M.A. Parker ²⁸, F. Parodi ^{50a,50b}, J.A. Parsons ³⁵, U. Parzefall ⁴⁸,
 S. Pashapour ⁵⁴, E. Pasqualucci ^{132a}, S. Passaggio ^{50a}, A. Passeri ^{134a}, F. Pastore ^{134a,134b,*}, Fr. Pastore ⁷⁶,
 G. Pásztor ^{49,ab}, S. Pataraia ¹⁷⁵, N. Patel ¹⁵⁰, J.R. Pater ⁸², S. Patricelli ^{102a,102b}, T. Pauly ³⁰, M. Pecsy ^{144a},
 S. Pedraza Lopez ¹⁶⁷, M.I. Pedraza Morales ¹⁷³, S.V. Peleganchuk ¹⁰⁷, D. Pelikan ¹⁶⁶, H. Peng ^{33b},
 B. Penning ³¹, A. Penson ³⁵, J. Penwell ⁶⁰, M. Perantoni ^{24a}, K. Perez ^{35,ac}, T. Perez Cavalcanti ⁴²,
 E. Perez Codina ^{159a}, M.T. Pérez García-Estañ ¹⁶⁷, V. Perez Reale ³⁵, L. Perini ^{89a,89b}, H. Pernegger ³⁰,
 R. Perrino ^{72a}, P. Perrodo ⁵, V.D. Peshekhonov ⁶⁴, K. Peters ³⁰, B.A. Petersen ³⁰, J. Petersen ³⁰,
 T.C. Petersen ³⁶, E. Petit ⁵, A. Petridis ¹⁵⁴, C. Petridou ¹⁵⁴, E. Petrolo ^{132a}, F. Petracci ^{134a,134b},
 D. Petschull ⁴², M. Petteni ¹⁴², R. Pezoa ^{32b}, A. Phan ⁸⁶, P.W. Phillips ¹²⁹, G. Piacquadio ³⁰, A. Picazio ⁴⁹,
 E. Piccaro ⁷⁵, M. Piccinini ^{20a,20b}, S.M. Piec ⁴², R. Piegaia ²⁷, D.T. Pignotti ¹⁰⁹, J.E. Pilcher ³¹,
 A.D. Pilkington ⁸², J. Pina ^{124a,b}, M. Pinamonti ^{164a,164c}, A. Pinder ¹¹⁸, J.L. Pinfold ³, B. Pinto ^{124a},
 C. Pizio ^{89a,89b}, M. Plamondon ¹⁶⁹, M.-A. Pleier ²⁵, E. Plotnikova ⁶⁴, A. Poblaguev ²⁵, S. Poddar ^{58a},
 F. Podlaski ³⁴, L. Poggiali ¹¹⁵, D. Pohl ²¹, M. Pohl ⁴⁹, G. Polesello ^{119a}, A. Policicchio ^{37a,37b}, A. Polini ^{20a},

- J. Poll ⁷⁵, V. Polychronakos ²⁵, D. Pomeroy ²³, K. Pommès ³⁰, L. Pontecorvo ^{132a}, B.G. Pope ⁸⁸,
 G.A. Popeneciu ^{26a}, D.S. Popovic ^{13a}, A. Poppleton ³⁰, X. Portell Bueso ³⁰, G.E. Pospelov ⁹⁹, S. Pospisil ¹²⁷,
 I.N. Potrap ⁹⁹, C.J. Potter ¹⁴⁹, C.T. Potter ¹¹⁴, G. Pouillard ³⁰, J. Poveda ⁶⁰, V. Pozdnyakov ⁶⁴, R. Prabhu ⁷⁷,
 P. Pralavorio ⁸³, A. Pranko ¹⁵, S. Prasad ³⁰, R. Pravahan ²⁵, S. Prell ⁶³, K. Pretzl ¹⁷, D. Price ⁶⁰, J. Price ⁷³,
 L.E. Price ⁶, D. Prieur ¹²³, M. Primavera ^{72a}, K. Prokofiev ¹⁰⁸, F. Prokoshin ^{32b}, S. Protopopescu ²⁵,
 J. Proudfoot ⁶, X. Prudent ⁴⁴, M. Przybycien ³⁸, H. Przysiezniak ⁵, S. Psoroulas ²¹, E. Ptacek ¹¹⁴,
 E. Pueschel ⁸⁴, J. Purdham ⁸⁷, M. Purohit ^{25,aa}, P. Puzo ¹¹⁵, Y. Pylypchenko ⁶², J. Qian ⁸⁷, A. Quadt ⁵⁴,
 D.R. Quarrie ¹⁵, W.B. Quayle ¹⁷³, F. Quinonez ^{32a}, M. Raas ¹⁰⁴, V. Radcka ²⁵, V. Radescu ⁴², P. Radloff ¹¹⁴,
 F. Ragusa ^{89a,89b}, G. Rahal ¹⁷⁸, A.M. Rahimi ¹⁰⁹, D. Rahm ²⁵, S. Rajagopalan ²⁵, M. Rammensee ⁴⁸,
 M. Rammes ¹⁴¹, A.S. Randle-Conde ⁴⁰, K. Randrianarivony ²⁹, F. Rauscher ⁹⁸, T.C. Rave ⁴⁸, M. Raymond ³⁰,
 A.L. Read ¹¹⁷, D.M. Rebuzzi ^{119a,119b}, A. Redelbach ¹⁷⁴, G. Redlinger ²⁵, R. Reece ¹²⁰, K. Reeves ⁴¹,
 A. Reinsch ¹¹⁴, I. Reisinger ⁴³, C. Rembser ³⁰, Z.L. Ren ¹⁵¹, A. Renaud ¹¹⁵, M. Rescigno ^{132a}, S. Resconi ^{89a},
 B. Resende ¹³⁶, P. Reznicek ⁹⁸, R. Rezvani ¹⁵⁸, R. Richter ⁹⁹, E. Richter-Was ^{5,ad}, M. Ridel ⁷⁸, M. Rijpstra ¹⁰⁵,
 M. Rijssenbeek ¹⁴⁸, A. Rimoldi ^{119a,119b}, L. Rinaldi ^{20a}, R.R. Rios ⁴⁰, I. Riu ¹², G. Rivoltella ^{89a,89b},
 F. Rizatdinova ¹¹², E. Rizvi ⁷⁵, S.H. Robertson ^{85,j}, A. Robichaud-Veronneau ¹¹⁸, D. Robinson ²⁸,
 J.E.M. Robinson ⁸², A. Robson ⁵³, J.G. Rocha de Lima ¹⁰⁶, C. Roda ^{122a,122b}, D. Roda Dos Santos ³⁰, A. Roe ⁵⁴,
 S. Roe ³⁰, O. Røhne ¹¹⁷, S. Rolli ¹⁶¹, A. Romaniouk ⁹⁶, M. Romano ^{20a,20b}, G. Romeo ²⁷, E. Romero Adam ¹⁶⁷,
 N. Rompotis ¹³⁸, L. Roos ⁷⁸, E. Ros ¹⁶⁷, S. Rosati ^{132a}, K. Rosbach ⁴⁹, A. Rose ¹⁴⁹, M. Rose ⁷⁶,
 G.A. Rosenbaum ¹⁵⁸, E.I. Rosenberg ⁶³, P.L. Rosendahl ¹⁴, O. Rosenthal ¹⁴¹, L. Rosselet ⁴⁹, V. Rossetti ¹²,
 E. Rossi ^{132a,132b}, L.P. Rossi ^{50a}, M. Rotaru ^{26a}, I. Roth ¹⁷², J. Rothberg ¹³⁸, D. Rousseau ¹¹⁵, C.R. Royon ¹³⁶,
 A. Rozanov ⁸³, Y. Rozen ¹⁵², X. Ruan ^{33a,ae}, F. Rubbo ¹², I. Rubinskiy ⁴², N. Ruckstuhl ¹⁰⁵, V.I. Rud ⁹⁷,
 C. Rudolph ⁴⁴, G. Rudolph ⁶¹, F. Rühr ⁷, A. Ruiz-Martinez ⁶³, L. Rumyantsev ⁶⁴, Z. Rurikova ⁴⁸,
 N.A. Rusakovich ⁶⁴, A. Ruschke ⁹⁸, J.P. Rutherford ⁷, P. Ruzicka ¹²⁵, Y.F. Ryabov ¹²¹, M. Rybar ¹²⁶,
 G. Rybkin ¹¹⁵, N.C. Ryder ¹¹⁸, A.F. Saavedra ¹⁵⁰, I. Sadeh ¹⁵³, H.F-W. Sadrozinski ¹³⁷, R. Sadykov ⁶⁴,
 F. Safai Tehrani ^{132a}, H. Sakamoto ¹⁵⁵, G. Salamanna ⁷⁵, A. Salamon ^{133a}, M. Saleem ¹¹¹, D. Salek ³⁰,
 D. Salihagic ⁹⁹, A. Salnikov ¹⁴³, J. Salt ¹⁶⁷, B.M. Salvachua Ferrando ⁶, D. Salvatore ^{37a,37b}, F. Salvatore ¹⁴⁹,
 A. Salvucci ¹⁰⁴, A. Salzburger ³⁰, D. Sampsonidis ¹⁵⁴, B.H. Samset ¹¹⁷, A. Sanchez ^{102a,102b},
 V. Sanchez Martinez ¹⁶⁷, H. Sandaker ¹⁴, H.G. Sander ⁸¹, M.P. Sanders ⁹⁸, M. Sandhoff ¹⁷⁵, T. Sandoval ²⁸,
 C. Sandoval ¹⁶², R. Sandstroem ⁹⁹, D.P.C. Sankey ¹²⁹, A. Sansoni ⁴⁷, C. Santamarina Rios ⁸⁵, C. Santoni ³⁴,
 R. Santonico ^{133a,133b}, H. Santos ^{124a}, I. Santoyo Castillo ¹⁴⁹, J.G. Saraiva ^{124a}, T. Sarangi ¹⁷³,
 E. Sarkisyan-Grinbaum ⁸, F. Sarri ^{122a,122b}, G. Sartisohn ¹⁷⁵, O. Sasaki ⁶⁵, Y. Sasaki ¹⁵⁵, N. Sasao ⁶⁷,
 I. Satsounkevitch ⁹⁰, G. Sauvage ^{5,*}, E. Sauvan ⁵, J.B. Sauvan ¹¹⁵, P. Savard ^{158,d}, V. Savinov ¹²³, D.O. Savu ³⁰,
 L. Sawyer ^{25,l}, D.H. Saxon ⁵³, J. Saxon ¹²⁰, C. Sbarra ^{20a}, A. Sbrizzi ^{20a,20b}, D.A. Scannicchio ¹⁶³,
 M. Scarcella ¹⁵⁰, J. Schaarschmidt ¹¹⁵, P. Schacht ⁹⁹, D. Schaefer ¹²⁰, U. Schäfer ⁸¹, A. Schaelicke ⁴⁶,
 S. Schaepe ²¹, S. Schaetzl ^{58b}, A.C. Schaffer ¹¹⁵, D. Schaile ⁹⁸, R.D. Schamberger ¹⁴⁸, A.G. Schamov ¹⁰⁷,
 V. Scharf ^{58a}, V.A. Schegelsky ¹²¹, D. Scheirich ⁸⁷, M. Schernau ¹⁶³, M.I. Scherzer ³⁵, C. Schiavi ^{50a,50b},
 J. Schieck ⁹⁸, M. Schioppa ^{37a,37b}, S. Schlenker ³⁰, E. Schmidt ⁴⁸, K. Schmieden ²¹, C. Schmitt ⁸¹,
 S. Schmitt ^{58b}, B. Schneider ¹⁷, U. Schnoor ⁴⁴, L. Schoeffel ¹³⁶, A. Schoening ^{58b}, A.L.S. Schorlemmer ⁵⁴,
 M. Schott ³⁰, D. Schouten ^{159a}, J. Schovancova ¹²⁵, M. Schram ⁸⁵, C. Schroeder ⁸¹, N. Schroer ^{58c},
 M.J. Schultens ²¹, J. Schultes ¹⁷⁵, H.-C. Schultz-Coulon ^{58a}, H. Schulz ¹⁶, M. Schumacher ⁴⁸,
 B.A. Schumm ¹³⁷, Ph. Schune ¹³⁶, C. Schwanenberger ⁸², A. Schwartzman ¹⁴³, Ph. Schwegler ⁹⁹,
 Ph. Schwemling ⁷⁸, R. Schwienhorst ⁸⁸, R. Schwierz ⁴⁴, J. Schwindling ¹³⁶, T. Schwindt ²¹, M. Schwoerer ⁵,
 F.G. Sciacca ¹⁷, G. Sciolla ²³, W.G. Scott ¹²⁹, J. Searcy ¹¹⁴, G. Sedov ⁴², E. Sedykh ¹²¹, S.C. Seidel ¹⁰³,
 A. Seiden ¹³⁷, F. Seifert ⁴⁴, J.M. Seixas ^{24a}, G. Sekhniaidze ^{102a}, S.J. Sekula ⁴⁰, K.E. Selbach ⁴⁶,
 D.M. Seliverstov ¹²¹, B. Sellden ^{146a}, G. Sellers ⁷³, M. Seman ^{144b}, N. Semprini-Cesari ^{20a,20b}, C. Serfon ⁹⁸,
 L. Serin ¹¹⁵, L. Serkin ⁵⁴, R. Seuster ^{159a}, H. Severini ¹¹¹, A. Sfyrla ³⁰, E. Shabalina ⁵⁴, M. Shamim ¹¹⁴,
 L.Y. Shan ^{33a}, J.T. Shank ²², Q.T. Shao ⁸⁶, M. Shapiro ¹⁵, P.B. Shatalov ⁹⁵, K. Shaw ^{164a,164c}, D. Sherman ¹⁷⁶,
 P. Sherwood ⁷⁷, S. Shimizu ¹⁰¹, M. Shimojima ¹⁰⁰, T. Shin ⁵⁶, M. Shiyakova ⁶⁴, A. Shmeleva ⁹⁴,
 M.J. Shochet ³¹, D. Short ¹¹⁸, S. Shrestha ⁶³, E. Shulga ⁹⁶, M.A. Shupe ⁷, P. Sicho ¹²⁵, A. Sidoti ^{132a},
 F. Siegert ⁴⁸, Dj. Sijacki ^{13a}, O. Silbert ¹⁷², J. Silva ^{124a}, Y. Silver ¹⁵³, D. Silverstein ¹⁴³, S.B. Silverstein ^{146a},
 V. Simak ¹²⁷, O. Simard ¹³⁶, Lj. Simic ^{13a}, S. Simion ¹¹⁵, E. Simioni ⁸¹, B. Simmons ⁷⁷, R. Simonello ^{89a,89b},
 M. Simonyan ³⁶, P. Sinervo ¹⁵⁸, N.B. Sinev ¹¹⁴, V. Sipica ¹⁴¹, G. Siragusa ¹⁷⁴, A. Sircar ²⁵, A.N. Sisakyan ^{64,*},

- S.Yu. Sivoklokov ⁹⁷, J. Sjölin ^{146a,146b}, T.B. Sjursen ¹⁴, L.A. Skinnari ¹⁵, H.P. Skottowe ⁵⁷, K. Skovpen ¹⁰⁷, P. Skubic ¹¹¹, M. Slater ¹⁸, T. Slavicek ¹²⁷, K. Sliwa ¹⁶¹, V. Smakhtin ¹⁷², B.H. Smart ⁴⁶, L. Smestad ¹¹⁷, S.Yu. Smirnov ⁹⁶, Y. Smirnov ⁹⁶, L.N. Smirnova ⁹⁷, O. Smirnova ⁷⁹, B.C. Smith ⁵⁷, D. Smith ¹⁴³, K.M. Smith ⁵³, M. Smizanska ⁷¹, K. Smolek ¹²⁷, A.A. Snesarev ⁹⁴, S.W. Snow ⁸², J. Snow ¹¹¹, S. Snyder ²⁵, R. Sobie ^{169,j}, J. Sodomka ¹²⁷, A. Soffer ¹⁵³, C.A. Solans ¹⁶⁷, M. Solar ¹²⁷, J. Solc ¹²⁷, E.Yu. Soldatov ⁹⁶, U. Soldevila ¹⁶⁷, E. Solfaroli Camillocci ^{132a,132b}, A.A. Solodkov ¹²⁸, O.V. Solovyev ¹²⁸, V. Solovyev ¹²¹, N. Soni ¹, V. Sopko ¹²⁷, B. Sopko ¹²⁷, M. Sosebee ⁸, R. Soualah ^{164a,164c}, A. Soukharev ¹⁰⁷, S. Spagnolo ^{72a,72b}, F. Spanò ⁷⁶, R. Spighi ^{20a}, G. Spigo ³⁰, R. Spiwoks ³⁰, M. Spousta ^{126,af}, T. Spreitzer ¹⁵⁸, B. Spurlock ⁸, R.D. St. Denis ⁵³, J. Stahlman ¹²⁰, R. Stamen ^{58a}, E. Stanecka ³⁹, R.W. Stanek ⁶, C. Stanescu ^{134a}, M. Stanescu-Bellu ⁴², M.M. Stanitzki ⁴², S. Stapnes ¹¹⁷, E.A. Starchenko ¹²⁸, J. Stark ⁵⁵, P. Staroba ¹²⁵, P. Starovoitov ⁴², R. Staszewski ³⁹, A. Staude ⁹⁸, P. Stavina ^{144a,*}, G. Steele ⁵³, P. Steinbach ⁴⁴, P. Steinberg ²⁵, I. Stekl ¹²⁷, B. Stelzer ¹⁴², H.J. Stelzer ⁸⁸, O. Stelzer-Chilton ^{159a}, H. Stenzel ⁵², S. Stern ⁹⁹, G.A. Stewart ³⁰, J.A. Stillings ²¹, M.C. Stockton ⁸⁵, K. Stoerig ⁴⁸, G. Stoica ^{26a}, S. Stonjek ⁹⁹, P. Strachota ¹²⁶, A.R. Stradling ⁸, A. Straessner ⁴⁴, J. Strandberg ¹⁴⁷, S. Strandberg ^{146a,146b}, A. Strandlie ¹¹⁷, M. Strang ¹⁰⁹, E. Strauss ¹⁴³, M. Strauss ¹¹¹, P. Strizenec ^{144b}, R. Ströhmer ¹⁷⁴, D.M. Strom ¹¹⁴, J.A. Strong ^{76,*}, R. Stroynowski ⁴⁰, B. Stugu ¹⁴, I. Stumer ^{25,*}, J. Stupak ¹⁴⁸, P. Sturm ¹⁷⁵, N.A. Styles ⁴², D.A. Soh ^{151,t}, D. Su ¹⁴³, HS. Subramania ³, R. Subramaniam ²⁵, A. Succurro ¹², Y. Sugaya ¹¹⁶, C. Suhr ¹⁰⁶, M. Suk ¹²⁶, V.V. Sulin ⁹⁴, S. Sultansoy ^{4d}, T. Sumida ⁶⁷, X. Sun ⁵⁵, J.E. Sundermann ⁴⁸, K. Suruliz ¹³⁹, G. Susinno ^{37a,37b}, M.R. Sutton ¹⁴⁹, Y. Suzuki ⁶⁵, Y. Suzuki ⁶⁶, M. Svatos ¹²⁵, S. Swedish ¹⁶⁸, I. Sykora ^{144a}, T. Sykora ¹²⁶, J. Sánchez ¹⁶⁷, D. Ta ¹⁰⁵, K. Tackmann ⁴², A. Taffard ¹⁶³, R. Tafirout ^{159a}, N. Taiblum ¹⁵³, Y. Takahashi ¹⁰¹, H. Takai ²⁵, R. Takashima ⁶⁸, H. Takeda ⁶⁶, T. Takeshita ¹⁴⁰, Y. Takubo ⁶⁵, M. Talby ⁸³, A. Talyshев ^{107,f}, M.C. Tamsett ²⁵, K.G. Tan ⁸⁶, J. Tanaka ¹⁵⁵, R. Tanaka ¹¹⁵, S. Tanaka ¹³¹, S. Tanaka ⁶⁵, A.J. Tanasijczuk ¹⁴², K. Tani ⁶⁶, N. Tannoury ⁸³, S. Tapprogge ⁸¹, D. Tardif ¹⁵⁸, S. Tarem ¹⁵², F. Tarrade ²⁹, G.F. Tartarelli ^{89a}, P. Tas ¹²⁶, M. Tasevsky ¹²⁵, E. Tassi ^{37a,37b}, Y. Tayalati ^{135d}, C. Taylor ⁷⁷, F.E. Taylor ⁹², G.N. Taylor ⁸⁶, W. Taylor ^{159b}, M. Teinturier ¹¹⁵, F.A. Teischinger ³⁰, M. Teixeira Dias Castanheira ⁷⁵, P. Teixeira-Dias ⁷⁶, K.K. Temming ⁴⁸, H. Ten Kate ³⁰, P.K. Teng ¹⁵¹, S. Terada ⁶⁵, K. Terashi ¹⁵⁵, J. Terron ⁸⁰, M. Testa ⁴⁷, R.J. Teuscher ^{158,j}, J. Therhaag ²¹, T. Theveneaux-Pelzer ⁷⁸, S. Thoma ⁴⁸, J.P. Thomas ¹⁸, E.N. Thompson ³⁵, P.D. Thompson ¹⁸, P.D. Thompson ¹⁵⁸, A.S. Thompson ⁵³, L.A. Thomsen ³⁶, E. Thomson ¹²⁰, M. Thomson ²⁸, W.M. Thong ⁸⁶, R.P. Thun ⁸⁷, F. Tian ³⁵, M.J. Tibbetts ¹⁵, T. Tic ¹²⁵, V.O. Tikhomirov ⁹⁴, Y.A. Tikhonov ^{107,f}, S. Timoshenko ⁹⁶, E. Tiouchichine ⁸³, P. Tipton ¹⁷⁶, S. Tisserant ⁸³, T. Todorov ⁵, S. Todorova-Nova ¹⁶¹, B. Toggerson ¹⁶³, J. Tojo ⁶⁹, S. Tokár ^{144a}, K. Tokushuku ⁶⁵, K. Tollefson ⁸⁸, M. Tomoto ¹⁰¹, L. Tompkins ³¹, K. Toms ¹⁰³, A. Tonoyan ¹⁴, C. Topfel ¹⁷, N.D. Topilin ⁶⁴, E. Torrence ¹¹⁴, H. Torres ⁷⁸, E. Torró Pastor ¹⁶⁷, J. Toth ^{83,ab}, F. Touchard ⁸³, D.R. Tovey ¹³⁹, T. Trefzger ¹⁷⁴, L. Tremblet ³⁰, A. Tricoli ³⁰, I.M. Trigger ^{159a}, S. Trincaz-Duvold ⁷⁸, M.F. Tripiana ⁷⁰, N. Triplett ²⁵, W. Trischuk ¹⁵⁸, B. Trocmé ⁵⁵, C. Troncon ^{89a}, M. Trottier-McDonald ¹⁴², P. True ⁸⁸, M. Trzebinski ³⁹, A. Trzupek ³⁹, C. Tsarouchas ³⁰, J.C.-L. Tseng ¹¹⁸, M. Tsiakiris ¹⁰⁵, P.V. Tsiareshka ⁹⁰, D. Tsionou ^{5,ag}, G. Tsipolitis ¹⁰, S. Tsiskaridze ¹², V. Tsiskaridze ⁴⁸, E.G. Tskhadadze ^{51a}, I.I. Tsukerman ⁹⁵, V. Tsulaia ¹⁵, J.-W. Tsung ²¹, S. Tsuno ⁶⁵, D. Tsybychev ¹⁴⁸, A. Tua ¹³⁹, A. Tudorache ^{26a}, V. Tudorache ^{26a}, J.M. Tuggle ³¹, M. Turala ³⁹, D. Turecek ¹²⁷, I. Turk Cakir ^{4e}, E. Turlay ¹⁰⁵, R. Turra ^{89a,89b}, P.M. Tuts ³⁵, A. Tykhanov ⁷⁴, M. Tylmad ^{146a,146b}, M. Tyndel ¹²⁹, G. Tzanakos ⁹, K. Uchida ²¹, I. Ueda ¹⁵⁵, R. Ueno ²⁹, M. Ugland ¹⁴, M. Uhlenbrock ²¹, M. Uhrmacher ⁵⁴, F. Ukegawa ¹⁶⁰, G. Unal ³⁰, A. Undrus ²⁵, G. Unel ¹⁶³, Y. Unno ⁶⁵, D. Urbaniec ³⁵, P. Urquijo ²¹, G. Usai ⁸, M. Uslenghi ^{119a,119b}, L. Vacavant ⁸³, V. Vacek ¹²⁷, B. Vachon ⁸⁵, S. Vahsen ¹⁵, J. Valenta ¹²⁵, S. Valentinetto ^{20a,20b}, A. Valero ¹⁶⁷, S. Valkar ¹²⁶, E. Valladolid Gallego ¹⁶⁷, S. Vallecorsa ¹⁵², J.A. Valls Ferrer ¹⁶⁷, R. Van Berg ¹²⁰, P.C. Van Der Deijl ¹⁰⁵, R. van der Geer ¹⁰⁵, H. van der Graaf ¹⁰⁵, R. Van Der Leeuw ¹⁰⁵, E. van der Poel ¹⁰⁵, D. van der Ster ³⁰, N. van Eldik ³⁰, P. van Gemmeren ⁶, I. van Vulpen ¹⁰⁵, M. Vanadia ⁹⁹, W. Vandelli ³⁰, A. Vaniachine ⁶, P. Vankov ⁴², F. Vannucci ⁷⁸, R. Vari ^{132a}, E.W. Varnes ⁷, T. Varol ⁸⁴, D. Varouchas ¹⁵, A. Vartapetian ⁸, K.E. Varvell ¹⁵⁰, V.I. Vassilakopoulos ⁵⁶, F. Vazeille ³⁴, T. Vazquez Schroeder ⁵⁴, G. Vegni ^{89a,89b}, J.J. Veillet ¹¹⁵, F. Veloso ^{124a}, R. Veness ³⁰, S. Veneziano ^{132a}, A. Ventura ^{72a,72b}, D. Ventura ⁸⁴, M. Venturi ⁴⁸, N. Venturi ¹⁵⁸, V. Vercesi ^{119a}, M. Verducci ¹³⁸, W. Verkerke ¹⁰⁵, J.C. Vermeulen ¹⁰⁵, A. Vest ⁴⁴, M.C. Vetterli ^{142,d}, I. Vichou ¹⁶⁵, T. Vickey ^{145b,ah}, O.E. Vickey Boeriu ^{145b}, G.H.A. Viehhauser ¹¹⁸, S. Viel ¹⁶⁸, M. Villa ^{20a,20b}, M. Villaplana Perez ¹⁶⁷, E. Vilucchi ⁴⁷, M.G. Vincter ²⁹, E. Vinek ³⁰, V.B. Vinogradov ⁶⁴, M. Virchaux ^{136,*},

- J. Virzi¹⁵, O. Vitells¹⁷², M. Viti⁴², I. Vivarelli⁴⁸, F. Vives Vaque³, S. Vlachos¹⁰, D. Vladoiu⁹⁸, M. Vlasak¹²⁷, A. Vogel²¹, P. Vokac¹²⁷, G. Volpi⁴⁷, M. Volpi⁸⁶, G. Volpini^{89a}, H. von der Schmitt⁹⁹, H. von Radziewski⁴⁸, E. von Toerne²¹, V. Vorobel¹²⁶, V. Vorwerk¹², M. Vos¹⁶⁷, R. Voss³⁰, T.T. Voss¹⁷⁵, J.H. Vossebeld⁷³, N. Vranjes¹³⁶, M. Vranjes Milosavljevic¹⁰⁵, V. Vrba¹²⁵, M. Vreeswijk¹⁰⁵, T. Vu Anh⁴⁸, R. Vuillermet³⁰, I. Vukotic³¹, W. Wagner¹⁷⁵, P. Wagner¹²⁰, H. Wahlen¹⁷⁵, S. Wahrmund⁴⁴, J. Wakabayashi¹⁰¹, S. Walch⁸⁷, J. Walder⁷¹, R. Walker⁹⁸, W. Walkowiak¹⁴¹, R. Wall¹⁷⁶, P. Waller⁷³, B. Walsh¹⁷⁶, C. Wang⁴⁵, H. Wang¹⁷³, H. Wang⁴⁰, J. Wang¹⁵¹, J. Wang⁵⁵, R. Wang¹⁰³, S.M. Wang¹⁵¹, T. Wang²¹, A. Warburton⁸⁵, C.P. Ward²⁸, D.R. Wardrope⁷⁷, M. Warsinsky⁴⁸, A. Washbrook⁴⁶, C. Wasicki⁴², I. Watanabe⁶⁶, P.M. Watkins¹⁸, A.T. Watson¹⁸, I.J. Watson¹⁵⁰, M.F. Watson¹⁸, G. Watts¹³⁸, S. Watts⁸², A.T. Waugh¹⁵⁰, B.M. Waugh⁷⁷, M.S. Weber¹⁷, J.S. Webster³¹, A.R. Weidberg¹¹⁸, P. Weigell⁹⁹, J. Weingarten⁵⁴, C. Weiser⁴⁸, P.S. Wells³⁰, T. Wenaus²⁵, D. Wendland¹⁶, Z. Weng^{151,t}, T. Wengler³⁰, S. Wenig³⁰, N. Wermes²¹, M. Werner⁴⁸, P. Werner³⁰, M. Werth¹⁶³, M. Wessels^{58a}, J. Wetter¹⁶¹, C. Weydert⁵⁵, K. Whalen²⁹, A. White⁸, M.J. White⁸⁶, S. White^{122a,122b}, S.R. Whitehead¹¹⁸, D. Whiteson¹⁶³, D. Whittington⁶⁰, F. Wicek¹¹⁵, D. Wicke¹⁷⁵, F.J. Wickens¹²⁹, W. Wiedenmann¹⁷³, M. Wielers¹²⁹, P. Wienemann²¹, C. Wiglesworth⁷⁵, L.A.M. Wiik-Fuchs²¹, P.A. Wijeratne⁷⁷, A. Wildauer⁹⁹, M.A. Wildt^{42,q}, I. Wilhelm¹²⁶, H.G. Wilkens³⁰, J.Z. Will⁹⁸, E. Williams³⁵, H.H. Williams¹²⁰, W. Willis³⁵, S. Willocq⁸⁴, J.A. Wilson¹⁸, M.G. Wilson¹⁴³, A. Wilson⁸⁷, I. Wingerter-Seez⁵, S. Winkelmann⁴⁸, F. Winklmeier³⁰, M. Wittgen¹⁴³, S.J. Wollstadt⁸¹, M.W. Wolter³⁹, H. Wolters^{124a,g}, W.C. Wong⁴¹, G. Wooden⁸⁷, B.K. Wosiek³⁹, J. Wotschack³⁰, M.J. Woudstra⁸², K.W. Wozniak³⁹, K. Wraight⁵³, M. Wright⁵³, B. Wrona⁷³, S.L. Wu¹⁷³, X. Wu⁴⁹, Y. Wu^{33b,ai}, E. Wulf³⁵, B.M. Wynne⁴⁶, S. Xella³⁶, M. Xiao¹³⁶, S. Xie⁴⁸, C. Xu^{33b,x}, D. Xu¹³⁹, L. Xu^{33b}, B. Yabsley¹⁵⁰, S. Yacoob^{145a,aj}, M. Yamada⁶⁵, H. Yamaguchi¹⁵⁵, A. Yamamoto⁶⁵, K. Yamamoto⁶³, S. Yamamoto¹⁵⁵, T. Yamamura¹⁵⁵, T. Yamanaka¹⁵⁵, T. Yamazaki¹⁵⁵, Y. Yamazaki⁶⁶, Z. Yan²², H. Yang⁸⁷, U.K. Yang⁸², Y. Yang¹⁰⁹, Z. Yang^{146a,146b}, S. Yanush⁹¹, L. Yao^{33a}, Y. Yao¹⁵, Y. Yasu⁶⁵, G.V. Ybeles Smit¹³⁰, J. Ye⁴⁰, S. Ye²⁵, M. Yilmaz^{4c}, R. Yoosoofmiya¹²³, K. Yorita¹⁷¹, R. Yoshida⁶, K. Yoshihara¹⁵⁵, C. Young¹⁴³, C.J. Young¹¹⁸, S. Youssef²², D. Yu²⁵, J. Yu⁸, J. Yu¹¹², L. Yuan⁶⁶, A. Yurkewicz¹⁰⁶, B. Zabinski³⁹, R. Zaidan⁶², A.M. Zaitsev¹²⁸, Z. Zajacova³⁰, L. Zanello^{132a,132b}, D. Zanzi⁹⁹, A. Zaytsev²⁵, C. Zeitnitz¹⁷⁵, M. Zeman¹²⁵, A. Zemla³⁹, C. Zendler²¹, O. Zenin¹²⁸, T. Ženiš^{144a}, Z. Zinonos^{122a,122b}, D. Zerwas¹¹⁵, G. Zevi della Porta⁵⁷, D. Zhang^{33b,ak}, H. Zhang⁸⁸, J. Zhang⁶, X. Zhang^{33d}, Z. Zhang¹¹⁵, L. Zhao¹⁰⁸, Z. Zhao^{33b}, A. Zhemchugov⁶⁴, J. Zhong¹¹⁸, B. Zhou⁸⁷, N. Zhou¹⁶³, Y. Zhou¹⁵¹, C.G. Zhu^{33d}, H. Zhu⁴², J. Zhu⁸⁷, Y. Zhu^{33b}, X. Zhuang⁹⁸, V. Zhuravlov⁹⁹, A. Zibell⁹⁸, D. Zieminska⁶⁰, N.I. Zimin⁶⁴, R. Zimmermann²¹, S. Zimmermann²¹, S. Zimmermann⁴⁸, M. Ziolkowski¹⁴¹, R. Zitoun⁵, L. Živković³⁵, V.V. Zmouchko^{128,*}, G. Zobernig¹⁷³, A. Zoccoli^{20a,20b}, M. zur Nedden¹⁶, V. Zutshi¹⁰⁶, L. Zwalski³⁰

¹ School of Chemistry and Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany, NY, United States³ Department of Physics, University of Alberta, Edmonton, AB, Canada⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Department of Physics, Dumlupinar University, Kutahya; ^(c) Department of Physics, Gazi University, Ankara; ^(d) Division of Physics, TOBB University of Economics and Technology, Ankara; ^(e) Turkish Atomic Energy Authority, Ankara, Turkey⁵ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States⁷ Department of Physics, University of Arizona, Tucson, AZ, United States⁸ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States⁹ Physics Department, University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹² Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain¹³ ^(a) Institute of Physics, University of Belgrade, Belgrade; ^(b) Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States¹⁶ Department of Physics, Humboldt University, Berlin, Germany¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom¹⁹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Division of Physics, Dogus University, Istanbul; ^(c) Department of Physics Engineering, Gaziantep University, Gaziantep;²⁰ ^(a) Department of Physics, Istanbul Technical University, Istanbul, Turkey²⁰ ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica, Università di Bologna, Bologna, Italy²¹ Physikalisches Institut, University of Bonn, Bonn, Germany²² Department of Physics, Boston University, Boston, MA, United States²³ Department of Physics, Brandeis University, Waltham, MA, United States²⁴ ^(a) Universidad Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil²⁵ Physics Department, Brookhaven National Laboratory, Upton, NY, United States

- 26 ^(a)National Institute of Physics and Nuclear Engineering, Bucharest; ^(b)University Politehnica Bucharest, Bucharest; ^(c)West University in Timisoara, Timisoara, Romania
 27 Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
 28 Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
 29 Department of Physics, Carleton University, Ottawa, ON, Canada
 30 CERN, Geneva, Switzerland
 31 Enrico Fermi Institute, University of Chicago, Chicago, IL, United States
 32 ^(a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
 33 ^(a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b)Department of Modern Physics, University of Science and Technology of China, Anhui;
^(c)Department of Physics, Nanjing University, Jiangsu; ^(d)School of Physics, Shandong University, Shandong, China
 34 Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France
 35 Nevis Laboratory, Columbia University, Irvington, NY, United States
 36 Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
 37 ^(a)INFN Gruppo Collegato di Cosenza; ^(b)Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy
 38 AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland
 39 The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
 40 Physics Department, Southern Methodist University, Dallas, TX, United States
 41 Physics Department, University of Texas at Dallas, Richardson, TX, United States
 42 DESY, Hamburg and Zeuthen, Germany
 43 Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
 44 Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany
 45 Department of Physics, Duke University, Durham, NC, United States
 46 SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
 47 INFN Laboratori Nazionali di Frascati, Frascati, Italy
 48 Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
 49 Section de Physique, Université de Genève, Geneva, Switzerland
 50 ^(a)INFN Sezione di Genova; ^(b)Dipartimento di Fisica, Università di Genova, Genova, Italy
 51 ^(a)E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
 52 II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
 53 SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
 54 II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
 55 Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
 56 Department of Physics, Hampton University, Hampton, VA, United States
 57 Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
 58 ^(a)Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg;
^(c)ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
 59 Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
 60 Department of Physics, Indiana University, Bloomington, IN, United States
 61 Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
 62 University of Iowa, Iowa City, IA, United States
 63 Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
 64 Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
 65 KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
 66 Graduate School of Science, Kobe University, Kobe, Japan
 67 Faculty of Science, Kyoto University, Kyoto, Japan
 68 Kyoto University of Education, Kyoto, Japan
 69 Department of Physics, Kyushu University, Fukuoka, Japan
 70 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
 71 Physics Department, Lancaster University, Lancaster, United Kingdom
 72 ^(a)INFN Sezione di Lecce; ^(b)Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
 73 Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
 74 Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
 75 School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
 76 Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
 77 Department of Physics and Astronomy, University College London, London, United Kingdom
 78 Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
 79 Fysiska institutionen, Lunds universitet, Lund, Sweden
 80 Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
 81 Institut für Physik, Universität Mainz, Mainz, Germany
 82 School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
 83 CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
 84 Department of Physics, University of Massachusetts, Amherst, MA, United States
 85 Department of Physics, McGill University, Montreal, QC, Canada
 86 School of Physics, University of Melbourne, Victoria, Australia
 87 Department of Physics, The University of Michigan, Ann Arbor, MI, United States
 88 Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
 89 ^(a)INFN Sezione di Milano; ^(b)Dipartimento di Fisica, Università di Milano, Milano, Italy
 90 B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
 91 National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
 92 Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
 93 Group of Particle Physics, University of Montreal, Montreal, QC, Canada
 94 P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
 95 Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
 96 Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
 97 Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
 98 Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
 99 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
 100 Nagasaki Institute of Applied Science, Nagasaki, Japan
 101 Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
 102 ^(a)INFN Sezione di Napoli; ^(b)Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy

- ¹⁰³ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰⁴ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁵ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁶ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹⁰⁷ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹⁰⁸ Department of Physics, New York University, New York, NY, United States
¹⁰⁹ Ohio State University, Columbus, OH, United States
¹¹⁰ Faculty of Science, Okayama University, Okayama, Japan
¹¹¹ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹² Department of Physics, Oklahoma State University, Stillwater, OK, United States
¹¹³ Palacký University, RCPMT, Olomouc, Czech Republic
¹¹⁴ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
¹¹⁵ LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
¹¹⁶ Graduate School of Science, Osaka University, Osaka, Japan
¹¹⁷ Department of Physics, University of Oslo, Oslo, Norway
¹¹⁸ Department of Physics, Oxford University, Oxford, United Kingdom
¹¹⁹ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²⁰ Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
¹²¹ Petersburg Nuclear Physics Institute, Gatchina, Russia
¹²² ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²³ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
¹²⁴ ^(a) Laboratorio de Instrumentacion e Física Experimental de Partículas – LIP, Lisboa, Portugal; ^(b) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
¹²⁵ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁶ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
¹²⁷ Czech Technical University in Prague, Praha, Czech Republic
¹²⁸ State Research Center Institute for High Energy Physics, Protvino, Russia
¹²⁹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³⁰ Physics Department, University of Regina, Regina, SK, Canada
¹³¹ Ritsumeikan University, Kusatsu, Shiga, Japan
¹³² ^(a) INFN Sezione di Roma I; ^(b) Dipartimento di Fisica, Università La Sapienza, Roma, Italy
¹³³ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁴ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Fisica, Università Roma Tre, Roma, Italy
¹³⁵ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda;
^(e) Faculté des sciences, Université Mohammed V – Agdal, Rabat, Morocco
¹³⁶ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France
¹³⁷ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
¹³⁸ Department of Physics, University of Washington, Seattle, WA, United States
¹³⁹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴⁰ Department of Physics, Shinshu University, Nagano, Japan
¹⁴¹ Fachbereich Physik, Universität Siegen, Siegen, Germany
¹⁴² Department of Physics, Simon Fraser University, Burnaby, BC, Canada
¹⁴³ SLAC National Accelerator Laboratory, Stanford, CA, United States
¹⁴⁴ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Košice, Slovak Republic
¹⁴⁵ ^(a) Department of Physics, University of Johannesburg, Johannesburg; ^(b) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
¹⁴⁶ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
¹⁴⁷ Physics Department, Royal Institute of Technology, Stockholm, Sweden
¹⁴⁸ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
¹⁴⁹ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
¹⁵⁰ School of Physics, University of Sydney, Sydney, Australia
¹⁵¹ Institute of Physics, Academia Sinica, Taipei, Taiwan
¹⁵² Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
¹⁵³ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
¹⁵⁴ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
¹⁵⁵ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
¹⁵⁶ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
¹⁵⁷ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
¹⁵⁸ Department of Physics, University of Toronto, Toronto, ON, Canada
¹⁵⁹ ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
¹⁶⁰ Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
¹⁶¹ Department of Physics and Astronomy, Tufts University, Medford, MA, United States
¹⁶² Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
¹⁶³ Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
¹⁶⁴ ^(a) INFN Gruppo Collegato di Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
¹⁶⁵ Department of Physics, University of Illinois, Urbana, IL, United States
¹⁶⁶ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
¹⁶⁷ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
¹⁶⁸ Department of Physics, University of British Columbia, Vancouver, BC, Canada
¹⁶⁹ Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
¹⁷⁰ Department of Physics, University of Warwick, Coventry, United Kingdom
¹⁷¹ Waseda University, Tokyo, Japan
¹⁷² Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
¹⁷³ Department of Physics, University of Wisconsin, Madison, WI, United States
¹⁷⁴ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
¹⁷⁵ Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
¹⁷⁶ Department of Physics, Yale University, New Haven, CT, United States

¹⁷⁷ Yerevan Physics Institute, Yerevan, Armenia

¹⁷⁸ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Laboratorio de Instrumentacao e Fisica Experimental de Particulas – LIP, Lisboa, Portugal.

^b Also at Faculdade de Ciencias and CFNUL, Universidade de Lisboa, Lisboa, Portugal.

^c Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.

^d Also at TRIUMF, Vancouver, BC, Canada.

^e Also at Department of Physics, California State University, Fresno, CA, United States.

^f Also at Novosibirsk State University, Novosibirsk, Russia.

^g Also at Department of Physics, University of Coimbra, Coimbra, Portugal.

^h Also at Department of Physics, UASLP, San Luis Potosi, Mexico.

ⁱ Also at Università di Napoli Parthenope, Napoli, Italy.

^j Also at Institute of Particle Physics (IPP), Canada.

^k Also at Department of Physics, Middle East Technical University, Ankara, Turkey.

^l Also at Louisiana Tech University, Ruston, LA, United States.

^m Also at Departamento de Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal.

ⁿ Also at Department of Physics and Astronomy, University College London, London, United Kingdom.

^o Also at Department of Physics, University of Cape Town, Cape Town, South Africa.

^p Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^q Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.

^r Also at Manhattan College, New York, NY, United States.

^s Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

^t Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.

^u Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.

^v Also at School of Physics, Shandong University, Shandong, China.

^w Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy.

^x Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France.

^y Also at Section de Physique, Université de Genève, Geneva, Switzerland.

^z Also at Departamento de Fisica, Universidade de Minho, Braga, Portugal.

^{aa} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.

^{ab} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.

^{ac} Also at California Institute of Technology, Pasadena, CA, United States.

^{ad} Also at Institute of Physics, Jagiellonian University, Krakow, Poland.

^{ae} Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France.

^{af} Also at Nevis Laboratory, Columbia University, Irvington, NY, United States.

^{ag} Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom.

^{ah} Also at Department of Physics, Oxford University, Oxford, United Kingdom.

^{ai} Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.

^{aj} Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.

^{ak} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.

* Deceased.