

**Original citation:**

Social Science Genetic Association Consortium (SSGAC) (Including: Cappuccio, Francesco). (2016) Genome-wide association study identifies 74 loci associated with educational attainment. *Nature*, 533. pp. 539-542.

**Permanent WRAP URL:**

<http://wrap.warwick.ac.uk/78132>

**Copyright and reuse:**

The Warwick Research Archive Portal (WRAP) makes this work by researchers of the University of Warwick available open access under the following conditions. Copyright © and all moral rights to the version of the paper presented here belong to the individual author(s) and/or other copyright owners. To the extent reasonable and practicable the material made available in WRAP has been checked for eligibility before being made available.

Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

**Publisher's statement:**

© 2016 Nature Publishing Group. <http://dx.doi.org/10.1038/nature17671>

**A note on versions:**

The version presented here may differ from the published version or, version of record, if you wish to cite this item you are advised to consult the publisher's version. Please see the 'permanent WRAP URL' above for details on accessing the published version and note that access may require a subscription.

For more information, please contact the WRAP Team at: [wrap@warwick.ac.uk](mailto:wrap@warwick.ac.uk)

1 **Title: Genome-wide association study identifies 74 loci**  
2 **associated with educational attainment**

3  
4 **Authors:** All authors and their affiliations appear at the end of the paper

5  
6 **Summary:** Educational attainment (EA) is strongly influenced by social and other  
7 environmental factors, but genetic factors are also estimated to account for at least 20% of the  
8 variation across individuals<sup>1</sup>. We report the results of a genome-wide association study  
9 (GWAS) for EA that extends our earlier discovery sample<sup>1,2</sup> of 101,069 individuals to  
10 293,723 individuals, and a replication in an independent sample of 111,349 individuals from  
11 the UK Biobank. We now identify 74 genome-wide significant loci associated with number  
12 of years of schooling completed. Single-nucleotide polymorphisms (SNPs) associated with  
13 educational attainment are disproportionately found in genomic regions regulating gene  
14 expression in the fetal brain. Candidate genes are preferentially expressed in neural tissue,  
15 especially during the prenatal period, and enriched for biological pathways involved in neural  
16 development. Our findings demonstrate that, even for a behavioral phenotype that is mostly  
17 environmentally determined, a well-powered GWAS identifies replicable associated genetic  
18 variants that suggest biologically relevant pathways. Because EA is measured in large  
19 numbers of individuals, it will continue to be useful as a proxy phenotype in efforts to  
20 characterize the genetic influences of related phenotypes, including cognition and  
21 neuropsychiatric disease.

22  
23 **Main Text:**

24 We study educational attainment (EA), which is measured in all main analyses as the number  
25 of years of schooling completed (*EduYears*,  $N = 293,723$ , mean = 14.33, SD = 3.61;  
26 Supplementary Information sections 1.1-1.2). All genome-wide association studies (GWAS)  
27 were performed at the cohort level in samples restricted to individuals of European descent

1 whose EA was assessed at or above age 30. A uniform set of quality-control (QC) procedures  
2 was applied to the cohort-level summary statistics. In our GWAS meta-analysis of ~9.3M  
3 SNPs from the 1000 Genomes Project, we used sample-size weighting and applied a single  
4 round of genomic control at the cohort level.

5 Our meta-analysis identified 74 approximately independent genome-wide significant loci. For  
6 each locus, we define the “lead SNP” as the SNP in the genomic region that has the smallest  
7  $P$ -value (Supplementary Information section 1.6.1). Fig. 1 shows a Manhattan plot with the  
8 lead SNPs highlighted. This includes the three SNPs that reached genome-wide significance  
9 in the discovery stage of our previous GWAS meta-analysis of EA<sup>1</sup>. The quantile-quantile  
10 (Q-Q) plot of the meta-analysis (Extended Data Fig. 1) exhibits inflation ( $\lambda_{GC} = 1.28$ ), as  
11 expected under polygenicity<sup>3</sup>.

12 Extended Data Fig. 2 shows the estimated effect sizes of the lead SNPs. The estimates range  
13 from 0.014 to 0.048 standard deviations per allele (2.7 to 9.0 weeks of schooling), with  
14 incremental  $R^2$  in the range 0.01% to 0.035%.

15 To quantify the amount of population stratification in the GWAS estimates that remains even  
16 after the stringent controls used by the cohorts (Supplementary Information section 1.4), we  
17 used LD Score regression<sup>4</sup>. The regression results indicate that ~8% of the observed inflation  
18 in the mean  $\chi^2$  is due to bias rather than polygenic signal (Extended Data Fig. 3a), suggesting  
19 that stratification effects are small in magnitude. We also found evidence for polygenic  
20 association signal in several within-family analyses, although these are not powered for  
21 individual SNP association testing (Supplementary Information section 2 and Extended Data  
22 Fig. 3b).

23 To further test the robustness of our findings, we examined the within-sample and out-of-  
24 sample replicability of SNPs reaching genome-wide significance (Supplementary

1 Information sections 1.7-1.8). We found that SNPs identified in the previous EA meta-  
2 analysis  
3 replicated in the new cohorts included here, and conversely, that SNPs reaching genome-wide  
4 significance in the new cohorts replicated in the old cohorts. For the out-of-sample replication  
5 analyses of our 74 lead SNPs, we used the interim release of the U.K. Biobank <sup>5</sup> (UKB) ( $N =$   
6 111,349). As shown in Extended Data Fig. 4, 72 out of the 74 lead SNPs have a consistent  
7 sign ( $P = 1.47 \times 10^{-19}$ ), 52 are significant at the 5% level ( $P = 2.68 \times 10^{-50}$ ), and 7 reach  
8 genome-wide significance in the U.K. Biobank dataset ( $P = 1.41 \times 10^{-42}$ ). For comparison, the  
9 corresponding expected numbers, assuming each SNP's true effect size is its estimated effect  
10 adjusted for the winner's curse, are 71.4, 40.3, and 0.6. (Supplementary Information section  
11 1.8.2). We also find out-of-sample replicability of our overall GWAS results: the genetic  
12 correlation between *EduYears* in our meta-analysis sample and in the UKB data is 0.95 (s.e. =  
13 0.021; Supplementary Table 1.14).

14 It is known that EA, cognitive performance, and many neuropsychiatric phenotypes are  
15 phenotypically correlated, and several studies of twins find that the phenotypic correlations  
16 partly reflect genetic overlap<sup>6-8</sup> (Supplementary Information section 3.3.4). Here, we  
17 investigate genetic correlation using our GWAS results for *EduYears* and published GWAS  
18 results for 14 other phenotypes, using bivariate Linkage-Disequilibrium (LD) Score  
19 regression<sup>9</sup> (Supplementary Information section 3). First, we estimated genetic correlations  
20 with *EduYears*. As shown in Fig. 2, based on overall summary statistics for associated  
21 variants, we find genetic covariance between increased EA and increased cognitive  
22 performance ( $P = 9.9 \times 10^{-50}$ ), increased intracranial volume ( $P = 1.2 \times 10^{-6}$ ), increased risk of  
23 bipolar disorder ( $P = 7 \times 10^{-13}$ ), decreased risk of Alzheimer's ( $P = 4 \times 10^{-4}$ ), and lower  
24 neuroticism ( $P = 2.8 \times 10^{-8}$ ). We also found positive, statistically significant, but very small,  
25 genetic correlations with height ( $P = 5.2 \times 10^{-15}$ ) and risk of schizophrenia ( $P = 3.2 \times 10^{-4}$ ).

1 Second, we examined whether our 74 lead SNPs are jointly associated with each phenotype  
2 (Extended Data Fig. 5 and Supplementary Information section 3.3.1). We reject the null  
3 hypothesis of no enrichment at  $P < 0.05$  for 10 of the 14 phenotypes (all the exceptions are  
4 subcortical brain structures).

5 Third, for each phenotype, we tested (in the published GWAS results) each of our 74 lead  
6 SNPs or proxy for association at a significance threshold of  $0.05/74$ . We found a total of 25  
7 SNPs meeting this threshold for any of these phenotypes, but only one reaching genome-wide  
8 significance. While these results provide suggestive evidence that some of these SNPs may  
9 be associated with other phenotypes, further testing of these associations in independent  
10 cohorts is required (Supplementary Tables 3.2-3.4, Extended Data Fig. 6).

11 To consider potential biological pathways, we first tested whether SNPs in particular regions  
12 of the genome are implicated by our GWAS results. Unlike what has been found for other  
13 phenotypes, SNPs in regions that are DNase I hypersensitive in the fetal brain are more likely  
14 to be associated with *EduYears* by a factor of  $\sim 5$  (95% confidence interval 2.89–7.07;  
15 Extended Data Fig. 7). Moreover, the 15% of SNPs residing in regions associated with  
16 histones marked in the central nervous system (CNS) explain 44% of the heritable variation  
17 (Extended Data Fig. 8a and Supplementary Table 4.4.2). This enrichment factor of  $\sim 3$  for  
18 CNS ( $P = 2.48 \times 10^{-16}$ ) is greater than that of any of the other nine tissue categories in this  
19 analysis.

20 Given that our findings disproportionately implicate SNPs in regions regulating brain-specific  
21 gene expression, we examined whether genes located near *EduYears*-associated SNPs show  
22 elevated expression in neural tissue. We tested this hypothesis using data on mRNA transcript  
23 levels in the 37 adult tissues assayed by the Genotype-Tissue Expression Project (GTEx)<sup>10</sup>.  
24 Remarkably, the 13 GTEx tissues that are components of the CNS—and only those 13

1 tissues—show significantly elevated expression levels of genes near *EduYears*-associated  
2 SNPs (FDR < 0.05; Extended Data Fig. 8b and Supplementary Table 4.5.2).

3 To investigate possible functions of the candidate genes from the GWAS associated loci, we  
4 examined the extent of their overlap with groups of genes (“gene sets”) whose products are  
5 known or predicted to participate in a common biological process<sup>11</sup>. We found 283 gene sets  
6 significantly enriched by the candidate genes identified in our GWAS (FDR < 0.05;  
7 Supplementary Table 4.5.1). To facilitate interpretation, we used a standard procedure<sup>11</sup> to  
8 group the 283 gene sets into “clusters” defined by degree of gene overlap. The resulting 34  
9 clusters, shown in Fig. 3, paint a coherent picture, with many clusters corresponding to stages  
10 of neural development: the proliferation of neural progenitor cells and their specialization  
11 (the *cluster npBAF complex*), the migration of new neurons to the different layers of the  
12 cortex (*forebrain development, abnormal cerebral cortex morphology*), the projection of  
13 axons from neurons to their signaling targets (*axonogenesis, signaling by Robo receptor*), the  
14 sprouting of dendrites and their spines (*dendrite, dendritic spine organization*), and  
15 neuronal signaling and synaptic plasticity throughout the lifespan (*voltage-gated  
16 calcium channel complex, synapse part, synapse organization*).

17 Many of our results implicate candidate genes and biological pathways that are active during  
18 distinct stages of prenatal brain development. To directly examine how the expression levels  
19 of candidate genes identified in our GWAS vary over the course of development, we used  
20 gene expression data from the BrainSpan Developmental Transcriptome<sup>12</sup>. As shown in  
21 Extended Data Fig. 9, these candidate genes exhibit above-baseline expression in the brain  
22 throughout life but especially higher expression levels in the brain during prenatal  
23 development (1.36 times higher prenatally than postnatally,  $P = 6.02 \times 10^{-8}$ ).

24 A summary overview of some promising candidate genes for follow-up work is provided in  
25 Table 1.

1 We constructed polygenic scores<sup>13</sup> to assess the joint predictive power afforded by the  
2 GWAS results (Supplementary Information section 5.2). Across our two holdout samples, the  
3 mean predictive power of a polygenic score constructed from all measured SNPs is 3.2% ( $P =$   
4  $1.18 \times 10^{-39}$ ; Supplementary Table 5.2 and Supplementary Information section 5).

5 Studies of genetic analyses of behavioral phenotypes have been prone to misinterpretation,  
6 such as characterizing identified associated variants as “genes for education.” Such  
7 characterization is not correct for many reasons: EA is primarily determined by  
8 environmental factors, the explanatory power of the individual SNPs is small, the candidate  
9 genes may not be causal, and the genetic associations with EA are mediated by multiple  
10 intermediate phenotypes<sup>14</sup>. To illustrate this last point, we studied mediation of the  
11 association between the all-SNPs polygenic score and *EduYears* in two of our cohorts. We  
12 found that cognitive performance can statistically account for 23-42% of the association ( $P <$   
13  $0.001$ ) and the personality trait “openness to experience” for approximately 7% ( $P < 0.001$ ;  
14 Supplementary Information section 6).

15 It would also be a mistake to infer from our findings that the genetic effects operate  
16 independently of environmental factors. Indeed, a recent meta-analysis of twin studies found  
17 that genetic influences on EA are heterogeneous across countries and birth cohorts<sup>15</sup>. We  
18 conducted exploratory analyses in the Swedish Twin Registry to illustrate how environmental  
19 factors may amplify or dampen the impact of genetic influences (Supplementary Information  
20 section 7). We found that the predictive power of the all-SNPs polygenic score is  
21 heterogeneous by birth cohort, with smaller explanatory power in younger cohorts (Extended  
22 Data Fig. 10; see also Supplementary Information section 7.4 for discussion of the contrast  
23 between these results and findings from a seminal twin study that estimated EA heritability  
24 by birth cohort<sup>16</sup>).

25

1 **Methods:** All methods are described in the Supplementary Information.

2

3

4 **References:**

- 5 1. Rietveld, C. A. *et al.* GWAS of 126,559 individuals identifies genetic variants  
6 associated with educational attainment. *Science* **340**, 1467–1471 (2013).
- 7 2. Rietveld, C. A. *et al.* Replicability and robustness of GWAS for behavioral traits.  
8 *Psychol. Sci.* **25**, 1975–1986 (2014).
- 9 3. Yang, J. *et al.* Genomic inflation factors under polygenic inheritance. *Eur. J. Hum.*  
10 *Genet.* **19**, 807–812 (2011).
- 11 4. Bulik-Sullivan, B. K. *et al.* LD Score regression distinguishes confounding from  
12 polygenicity in genome-wide association studies. *Nat. Genet.* **47**, 291–295 (2015).
- 13 5. Sudlow, C. *et al.* UK Biobank: An open access resource for identifying the causes of a  
14 wide range of complex diseases of middle and old age. *PLoS Med.* **12**, e1001779  
15 (2015).
- 16 6. Fowler, T., Zammit, S., Owen, M. J. & Rasmussen, F. A population-based study of  
17 shared genetic variation between premorbid IQ and psychosis among male twin pairs  
18 and sibling pairs from Sweden. *Arch. Gen. Psychiatry* **69**, 460–466 (2012).
- 19 7. Tambs, K., Sundet, J. M., Magnus, P. & Berg, K. Genetic and environmental  
20 contributions to the covariance between occupational status, educational attainment,  
21 and IQ: a study of twins. *Behav. Genet.* **19**, 209–222 (1989).
- 22 8. Thompson, L. A., Detterman, D. K. & Plomin, R. Associations between cognitive  
23 abilities and scholastic achievement: Genetic overlap but environmental differences.  
24 *Psychol. Sci.* **2**, 158–165 (1991).
- 25 9. Bulik-Sullivan, B. *et al.* An atlas of genetic correlations across human diseases and  
26 traits. *Nat. Genet.* **47**, 1236–1241 (2015).
- 27 10. Ardlie, K. G. *et al.* The Genotype-Tissue Expression (GTEx) pilot analysis:  
28 Multitissue gene regulation in humans. *Science* **348**, 648–660 (2015).
- 29 11. Pers, T. H. *et al.* Biological interpretation of genome-wide association studies using  
30 predicted gene functions. *Nat. Commun.* **6**, 5890 (2015).
- 31 12. Allen Institute for Brain Science. BrainSpan atlas of the developing human brain.  
32 (2015). at <<http://www.brainspan.org/>>
- 33 13. Purcell, S. M. *et al.* Common polygenic variation contributes to risk of schizophrenia  
34 and bipolar disorder. *Nature* **460**, 748–752 (2009).
- 35 14. Krapohl, E. *et al.* The high heritability of educational achievement reflects many  
36 genetically influenced traits, not just intelligence. *Proc. Natl. Acad. Sci. U. S. A.* **111**,  
37 15273–15278 (2014).
- 38 15. Branigan, A. R., McCallum, K. J. & Freese, J. Variation in the heritability of  
39 educational attainment: An international meta-analysis. *Northwest. Univ. Inst. Policy*  
40 *Res. Work. Pap.* **92**, 109–140 (2013).



1 16. Heath, A. C. *et al.* Education policy and the heritability of educational attainment.  
2 *Nature* **314**, 734–736 (1985).

3  
4  
5 **Supplementary Information** is linked to the online version of the paper at  
6 [www.nature.com/nature](http://www.nature.com/nature).

7  
8 **Acknowledgements** This research was carried out under the auspices of the Social Science  
9 Genetic Association Consortium (SSGAC). The SSGAC seeks to facilitate studies that  
10 investigate the influence of genes on human behavior, well-being, and social-scientific  
11 outcomes using large genome-wide association study meta-analyses. The SSGAC also  
12 provides opportunities for replication and promotes the collection of accurately measured,  
13 harmonized phenotypes across cohorts. The SSGAC operates as a working group within the  
14 CHARGE consortium. This research has also been conducted using the UK Biobank  
15 Resource. This study was supported by funding from the Ragnar Söderberg Foundation  
16 (E9/11), the Swedish Research Council (421-2013-1061), The Jan Wallander and Tom  
17 Hedelius Foundation, an ERC Consolidator Grant (647648 EdGe), the Pershing Square Fund  
18 of the Foundations of Human Behavior, and the NIA/NIH through grants P01-AG005842,  
19 P01-AG005842-20S2, P30-AG012810, and T32-AG000186-23 to NBER, and R01-  
20 AG042568 to USC. We thank Samantha Cunningham, Nishanth Galla and Justin Rashtian for  
21 research assistance. A full list of acknowledgments is provided in the supplementary  
22 materials.

23  
24 **Author contributions** Study Design and Management: D.J.B., D.C., T.E., M.J., P.D.K. and  
25 P.M.V. Quality Control and Meta Analysis: A.O., G.B.C., T.E, M.A.F., C.A.R. and T.H.P.  
26 Stratification: P.T., J.P.B., C.A.R. and J.Y. Genetic Overlap: J.P.B, M.A.F., P.T. Biological

1 Annotation: J.J.L, T.E., J.H.B., J.K.B., J.P.B., L.F., V.E., L.F., G.A.M, M.A.F., S.F.W.M.,  
2 G.A.M., T.H.P., J.K.P., P.Timshel, R.A.P., R.d.V. and H.J.W. Prediction and Mediation:  
3 J.P.B., M.A.F. and J.Y. G×E: D.Conley, S.F.L., K.O.L., S.O. and K.T. Replication in UKB:  
4 M.A.F. and C.A.R. SSGAC Advisory Board: D.Conley, T.E., A.H., R.F.K., D.I.L., S.E.M.,  
5 M.N.M., G.D.S. and P.M.V. All authors contributed to and critically reviewed the  
6 manuscript. Authors not listed above contributed to the recruitment, genotyping, or data  
7 processing for the contributing components of the meta-analysis. For a full list of author  
8 contributions, see Supplementary Information section 8.

9

10 **Author Information** Results can be downloaded from the SSGAC website  
11 (<http://ssgac.org/Data.php>). Data for our analyses come from many studies and organizations,  
12 some of which are subject to a MTA, and are listed in the Supplementary Information.  
13 Reprints and permissions information is available at [www.nature.com/reprints](http://www.nature.com/reprints). The authors  
14 declare no competing financial interests. Correspondence and requests for materials should be  
15 addressed to D.J.B. ([daniel.benjamin@gmail.com](mailto:daniel.benjamin@gmail.com)), D.C. ([dac12@nyu.edu](mailto:dac12@nyu.edu)), P.D.K.  
16 ([p.d.koellinger@vu.nl](mailto:p.d.koellinger@vu.nl)), or P.M.V. ([peter.visscher@uq.edu.au](mailto:peter.visscher@uq.edu.au)).

17

1 **Table 1 | Selected candidate genes implicated by bioinformatics analyses.** Fifteen  
2 candidate genes implicated most consistently across various analyses. To assemble this list,  
3 each gene in a DEPICT-defined locus (Supplementary Information section 4.5) was assigned  
4 a score equal to the number of criteria it satisfies out of ten (see Supplementary Table 4.1 for  
5 details). The DEPICT prioritization *P*-value was used as the tiebreaker. “SNP”: the SNP in  
6 the gene’s locus with the lowest *P*-value in the *EduYears* meta-analysis. “Syndromic”: which,  
7 if any, of three neuropsychiatric disorders have been linked to *de novo* mutations in the gene  
8 (Supplementary Information section 4.6). “Top-ranking gene sets”: DEPICT reconstituted  
9 gene sets of which the gene is a top-20 member (Supplementary Table 4.5.1). The three most  
10 significant gene sets are shown if more than three are available. ID, intellectual disability;  
11 ASD, autism spectrum disorder; SCZ, schizophrenia.  
12

1

<b>Gene</b>	<b>SNP</b>	<b>Syndromic</b>	<b>Score</b>	<b>Top-ranking gene sets</b>
<i>TBR1</i>	rs4500960	ID, ASD	6	Developmental biology, decreased brain size, abnormal cerebral cortex morphology
<i>MEF2C</i>	rs7277187	ID, ASD	5	ErbB signaling pathway, abnormal sternum ossification, regulation of muscle cell differentiation
<i>ZSWIM6</i>	rs61160187	–	5	Transcription factor binding, negative regulation of signal transduction, PI3K events in ErbB4 signaling
<i>BCL11A</i>	rs2457660	ASD	5	Dendritic spine organization, abnormal hippocampal mossy fiber morphology, SWI/SNF-type complex
<i>CELSR3</i>	rs11712056	SCZ	5	Dendrite morphogenesis, dendrite development, abnormal hippocampal mossy fiber morphology
<i>MAPT</i>	rs192818565	ID	5	Dendrite morphogenesis, abnormal hippocampal mossy fiber morphology, abnormal axon guidance
<i>SBNO1</i>	rs7306755	SCZ	5	Protein serine/threonine phosphatase complex
<i>NBAS</i>	rs12987662	–	5	–
<i>NBEA</i>	rs9544418	SCZ	4	Developmental biology, signaling by Robo receptor, dendritic shaft
<i>SMARCA2</i>	rs1871109	ID	4	–
<i>MAP4</i>	rs11712056	ASD	4	Developmental biology, signaling by Robo receptor, SWI-SNF-type complex
<i>LINC00461</i>	rs10061788	–	4	Decreased brain size, abnormal cerebral cortex morphology, abnormal hippocampal mossy fiber morphology
<i>POU3F2</i>	rs9320913	–	4	Dendrite morphogenesis, developmental biology, decreased brain size
<i>RAD54L2</i>	rs11712056	SCZ	4	Decreased brain size, SWI/SNF-type complex, nBAF complex
<i>PLK2</i>	rs2964197	–	4	Negative regulation of signal transduction, PI3K events in ErbB4 signaling

2

1 **Authors:**

2 Aysu Okbay<sup>1,2,3,\*</sup>, Jonathan P. Beauchamp<sup>4,\*</sup>, Mark A. Fontana<sup>5,\*</sup>, James J. Lee<sup>6,\*</sup>, Tune H.  
3 Pers<sup>7,8,9,10,\*</sup>, Cornelius A. Rietveld<sup>1,2,3,\*</sup>, Patrick Turley<sup>4,\*</sup>, Guo-Bo Chen<sup>11</sup>, Valur  
4 Emilsson<sup>12,13</sup>, S. Fleur W. Meddens<sup>14,3,15</sup>, Sven Oskarsson<sup>16</sup>, Joseph K. Pickrell<sup>17</sup>, Kevin  
5 Thom<sup>18</sup>, Pascal Timshel<sup>19,8</sup>, Ronald de Vlaming<sup>1,2,3</sup>, Abdel Abdellaoui<sup>20</sup>, Tarunveer S.  
6 Ahluwalia<sup>21,9,22</sup>, Jonas Bacelis<sup>23</sup>, Clemens Baumbach<sup>24,25</sup>, Gyda Bjornsdottir<sup>95</sup>, Johannes H.  
7 Brandsma<sup>26</sup>, Maria Pina Concas<sup>27</sup>, Jaime Derringer<sup>28</sup>, Nicholas A. Furlotte<sup>29</sup>, Tessel E.  
8 Galesloot<sup>30</sup>, Giorgia Giotto<sup>31</sup>, Richa Gupta<sup>32</sup>, Leanne M. Hall<sup>33,34</sup>, Sarah E. Harris<sup>35,36</sup>, Edith  
9 Hofer<sup>37,38</sup>, Momoko Horikoshi<sup>39,40</sup>, Jennifer E. Huffman<sup>41</sup>, Kadri Kaasik<sup>42</sup>, Ioanna P.  
10 Kalafati<sup>43</sup>, Robert Karlsson<sup>44</sup>, Augustine Kong<sup>95</sup>, Jari Lahti<sup>42,45</sup>, Sven J. van der Lee<sup>2</sup>,  
11 Christiaan de Leeuw<sup>14,46</sup>, Penelope A. Lind<sup>47</sup>, Karl-Oskar Lindgren<sup>16</sup>, Tian Liu<sup>48</sup>, Massimo  
12 Mangino<sup>49,50</sup>, Jonathan Marten<sup>41</sup>, Evelin Mihailov<sup>114</sup>, Michael B. Miller<sup>6</sup>, Peter J. van der  
13 Most<sup>51</sup>, Christopher Oldmeadow<sup>52,53</sup>, Antony Payton<sup>54,55</sup>, Natalia Pervjakova<sup>56,114</sup>, Wouter J.  
14 Peyrot<sup>57</sup>, Yong Qian<sup>58</sup>, Olli Raitakari<sup>59</sup>, Rico Rueedi<sup>60,61</sup>, Erika Salvi<sup>62</sup>, Børge Schmidt<sup>63</sup>,  
15 Katharina E. Schraut<sup>64</sup>, Jianxin Shi<sup>65</sup>, Albert V. Smith<sup>66,67</sup>, Raymond A. Poot<sup>26</sup>, Beate St  
16 Pourcain<sup>68,69</sup>, Alexander Teumer<sup>70</sup>, Gudmar Thorleifsson<sup>95</sup>, Niek Verweij<sup>71</sup>, Dragana  
17 Vuckovic<sup>31</sup>, Juergen Wellmann<sup>72</sup>, Harm-Jan Westra<sup>73,74,8</sup>, Jingyun Yang<sup>75,76</sup>, Wei Zhao<sup>77</sup>,  
18 Zhihong Zhu<sup>11</sup>, Behrooz Z. Alizadeh<sup>51,78</sup>, Najaf Amin<sup>2</sup>, Andrew Bakshi<sup>11</sup>, Sebastian E.  
19 Baumeister<sup>70,79</sup>, Ginevra Biino<sup>80</sup>, Klaus Bønnelykke<sup>21</sup>, Patricia A. Boyle<sup>75,81</sup>, Harry  
20 Campbell<sup>64</sup>, Francesco P. Cappuccio<sup>82</sup>, Gail Davies<sup>35,83</sup>, Jan-Emmanuel De Neve<sup>84</sup>, Panos  
21 Deloukas<sup>85,86</sup>, Ilja Demuth<sup>87,88</sup>, Jun Ding<sup>58</sup>, Peter Eibich<sup>89,90</sup>, Lewin Eisele<sup>63</sup>, Niina Eklund<sup>56</sup>,  
22 David M. Evans<sup>68,184</sup>, Jessica D. Faul<sup>91</sup>, Mary F. Feitosa<sup>92</sup>, Andreas J. Forstner<sup>93,94</sup>, Ilaria  
23 Gandin<sup>31</sup>, Bjarni Gunnarsson<sup>95</sup>, Bjarni V. Halldórsson<sup>95,96</sup>, Tamara B. Harris<sup>97</sup>, Andrew C.  
24 Heath<sup>98</sup>, Lynne J. Hocking<sup>99</sup>, Elizabeth G. Holliday<sup>52,53</sup>, Georg Homuth<sup>100</sup>, Michael A.  
25 Horan<sup>101</sup>, Jouke-Jan Hottenga<sup>20</sup>, Philip L. de Jager<sup>102,103,8</sup>, Peter K. Joshi<sup>64</sup>, Astanand

1 Jugessur<sup>104</sup>, Marika A. Kaakinen<sup>105</sup>, Mika Kähönen<sup>106,107</sup>, Stavroula Kanoni<sup>85</sup>, Liisa  
2 Keltigangas-Järvinen<sup>42</sup>, Lambertus A.L.M. Kiemeny<sup>30</sup>, Ivana Kolcic<sup>108</sup>, Seppo Koskinen<sup>56</sup>,  
3 Aldi T. Kraja<sup>92</sup>, Martin Kroh<sup>89</sup>, Zoltan Kutalik<sup>109,60,61</sup>, Antti Latvala<sup>32</sup>, Lenore J. Launer<sup>110</sup>,  
4 Maël P. Lebreton<sup>15,111</sup>, Douglas F. Levinson<sup>112</sup>, Paul Lichtenstein<sup>44</sup>, Peter Lichtner<sup>118</sup>, David  
5 C.M. Liewald<sup>35,83</sup>, LifeLines Cohort Study<sup>113</sup>, Anu Loukola<sup>32</sup>, Pamela A. Madden<sup>98</sup>, Reedik  
6 Mägi<sup>114</sup>, Tomi Mäki-Opas<sup>56</sup>, Riccardo E. Marioni<sup>35,115,11</sup>, Pedro Marques-Vidal<sup>116</sup>, Gerardus  
7 A. Meddens<sup>117</sup>, George McMahon<sup>68</sup>, Christa Meisinger<sup>25</sup>, Thomas Meitinger<sup>118</sup>, Yusplitri  
8 Milaneschi<sup>57</sup>, Lili Milani<sup>114</sup>, Grant W. Montgomery<sup>119</sup>, Ronny Myhre<sup>104</sup>, Christopher P.  
9 Nelson<sup>33,34</sup>, Dale R. Nyholt<sup>120,119</sup>, William E.R. Ollier<sup>54</sup>, Aarno Palotie<sup>121,8,122,123,124,125</sup>,  
10 Lavinia Paternoster<sup>68</sup>, Nancy L. Pedersen<sup>44</sup>, Katja E. Petrovic<sup>37</sup>, David J. Porteous<sup>36</sup>, Katri  
11 Räikkönen<sup>42,45</sup>, Susan M. Ring<sup>68</sup>, Antonietta Robino<sup>126</sup>, Olga Rostapshova<sup>4,127</sup>, Igor Rudan<sup>64</sup>,  
12 Aldo Rustichini<sup>128</sup>, Veikko Salomaa<sup>56</sup>, Alan R. Sanders<sup>129,130</sup>, Antti-Pekka Sarin<sup>124,131</sup>, Helena  
13 Schmidt<sup>132,37</sup>, Rodney J. Scott<sup>133,53</sup>, Blair H. Smith<sup>134</sup>, Jennifer A. Smith<sup>77</sup>, Jan A.  
14 Staessen<sup>135,136</sup>, Elisabeth Steinhagen-Thiessen<sup>87</sup>, Konstantin Strauch<sup>137,138</sup>, Antonio  
15 Terracciano<sup>139</sup>, Martin D. Tobin<sup>140</sup>, Sheila Ulivi<sup>126</sup>, Simona Vaccargiu<sup>27</sup>, Lydia Quaye<sup>49</sup>,  
16 Frank J.A. van Rooij<sup>2,141</sup>, Cristina Venturini<sup>49,50</sup>, Anna A.E. Vinkhuyzen<sup>11</sup>, Uwe Völker<sup>100</sup>,  
17 Henry Völzke<sup>70</sup>, Judith M. Vonk<sup>51</sup>, Diego Vozzi<sup>126</sup>, Johannes Waage<sup>21,22</sup>, Erin B. Ware<sup>77,142</sup>,  
18 Gonneke Willemsen<sup>20</sup>, John R. Attia<sup>52,53</sup>, David A. Bennett<sup>75,76</sup>, Klaus Berger<sup>71</sup>, Lars  
19 Bertram<sup>143,144</sup>, Hans Bisgaard<sup>21</sup>, Dorret I. Boomsma<sup>20</sup>, Ingrid B. Borecki<sup>92</sup>, Ute Bultmann<sup>145</sup>,  
20 Christopher F. Chabris<sup>146</sup>, Francesco Cucca<sup>147</sup>, Daniele Cusi<sup>62,148</sup>, Ian J. Deary<sup>35,83</sup>, George V.  
21 Dedoussis<sup>43</sup>, Cornelia M. van Duijn<sup>2</sup>, Johan G. Eriksson<sup>149,45</sup>, Barbara Franke<sup>150</sup>, Lude  
22 Franke<sup>155</sup>, Paolo Gasparini<sup>31,126,151</sup>, Pablo V. Gejman<sup>129,130</sup>, Christian Gieger<sup>24</sup>, Hans-Jürgen  
23 Grabe<sup>152,153</sup>, Jacob Gratten<sup>11</sup>, Patrick J.F. Groenen<sup>154</sup>, Vilmundur Gudnason<sup>12,67</sup>, Pim van der  
24 Harst<sup>71,155,156</sup>, Caroline Hayward<sup>41,157</sup>, David A. Hinds<sup>29</sup>, Wolfgang Hoffmann<sup>70</sup>, Elina  
25 Hyppönen<sup>158,159,160</sup>, William G. Iacono<sup>6</sup>, Bo Jacobsson<sup>23,104</sup>, Marjo-Riitta Järvelin<sup>161,162,163,164</sup>,

1 Karl-Heinz Jöckel<sup>63</sup>, Jaakko Kaprio<sup>32,124,56</sup>, Sharon L.R. Kardia<sup>77</sup>, Terho Lehtimäki<sup>165,166</sup>,  
2 Steven F. Lehrer<sup>167,168</sup>, Patrik K.E. Magnusson<sup>44</sup>, Nicholas G. Martin<sup>169</sup>, Matt McGue<sup>6</sup>,  
3 Andres Metspalu<sup>114,170</sup>, Neil Pendleton<sup>171,172</sup>, Brenda W.J.H. Penninx<sup>57</sup>, Markus Perola<sup>56,114</sup>,  
4 Nicola Pirastu<sup>31</sup>, Mario Pirastu<sup>27</sup>, Ozren Polasek<sup>173,64</sup>, Danielle Posthuma<sup>14,174</sup>, Christine  
5 Power<sup>160</sup>, Michael A. Province<sup>92</sup>, Nilesh J. Samani<sup>33,34</sup>, David Schlessinger<sup>58</sup>, Reinhold  
6 Schmidt<sup>37</sup>, Thorkild I.A. Sørensen<sup>175,9,68</sup>, Tim D. Spector<sup>49</sup>, Kari Stefansson<sup>95,67</sup>, Unnur  
7 Thorsteinsdottir<sup>95,67</sup>, A. Roy Thurik<sup>1,176,177,3</sup>, Nicholas J. Timpson<sup>68</sup>, Henning Tiemeier<sup>2,178,179</sup>,  
8 Joyce Y. Tung<sup>29</sup>, André G. Uitterlinden<sup>180,2</sup>, Veronique Vitart<sup>41</sup>, Peter Vollenweider<sup>116</sup>, David  
9 R. Weir<sup>91</sup>, James F. Wilson<sup>64,41</sup>, Alan F. Wright<sup>41</sup>, Dalton C. Conley<sup>181,182</sup>, Robert F.  
10 Krueger<sup>6</sup>, George Davey Smith<sup>68</sup>, Albert Hofman<sup>2</sup>, David I. Laibson<sup>4</sup>, Sarah E. Medland<sup>47</sup>,  
11 Michelle N. Meyer<sup>183</sup>, Jian Yang<sup>11,184</sup>, Magnus Johannesson<sup>185</sup>, Peter M. Visscher<sup>11,184,#</sup>,  
12 Tõnu Esko<sup>114,7,186,8,#</sup>, Philipp D. Koellinger<sup>14,15,3,#</sup>, David Cesarini<sup>18,187,#</sup>, Daniel J.  
13 Benjamin<sup>188,189,#</sup>

14

15 \* These authors contributed equally.

16 # Designed and oversaw the study.

---

<sup>1</sup> Department of Applied Economics, Erasmus School of Economics, Erasmus University  
Rotterdam, 3062 PA, Rotterdam, The Netherlands

<sup>2</sup> Department of Epidemiology, Erasmus Medical Center, Rotterdam, 3015 GE, The  
Netherlands

<sup>3</sup> Erasmus University Rotterdam Institute for Behavior and Biology, Rotterdam 3062 PA, The  
Netherlands

<sup>4</sup> Department of Economics, Harvard University, Cambridge, MA 02138, USA

<sup>5</sup> Department of Economics, University of Michigan, Ann Arbor, MI 48109-1220, USA

---

<sup>6</sup> Department of Psychology, University of Minnesota Twin Cities, Minneapolis, MN 55455, USA

<sup>7</sup> Division of Endocrinology and Center for Basic and Translational Obesity Research, Boston Children's Hospital, Boston, MA 2116, USA

<sup>8</sup> Program in Medical and Population Genetics, Broad Institute of MIT and Harvard, Cambridge, MA 02142, USA

<sup>9</sup> The Novo Nordisk Foundation Center for Basic Metabolic Research, Section of Metabolic Genetics, University of Copenhagen, Faculty of Health and Medical Sciences, Copenhagen, 2100, Denmark

<sup>10</sup> Statens Serum Institut, Department of Epidemiology Research, Copenhagen, DK 2300, Denmark

<sup>11</sup> Queensland Brain Institute, The University of Queensland, Brisbane, QLD 4072, Australia

<sup>12</sup> Icelandic Heart Association, Kopavogur, 201, Iceland

<sup>13</sup> Faculty of Pharmaceutical Sciences, University of Iceland, 107 Reykjavík, Iceland

<sup>14</sup> Department of Complex Trait Genetics, VU University, Center for Neurogenomics and Cognitive Research, Amsterdam, 1081 HV, The Netherlands

<sup>15</sup> Amsterdam Business School, University of Amsterdam, Amsterdam, 1018 TV, The Netherlands

<sup>16</sup> Department of Government, Uppsala University, Uppsala, 751 20, Sweden

<sup>17</sup> New York Genome Center, New York, NY 10013, USA

<sup>18</sup> Department of Economics, New York University, New York, NY 10012, USA

<sup>19</sup> Center for Biological Sequence Analysis, Department of Systems Biology, Technical University of Denmark Lyngby, 2800, Denmark

<sup>20</sup> Department of Biological Psychology, VU University Amsterdam, Amsterdam, 1081 BT, The Netherlands



---

<sup>21</sup> COPSAC, Copenhagen Prospective Studies on Asthma in Childhood, Herlev and Gentofte Hospital, University of Copenhagen, Copenhagen, 2820, Denmark

<sup>22</sup> Steno Diabetes Center, Gentofte, 2820, Denmark

<sup>23</sup> Department of Obstetrics and Gynecology, Institute of Clinical Sciences, Sahlgrenska Academy, Gothenburg, SE 416 85, Sweden

<sup>24</sup> Research Unit of Molecular Epidemiology, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, 85764, Germany

<sup>25</sup> Institute of Epidemiology II, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, 85764, Germany

<sup>26</sup> Department of Cell Biology, Erasmus Medical Center Rotterdam, 3015 CN, The Netherlands

<sup>27</sup> Istituto di Ricerca Genetica e Biomedica U.O.S. di Sassari, National Research Council of Italy, Sassari, 07100, Italy

<sup>28</sup> Psychology, University of Illinois, IL 61820, Champaign, USA

<sup>29</sup> 23andMe, Inc., Mountain View, CA 94041, USA

<sup>30</sup> Radboud Institute for Health Sciences, Radboud University Medical Center, Nijmegen, 6500 HB, The Netherlands

<sup>31</sup> Department of Medical, Surgical and Health Sciences, University of Trieste, Trieste, 34100, Italy

<sup>32</sup> Department of Public Health, University of Helsinki, Helsinki, FI-00014, Finland

<sup>33</sup> Department of Cardiovascular Sciences, University of Leicester, Leicester, LE3 9QP, UK

<sup>34</sup> NIHR Leicester Cardiovascular Biomedical Research Unit, Glenfield Hospital, Leicester, LE3 9QP, UK

<sup>35</sup> Centre for Cognitive Ageing and Cognitive Epidemiology, University of Edinburgh, Edinburgh, EH8 9JZ, UK

- 
- <sup>36</sup> Centre for Genomic and Experimental Medicine, Institute of Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK
- <sup>37</sup> Department of Neurology, General Hospital and Medical University Graz, Graz, 8036, Austria
- <sup>38</sup> Institute for Medical Informatics, Statistics and Documentation, General Hospital and Medical University Graz, Graz, 8036, Austria
- <sup>39</sup> Oxford Centre for Diabetes, Endocrinology & Metabolism, University of Oxford, Oxford, OX3 7LE, UK
- <sup>40</sup> Wellcome Trust Centre for Human Genetics, University of Oxford, Oxford, OX3 7BN, UK
- <sup>41</sup> MRC Human Genetics Unit, Institute of Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK
- <sup>42</sup> Institute of Behavioural Sciences, University of Helsinki, Helsinki, FI-00014, Finland
- <sup>43</sup> Nutrition and Dietetics, Health Science and Education, Harokopio University, Athens, 17671, Greece
- <sup>44</sup> Department of Medical Epidemiology and Biostatistics, Karolinska Institutet, Stockholm, 171 77, Sweden
- <sup>45</sup> Folkhälsan Research Centre, Helsingfors, FI-00014, Finland
- <sup>46</sup> Institute for Computing and Information Sciences, Radboud University Nijmegen, Nijmegen, 6525 EC, The Netherlands
- <sup>47</sup> Quantitative Genetics, QIMR Berghofer Medical Research Institute, Brisbane, QLD 4029, Australia
- <sup>48</sup> Lifespan Psychology, Max Planck Institute for Human Development, Berlin, 14195, Germany
- <sup>49</sup> Department of Twin Research and Genetic Epidemiology, King's College London, London, SE1 7EH, UK

---

<sup>50</sup> NIHR Biomedical Research Centre, Guy's and St. Thomas' Foundation Trust, London, SE1 7EH, UK

<sup>51</sup> Department of Epidemiology, University of Groningen, University Medical Center Groningen, Groningen, 9700 RB, The Netherlands

<sup>52</sup> Public Health Stream, Hunter Medical Research Institute, New Lambton, NSW 2305, Australia

<sup>53</sup> Faculty of Health and Medicine, University of Newcastle, Newcastle, NSW 2300, Australia

<sup>54</sup> Centre for Integrated Genomic Medical Research, Institute of Population Health, The University of Manchester, Manchester, M13 9PT, UK

<sup>55</sup> School of Psychological Sciences, The University of Manchester, Manchester, M13 9PL, UK

<sup>56</sup> Department of Health, THL-National Institute for Health and Welfare, Helsinki, FI-00271, Finland

<sup>57</sup> Psychiatry, VU University Medical Center & GGZ inGeest, Amsterdam, 1081 HL, The Netherlands

<sup>58</sup> Laboratory of Genetics, National Institute on Aging, Baltimore, MD 21224, USA

<sup>59</sup> Research Centre of Applied and Preventive Cardiovascular Medicine, University of Turku, Turku, 20521, Finland

<sup>60</sup> Department of Medical Genetics, University of Lausanne, Lausanne, 1005, Switzerland

<sup>61</sup> Swiss Institute of Bioinformatics, Lausanne, 1015, Switzerland

<sup>62</sup> Department Of Health Sciences, University of Milan, Milano, 20142, Italy

<sup>63</sup> Institute for Medical Informatics, Biometry and Epidemiology, University Hospital of Essen, Essen, 45147, Germany

<sup>64</sup> Centre for Global Health Research, The Usher Institute for Population Health Sciences and Informatics, University of Edinburgh, Edinburgh, EH8 9AG, UK

---

<sup>65</sup> Division of Cancer Epidemiology and Genetics, National Cancer Institute, Bethesda, MD 20892-9780, USA

<sup>66</sup> Icelandic Heart Association, Kopavogur, 201, Iceland

<sup>67</sup> Faculty of Medicine, University of Iceland, Reykjavik, 101, Iceland

<sup>68</sup> MRC Integrative Epidemiology Unit, University of Bristol, Bristol, BS8 2BN, UK

<sup>69</sup> School of Oral and Dental Sciences, University of Bristol, Bristol, BS1 2LY, UK

<sup>70</sup> Institute for Community Medicine, University Medicine Greifswald, Greifswald, 17475, Germany

<sup>71</sup> Department of Cardiology, University Medical Center Groningen, University of Groningen, Groningen, 9700 RB, The Netherlands

<sup>72</sup> Institute of Epidemiology and Social Medicine, University of Muenster, Muenster, 48149, Germany

<sup>73</sup> Divisions of Genetics and Rheumatology, Department of Medicine, Brigham and Women's Hospital, Harvard Medical School, MA 02115, Boston, USA

<sup>74</sup> Partners Center for Personalized Genetic Medicine, Boston, MA 02115, USA

<sup>75</sup> Rush Alzheimer's Disease Center, Rush University Medical Center, Chicago, IL 60612, USA

<sup>76</sup> Department of Neurological Sciences, Rush University Medical Center, Chicago, IL 60612, USA

<sup>77</sup> Department of Epidemiology, University of Michigan, Ann Arbor, MI 48109, USA

<sup>78</sup> Department of Gastroenterology and Hepatology, University of Groningen, University Medical Center Groningen, Groningen, 9713 GZ, The Netherlands

<sup>79</sup> Institute of Epidemiology and Preventive Medicine, University of Regensburg, Regensburg, D-93053, Germany

<sup>80</sup> Institute of Molecular Genetics, National Research Council of Italy, Pavia, 27100, Italy

- 
- <sup>81</sup> Department of Behavioral Sciences, Rush University Medical Center, Chicago, IL 60612, USA
- <sup>82</sup> Warwick Medical School, University of Warwick, Coventry, CV4 7AL, UK
- <sup>83</sup> Department of Psychology, University of Edinburgh, Edinburgh, EH8 9JZ, UK
- <sup>84</sup> Saïd Business School, University of Oxford, Oxford, OX1 1HP, UK
- <sup>85</sup> William Harvey Research Institute, Barts and The London School of Medicine and Dentistry, Queen Mary University of London, London, EC1M 6BQ, UK
- <sup>86</sup> Princess Al-Jawhara Al-Brahim Centre of Excellence in Research of Hereditary Disorders (PACER-HD), King Abdulaziz University, Jeddah, 21589, Saudi Arabia
- <sup>87</sup> The Berlin Aging Study II; Research Group on Geriatrics, Charité – Universitätsmedizin Berlin, Germany, Berlin, 13347, Germany
- <sup>88</sup> Institute of Medical and Human Genetics, Charité-Universitätsmedizin, Berlin, Berlin, 13353, Germany
- <sup>89</sup> German Socio- Economic Panel Study, DIW Berlin, Berlin, 10117, Germany
- <sup>90</sup> Health Economics Research Centre, Nuffield Department of Population Health, University of Oxford, Oxford, OX3 7LF, UK
- <sup>91</sup> Survey Research Center, Institute for Social Research, University of Michigan, Ann Arbor, MI 48109, USA
- <sup>92</sup> Department of Genetics, Division of Statistical Genomics, Washington University School of Medicine, St. Louis, MO 63018, USA
- <sup>93</sup> Institute of Human Genetics, University of Bonn, Bonn, 53127, Germany
- <sup>94</sup> Department of Genomics, Life and Brain Center, University of Bonn, Bonn, 53127, Germany
- <sup>95</sup> deCODE Genetics/Amgen Inc., Reykjavik, IS-101, Iceland

- 
- <sup>96</sup> Institute of Biomedical and Neural Engineering, School of Science and Engineering, Reykjavik University, Reykjavik 101, Iceland
- <sup>97</sup> Laboratory of Epidemiology, Demography, National Institute on Aging, National Institutes of Health, Bethesda, MD 20892-9205, United States
- <sup>98</sup> Department of Psychiatry, Washington University School of Medicine, St. Louis, MO 63110, USA
- <sup>99</sup> Division of Applied Health Sciences, University of Aberdeen, Aberdeen, AB25 2ZD, UK
- <sup>100</sup> Interfaculty Institute for Genetics and Functional Genomics, University Medicine Greifswald, Greifswald, 17475, Germany
- <sup>101</sup> Manchester Medical School, The University of Manchester, Manchester, 9PT, UK
- <sup>102</sup> Program in Translational NeuroPsychiatric Genomics, Departments of Neurology & Psychiatry, Brigham and Women's Hospital, Boston, MA 02115, USA
- <sup>103</sup> Harvard Medical School, Boston, MA 02115, USA
- <sup>104</sup> Department of Genes and Environment, Norwegian Institute of Public Health, Oslo, N-0403, Norway
- <sup>105</sup> Department of Genomics of Common Disease, Imperial College London, London, W12 0NN, UK
- <sup>106</sup> Department of Clinical Physiology, Tampere University Hospital, Tampere, 33521, Finland
- <sup>107</sup> Department of Clinical Physiology, University of Tampere, School of Medicine, Tampere, 33014, Finland
- <sup>108</sup> Public Health, Medical School, University of Split, 21000 Split, Croatia
- <sup>109</sup> Institute of Social and Preventive Medicine, Lausanne University Hospital (CHUV), Lausanne, 1010, Switzerland

- 
- <sup>110</sup> Neuroepidemiology Section, National Institute on Aging, National Institutes of Health, Bethesda, MD 20892-9205, USA
- <sup>111</sup> Amsterdam Brain and Cognition Center, University of Amsterdam, 1018 XA, Amsterdam, The Netherlands
- <sup>112</sup> Department of Psychiatry and Behavioral Sciences, Stanford University, Stanford, CA 94305-5797, USA
- <sup>113</sup> LifeLines Cohort Study, University of Groningen, University Medical Center Groningen, Groningen, 9713 BZ, The Netherlands
- <sup>114</sup> Estonian Genome Center, University of Tartu, Tartu, 51010, Estonia
- <sup>115</sup> Medical Genetics Section, Centre for Genomic and Experimental Medicine, Institute of Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK
- <sup>116</sup> Department of Internal Medicine, Internal Medicine, Lausanne University Hospital (CHUV), Lausanne, 1011, Switzerland
- <sup>117</sup> Tema BV, 2131 HE Hoofddorp, The Netherlands
- <sup>118</sup> Institute of Human Genetics, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, 85764, Germany
- <sup>119</sup> Molecular Epidemiology, QIMR Berghofer Medical Research Institute, Brisbane, QLD 4029, Australia
- <sup>120</sup> Institute of Health and Biomedical Innovation, Queensland Institute of Technology, Brisbane, QLD 4059, Australia
- <sup>121</sup> Analytic and Translational Genetics Unit, Department of Medicine, Massachusetts General Hospital, Boston, MA 02114, USA
- <sup>122</sup> The Stanley Center for Psychiatric Research, Broad Institute of MIT and Harvard, Cambridge, MA 02142, USA.

- 
- <sup>123</sup> Psychiatric & Neurodevelopmental Genetics Unit, Department of Psychiatry,  
Massachusetts General Hospital, Boston, MA 02114, USA
- <sup>124</sup> Institute for Molecular Medicine Finland (FIMM), University of Helsinki, Helsinki,  
00014, Finland
- <sup>125</sup> Department of Neurology, Massachusetts General Hospital, Boston, MA 02114, USA
- <sup>126</sup> Medical Genetics, Institute for Maternal and Child Health IRCCS “Burlo Garofolo”,  
Trieste, 34100, Italy
- <sup>127</sup> Social Impact, Arlington, VA 22201, USA
- <sup>128</sup> Department of Economics, University of Minnesota Twin Cities, Minneapolis, MN 55455,  
USA
- <sup>129</sup> Department of Psychiatry and Behavioral Sciences, NorthShore University HealthSystem,  
Evanston, IL 60201-3137, USA
- <sup>130</sup> Department of Psychiatry and Behavioral Neuroscience, University of Chicago, Chicago,  
IL 60637, USA
- <sup>131</sup> Public Health Genomics Unit, National Institute for Health and Welfare, Helsinki 00300,  
Finland
- <sup>132</sup> Research Unit for Genetic Epidemiology, Institute of Molecular Biology and  
Biochemistry, Center of Molecular Medicine, General Hospital and Medical University,  
Graz, Graz, 8010, Austria
- <sup>133</sup> Information Based Medicine Stream, Hunter Medical Research Institute, New Lambton,  
NSW 2305, Australia
- <sup>134</sup> Medical Research Institute, University of Dundee, Dundee, DD1 9SY, UK
- <sup>135</sup> Research Unit Hypertension and Cardiovascular Epidemiology, Department of  
Cardiovascular Science, University of Leuven, Leuven, 3000, Belgium
- <sup>136</sup> R&D VitaK Group, Maastricht University, Maastricht, 6229 EV, The Netherlands



- 
- <sup>137</sup> Institute of Genetic Epidemiology, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, 85764, Germany
- <sup>138</sup> Institute of Medical Informatics, Biometry and Epidemiology, Chair of Genetic Epidemiology, Ludwig Maximilians-Universität, Munich, 81377, Germany
- <sup>139</sup> Department of Geriatrics, Florida State University College of Medicine, Tallahassee, FL 32306, USA
- <sup>140</sup> Department of Health Sciences and Genetics, University of Leicester, Leicester, LE1 7RH, UK
- <sup>141</sup> Department of Internal Medicine, Erasmus Medical Center, Rotterdam, 3015 GE, The Netherlands
- <sup>142</sup> Research Center for Group Dynamics, Institute for Social Research, University of Michigan, Ann Arbor, MI 48104, USA
- <sup>143</sup> Platform for Genome Analytics, Institutes of Neurogenetics & Integrative and Experimental Genomics, University of Lübeck, Lübeck, 23562, Germany
- <sup>144</sup> Neuroepidemiology and Ageing Research Unit, School of Public Health, Faculty of Medicine, The Imperial College of Science, Technology and Medicine, London SW7 2AZ, UK
- <sup>145</sup> Department of Health Sciences, Community & Occupational Medicine, University of Groningen, University Medical Center Groningen, Groningen, 9713 AV, The Netherlands
- <sup>146</sup> Department of Psychology, Union College, Schenectady, NY 12308, USA
- <sup>147</sup> Istituto di Ricerca Genetica e Biomedica (IRGB), Consiglio Nazionale delle Ricerche, c/o Cittadella Universitaria di Monserrato, Monserrato, Cagliari, 9042, Italy
- <sup>148</sup> Institute of Biomedical Technologies, Italian National Research Council, Segrate (Milano), 20090, Italy

- 
- <sup>149</sup> Department of General Practice and Primary Health Care, University of Helsinki, Helsinki, 00014, Finland
- <sup>150</sup> Departments of Human Genetics and Psychiatry, Donders Centre for Neuroscience, Nijmegen, 6500 HB, The Netherlands
- <sup>151</sup> Sidra, Experimental Genetics Division, Sidra, Doha 26999, Qatar
- <sup>152</sup> Department of Psychiatry and Psychotherapy, University Medicine Greifswald, Greifswald, 17475, Germany
- <sup>153</sup> Department of Psychiatry and Psychotherapy, HELIOS-Hospital Stralsund, Stralsund, 18437, Germany
- <sup>154</sup> Econometric Institute, Erasmus School of Economics, Erasmus University Rotterdam, Rotterdam, 3062 PA, The Netherlands
- <sup>155</sup> Department of Genetics, University Medical Center Groningen, University of Groningen, Groningen. 9700 RB, The Netherlands
- <sup>156</sup> Durrer Center for Cardiogenetic Research, ICIN-Netherlands Heart Institute, Utrecht, 1105 AZ, The Netherlands
- <sup>157</sup> Generation Scotland, Centre for Genomics and Experimental Medicine, Institute of Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK
- <sup>158</sup> Centre for Population Health Research, School of Health Sciences and Sansom Institute, University of South Australia, SA5000, Adelaide, Australia
- <sup>159</sup> South Australian Health and Medical Research Institute, Adelaide, SA5000, Australia
- <sup>160</sup> Population, Policy and Practice, UCL Institute of Child Health, London, WC1N 1EH, UK
- <sup>161</sup> Department of Epidemiology and Biostatistics, MRC-PHE Centre for Environment & Health, School of Public Health, Imperial College London, London, W2 1PG, UK
- <sup>162</sup> Center for Life Course Epidemiology, Faculty of Medicine, University of Oulu, Oulu, FI-90014, Finland

- 
- <sup>163</sup> Unit of Primary Care, Oulu University Hospital, Oulu, 90029 OYS, Finland
- <sup>164</sup> Biocenter Oulu, University of Oulu, FI-90014 Oulu, Finland
- <sup>165</sup> Fimlab Laboratories, Tampere, 33520, Finland
- <sup>166</sup> Department of Clinical Chemistry, University of Tampere, School of Medicine, Tampere, 33014, Finland
- <sup>167</sup> Economics, NYU Shanghai, 200122, Pudong, China
- <sup>168</sup> Policy Studies, Queen's University, Kingston, K7L3N6, Canada
- <sup>169</sup> Genetic Epidemiology, QIMR Berghofer Medical Research Institute, Brisbane, QLD 4029, Australia
- <sup>170</sup> Institute of Molecular and Cell Biology, University of Tartu, Tartu, 51010, Estonia
- <sup>171</sup> Centre for Clinical and Cognitive Neuroscience, Institute Brain Behaviour and Mental Health, Salford Royal Hospital, Manchester, M6 8HD, UK
- <sup>172</sup> Manchester Institute Collaborative Research in Ageing, University of Manchester, Manchester, M13 9PL, UK
- <sup>173</sup> Faculty of Medicine, University of Split, Croatia, Split 21000, Croatia
- <sup>174</sup> Department of Clinical Genetics, VU Medical Centre, Amsterdam, 1081 HV, The Netherlands
- <sup>175</sup> Institute of Preventive Medicine, Bispebjerg and Frederiksberg Hospitals, The Capital Region, Frederiksberg, 2000, Denmark
- <sup>176</sup> Montpellier Business School, Montpellier, 34080, France
- <sup>177</sup> Panteia, Zoetermeer, 2715 CA, The Netherlands
- <sup>178</sup> Department of Psychiatry, Erasmus Medical Center, Rotterdam, 3015 GE, The Netherlands
- <sup>179</sup> Department of Child and Adolescent Psychiatry, Erasmus Medical Center, Rotterdam, 3015 GE, The Netherlands

---

<sup>180</sup> Department of Internal Medicine, Erasmus Medical Center, Rotterdam, 3015 GE, The Netherlands

<sup>181</sup> Department of Sociology, New York University, New York, NY 10012, USA

<sup>182</sup> School of Medicine, New York University, NY 10016, New York, USA

<sup>183</sup> Bioethics Program, Union Graduate College - Icahn School of Medicine at Mount Sinai, Schenectady, NY 12308, USA

<sup>184</sup> The University of Queensland Diamantina Institute, The Translational Research Institute, Brisbane, QLD 4102, Australia

<sup>185</sup> Department of Economics, Stockholm School of Economics, Stockholm, 113 83, Sweden

<sup>186</sup> Department of Genetics, Harvard Medical School, Boston, MA 02115, USA

<sup>187</sup> Research Institute for Industrial Economics, Stockholm, 10215, Sweden

<sup>188</sup> Department of Economics, Cornell University, Ithaca, NY 14853, USA

<sup>189</sup> Center for Economic and Social Research, University of Southern California, Los Angeles, CA 90089-3332, USA

#### Figure Legends

**Figure 1 | Manhattan plot for *EduYears* associations ( $N = 293,723$ ).** The  $x$ -axis is chromosomal position, and the  $y$ -axis is the significance on a  $-\log_{10}$  scale. The black line shows the genome-wide significance level ( $5 \times 10^{-8}$ ). The red x's are the 74 approximately independent genome-wide significant associations ("lead SNPs"). The black dots labeled with rs numbers are the 3 Rietveld et al.<sup>1</sup> SNPs.

**Figure 2 | Genetic correlations between *EduYears* and other traits.** Results from bivariate Linkage-Disequilibrium (LD) Score regressions<sup>9</sup>: estimates of genetic correlation with brain

---

volume, neuropsychiatric, behavioral, and anthropometric phenotypes using published GWAS summary statistics. The error bars show the 95% confidence intervals.

**Figure 3 | Overview of biological annotation.** 34 clusters of significantly enriched gene sets. Each cluster is named after one of its member gene sets. The color represents the  $P$ -value of the member set exhibiting the most statistically significant enrichment. Overlap between pairs of clusters is represented by an edge. Edge width represents the Pearson correlation  $\rho$  between the two vectors of gene membership scores ( $\rho < 0.3$ , no edge;  $0.3 \leq \rho < 0.5$ , thin edge;  $0.5 \leq \rho < 0.7$ , intermediate edge;  $\rho \geq 0.7$ , thick edge), where each cluster's vector is the vector for the gene set after which the cluster is named.

#### Extended Data Figure Legends

**Extended Data Figure 1 | Quantile-quantile plot of the genome-wide association meta-analysis of 64 *EduYears* results files.** Observed and expected  $P$ -values are on a  $-\log_{10}$  scale. The grey region depicts the 95% confidence interval under the null hypothesis of a uniform  $P$ -value distribution. The observed  $\lambda_{GC}$  is 1.28. (As reported in Supplementary Information section 1.5.4, the unweighted mean  $\lambda_{GC}$  is 1.02, the unweighted median is 1.01, and the range across cohorts is 0.95–1.15.)

**Extended Data Figure 2 | The distribution of effect sizes of the 74 lead SNPs.** **a**, SNPs ordered by absolute value of the standardized effect of one more copy of the education-increasing allele, with 95% confidence intervals. **b**, SNPs ordered by  $R^2$ . Effects on *EduYears*

---

are benchmarked against the top 74 genome-wide significant hits identified in the largest GWAS conducted to date of height and body mass index (BMI), and the 48 associations reported for waist-to-hip ratio adjusted for BMI (WHR). These results are based on the GIANT consortium's publicly available results for pooled analyses restricted to European-ancestry individuals:

[https://www.broadinstitute.org/collaboration/giant/index.php/GIANT\\_consortium](https://www.broadinstitute.org/collaboration/giant/index.php/GIANT_consortium).

**Extended Data Figure 3 | Assessing the extent to which population stratification affects the estimates from the GWAS. a,** LD Score regression plot with the summary statistics from the GWAS. Each point represents an LD Score quantile for a chromosome (the  $x$  and  $y$  coordinates of the point are the mean LD Score and the mean  $\chi^2$  statistic of variants in that quantile). The facts that the intercept is close to one and that the  $\chi^2$  statistics increase linearly with the LD Scores suggest that the bulk of the inflation in the  $\chi^2$  statistics is due to true polygenic signal and not to population stratification. **b,** Estimates and 95% confidence intervals from individual-level and WF regressions of *EduYears* on polygenic scores, for scores constructed with sets of SNPs meeting different  $P$ -value thresholds. In addition to the analyses shown here, we conduct a sign concordance test, and we decompose the variance of the polygenic score. Overall, these analyses suggest that population stratification is unlikely to be a major concern for our 74 lead SNPs. See Supplementary Information section 3 for additional details.

**Extended Data Figure 4 | Replication of 74 lead SNPs in the UK Biobank data.** Estimated effect sizes (in years of schooling) and 95% confidence intervals of the 74 lead SNPs in the

---

meta-analysis sample ( $N = 293,723$ ) and the UK Biobank replication sample ( $N = 111,349$ ).

The reference allele is the allele associated with higher values of *EduYears* in the meta-analysis sample. SNPs are in descending order of  $R^2$  in the meta-analysis sample. Of the 74 lead SNPs, 72 have the anticipated sign in the replication sample, 52 replicate at the 0.05 significance level, and 7 replicate at the  $5 \times 10^{-8}$  significance level.

**Extended Data Figure 5 | Q-Q plots for the 74 lead *EduYears* SNPs (or LD proxies) in published GWAS of other phenotypes.** SNPs with concordant effects on both phenotypes are pink, and SNPs with discordant effects are blue. SNPs outside the gray area pass Bonferroni-corrected significance thresholds that correct for the total number of SNPs we tested ( $P < 0.05/74 = 6.8 \times 10^{-4}$ ) and are labeled with their rs numbers. Observed and expected  $P$ -values are on a  $-\log_{10}$  scale. For the sign concordance test: \*  $P < 0.05$ , \*\*  $P < 0.01$ , and \*\*\*  $P < 0.001$ .

**Extended Data Figure 6 | Regional association plots for four of the ten prioritized SNPs for MHBA phenotypes identified using *EduYears* as a proxy phenotype: a, cognitive performance; b, hippocampus; c, intracranial volume; d, neuroticism.** The four were selected because very few genome-wide significant SNPs have been previously reported for these traits. Data sources and methods are described in Supplementary Information section 3. The  $R^2$  values are from the hg19 / 1000 Genomes Nov 2014 EUR references samples. The figures were created with LocusZoom (<http://csg.sph.umich.edu/locuszoom/>). Mb, megabases.

**Extended Data Figure 7 | Application of fgwas to *EduYears*.** See Supplementary Information section 4.2 for further details. a, The results of single-annotation models.

---

“Enrichment” refers to the factor by which the prior odds of association at an LD-defined region must be multiplied if the region bears the given annotation; this factor is estimated using an empirical Bayes method applied to all SNPs in the GWAS meta-analysis regardless of statistical significance. Annotations were derived from ENCODE and a number of other data sources. Plotted are the base-2 logarithms of the enrichments and their 95% confidence intervals. Multiple instances of the same annotation correspond to independent replicates of the same experiment. **b**, The results of combining multiple annotations and applying model selection and cross-validation. Although the maximum-likelihood estimates are plotted, model selection was performed with penalized likelihood. **c**, Reweighting of GWAS loci. Each point represents an LD-defined region of the genome, and shown are the regional posterior probabilities of association (PPAs). The *x*-axis give the PPA calculated from the GWAS summary statistics alone, whereas the *y*-axis gives the PPA upon reweighting on the basis of the annotations in **b**. The orange points represent genomic regions where the PPA is equivalent to the standard GWAS significance threshold only upon reweighting.

**Extended Data Figure 8 | Tissue-level biological annotation.** **a**, The enrichment factor for a given tissue type is the ratio of variance explained by SNPs in that group to the overall fraction of SNPs in that group. To benchmark the estimates for *EduYears*, we compare the enrichment factors to those obtained when we use the largest GWAS conducted to date on body mass index, height, and waist-to-hip ratio adjusted for BMI. The estimates were produced with the LDSC python software, using the LD Scores and functional annotations introduced in Finucane et al. (2015) and the HapMap3 SNPs with MAF > 0.05. Each of the 10 enrichment calculations for a particular cell type is performed independently, while each controlling for the 52 functional annotation categories in the full baseline model. The error bars show the 95% confidence intervals. **b**, We took measurements of gene expression by the Genotype-Tissue Expression (GTEx) Consortium and determined whether the genes



---

overlapping *EduYears*-associated loci are significantly overexpressed (relative to genes in random sets of loci matched by gene density) in each of 37 tissue types. These types are grouped in the panel by organ. The colored bars corresponding to tissues where there is significant overexpression. The y-axis is the significance on a  $-\log_{10}$  scale.

**Extended Data Figure 9 | Gene-level biological annotation. a,** The DEPICT-prioritized genes for *EduYears* measured in the BrainSpan Developmental Transcriptome data (red curve) are more strongly expressed in the brain prenatally rather than postnatally. The DEPICT-prioritized genes exhibit similar gene-expression levels across different brain regions (gray lines). Analyses were based on  $\log_2$ -transformed RNA-Seq data. Error bars represent 95% confidence intervals. **b,** For each phenotype and disorder, we calculated the overlap between the phenotype's DEPICT-prioritized genes and genes believed to harbor *de novo* mutations causing the disorder. The bars correspond to odds ratios. *EduYears*, years of education; BMI, body mass index; WHR, waist-to-hip ratio adjusted for BMI. **c,** DEPICT-prioritized genes in *EduYears*-associated loci exhibit substantial overlap with genes previously reported to harbor sites where mutations increase risk of intellectual disability and autism spectrum disorder (Supplementary Table 4.6.1).

**Extended Figure 10 | The predictive power of a polygenic score (PGS) varies in Sweden by birth cohort.** Five-year rolling regressions of years of education on the PGS (left axis in all four panels), share of individuals not affected by the comprehensive school reform (**a**, right axis), and average distance to nearest junior high school (**b**, right axis), nearest high

---

school (**c**, right axis) and nearest college/university (**d**, right axis). The shaded area displays the 95% confidence intervals for the PGS effect.





